

09-05-00

A

Box SEA

## Certificate of Mailing

Date of Deposit September 1, 2000Label Number: EL509049835US

I hereby certify under 37 CFR 1.10 that this correspondence is being deposited with the United States Postal Service as "Express Mail Post Office to Addressee" with sufficient postage on the date indicated above and is addressed to: BOX PATENT APPLICATION, Director for Patents, Washington, D.C. 20231.

Luis A. Cruz

Printed name of person mailing correspondence

Signature of person mailing correspondence

PTO 09/01/00

09/01/00

09/01/00

## UTILITY PATENT APPLICATION TRANSMITTAL UNDER 37 CFR §1.53(b)

Attorney Docket Number

07891/003005

Applicant

ROBERT G. KORNELUK, ALEXANDER E. MACKENZIE,  
STEPHEN BAIRD, AND PETER LISTON

Title

MAMMALIAN IAP GENE FAMILY, PRIMERS, PROBES, and  
DETECTION METHODS

## PRIORITY INFORMATION:

This application is a continuation of and claims priority from United States patent application 08/576,956, filed December 22, 1995; which is a Continuation-in-Part of United States patent application 08/511,485, filed August 4, 1995, now issued as U.S. Patent No. 5,919,912.

## APPLICATION ELEMENTS:

Cover sheet

1 page

Specification

88 pages

Claims

6 pages

Abstract

1 page

Drawing

50 sheets

Combined Declaration and POA, which is:

2 pages

☐ Unsigned;☐ Newly signed for this application;

☒ A copy from prior application 08/576,956 and the entire disclosure of the prior application is considered as being part of the disclosure of this new application and is hereby incorporated by reference therein.

Sequence Statement

2 pages

Sequence Listing on Paper

42 pages

Sequence Listing on Diskette

1 diskette

Small Entity Statement, which is:

2 pages


☐ Unsigned;☐ Newly signed for this application;

☒ A copy from prior application 08/576,956 and such small entity status is still proper and desired.

1c924 U.S. PTO  
09/01/00

09/01/00

007060-044333

Preliminary Amendment	16 pages
IDS	2 pages
Form PTO 1449	5 pages
Cited References	0 references
Recordation Form Cover Sheet and Assignment	0 page
Assignee's Statement	0 page
English Translation	0 page
Certified Copy of Priority Document	0 page
Return Receipt Postcard	1
<b>FILING FEES:</b>	
Basic Filing Fee: \$345	\$345.00
Excess Claims Fee: $47 - 20 = 27 \times \$9$	\$243.00
Excess Independent Claims Fee: $16 - 3 = 13 \times \$39$	\$507.00
Multiple Dependent Claims Fee: \$260/\$130	
Total Fees:	\$1095.00
<input checked="" type="checkbox"/> Enclosed is a check for \$1095.00 to cover the total fees. <input type="checkbox"/> Charge [ <b>**AMOUNT**</b> ] to Deposit Account No. 03-2095 to cover the total fees. <input type="checkbox"/> The filing fee is not being paid at this time. <input checked="" type="checkbox"/> Please apply any other charges, or any credits, to Deposit Account No. 03-2095.	
<b>CORRESPONDENCE ADDRESS:</b>	
Kristina Bieker-Brady, Ph.D. Reg. No. 39,109 Clark & Elbing LLP 176 Federal Street Boston, MA 02110	
Telephone: 617-428-0200 Facsimile: 617-428-7045	
<div style="display: flex; justify-content: space-between; align-items: flex-end;"> <div>             Signature <u>James De Camp</u> Reg. No. 47,580         </div> <div> <u>2/1/00</u>            Date         </div> </div>	

Applicant or Patentee: Robert G. Korneluk et al.  
 Serial or Patent No.: 08/576,956  
 Filed or Issued: December 22, 1995  
 For: MAMMALIAN IAP GENE FAMILY, PRIMERS, PROBES, AND DETECTION METHODS

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS  
 (37 CFR 1.9(f) and 1.27(d)) - NONPROFIT ORGANIZATION

I hereby declare that I am an official empowered to act on behalf of the nonprofit organization identified below:

Name of Organization: University of Ottawa  
 Address of Organization: 550 Cumberland, Ottawa, Ontario, Canada K1N 6N5  
 Type of Organization:

- ☒ UNIVERSITY OR OTHER INSTITUTION OF HIGHER EDUCATION  
☐ TAX EXEMPT UNDER INTERNAL REVENUE SERVICE CODE (26 USC 501(a) and 501(c)(3))  
☐ NONPROFIT SCIENTIFIC OR EDUCATIONAL UNDER STATUTE OF STATE OF THE UNITED STATES OF AMERICA  
 (NAME OF STATE: )  
 (CITATION OF STATUTE: )  
☐ WOULD QUALIFY AS TAX EXEMPT UNDER INTERNAL REVENUE SERVICE CODE (26 USC 501(a) and 501(c)(3)) IF  
 LOCATED IN THE UNITED STATES OF AMERICA  
☐ WOULD QUALIFY AS NONPROFIT SCIENTIFIC OR EDUCATIONAL UNDER STATUTE OF STATE OF THE UNITED STATES OF  
 AMERICA IF LOCATED IN THE UNITED STATES OF AMERICA  
 (NAME OF STATE: )  
 (CITATION OF STATUTE: )

I hereby declare that the nonprofit organization identified above qualifies as a nonprofit organization as defined in 37 CFR 1.9(e) for purposes of paying reduced fees under section 41(a) and (b) of Title 35, United States Code with regard to the invention entitled MAMMALIAN IAP GENE FAMILY, PRIMERS, PROBES, AND DETECTION METHODS by inventor(s) Robert G. Korneluk, Alexander R. MacKenzie, and Stephen Baird described in

- ☐ the specification filed herewith.  
☒ application serial no. 08/567,959, filed December 22, 1995.  
☐ patent no. , issued .

I hereby declare that rights under contract or law have been conveyed to and remain with the nonprofit organization with regard to the above identified invention.

If the rights held by the nonprofit organization are not exclusive, each individual, concern or organization having rights to the invention is listed below\* and no rights to the invention are held by any person, other than the inventor, who could not qualify as a small business concern under 37 CFR 1.9(c) or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

\*NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

Full Name: Apoptogen, Inc.

Address: 100 International Blvd., Etobicoke, Ontario, Canada M9W 6J6

☐ INDIVIDUAL ☒ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Name: Jean Farrall

Title: Director, Research Services

Address: University of Ottawa, 115 Seraphin Marion, Ottawa, Canada

Signature: Jean Farrall

Date: 15 March 1996

Applicant or Patentee: Robert G. Korneluk et al.  
 Serial or Patent No.: 08/576,956  
 Filed or Issued: December 22, 1995  
 For: MAMMALIAN IAP GENE FAMILY, PRIMERS, PROBES, AND DETECTIONS METHODS

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS  
 (37 CFR 1.9(f) and 1.27(c)) - SMALL BUSINESS CONCERN

I hereby declare that I am

- ☒ the owner of the small business concern identified below:  
☐ an official of the small business concern empowered to act on behalf of the concern identified below:

Name of Small Business Concern: Apoptogen, Inc.

Address of Small Business Concern: 100 International Blvd., Etobicoke, Ontario, Canada M9W 6J6

I hereby declare that the above identified small business concern qualifies as a small business concern as defined in 13 CFR 121.12, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees to the United States Patent and Trademark Office, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention, entitled MAMMALIAN IAP GENE FAMILY, PRIMERS, PROBES, AND DETECTION METHODS by Inventor(s) Robert G. Korneluk, Alexander R. MacKenzie, and Stephen Baird described in

- ☐ the specification filed herewith.  
☒ application serial no. 08/576,956, filed December 22, 1995.  
☐ patent no. , issued .

If the rights held by the above identified small business concern are not exclusive, each individual, concern or organization having rights to the invention is listed below and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e). NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

Full Name: University of Ottawa

Address: 550 Cumberland, Ottawa, Ontario, Canada K1N 6N5

☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☒ NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent on which this verified statement is directed.

Name: Frank Gleeson

Title: President and CEO


Address: 100 Etobicoke, Ontario, Canada M9W 6J6

Signature: FM Gleeson

Date: 21 Feb '96



PATENT  
ATTORNEY DOCKET NO. 07891/003005

Certificate of Mailing	
Date of Deposit <u>September 1, 2000</u>	Label Number: <u>EL509049835US</u>
<p>I hereby certify under 37 CFR 1.10 that this correspondence is being deposited with the United States Postal Service as "Express Mail Post Office to Addressee" with sufficient postage on the date indicated above and is addressed to BOX PATENT APPLICATION, Director for Patents, Washington, D.C. 20231.</p>	
Luis A. Cruz Printed name of person mailing correspondence	 Signature of person mailing correspondence

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Robert G. Korneluk <i>et al.</i>	Art Unit: Not Yet Assigned
Serial No.: Not Yet Assigned	Examiner: Not Yet Assigned
Filed: September 1, 2000	
Title: MAMMALIAN IAP GENE FAMILY, PRIMERS, PROBES, AND DETECTION METHODS	

Director for Patents  
Washington, D.C. 20231

PRELIMINARY AMENDMENT

Prior to examination of the above-referenced application, kindly consider the following amendments and remarks.

Please amend the application as follows:

In the specification:

At page 1, line 5, before "The invention relates to apoptosis.", add the following:

--Cross Reference To Related Applications

This application is a continuation of U.S.S.N. 08/576,956, filed December 22, 1995, which is a continuation-in-part of U.S.S.N. 08/511,485, filed August 4, 1995, now issued as U.S. Patent No. 5,919,912.--.

At page 6, line 27, replace "IAP disease resistance gene" with --IAP gene--.

At page 18, line 15, replace "Fig. 10 is a Northern blot" with -- Figs. 10A-C are a series of Northern blots --.

At page 18, line 17, replace "Fig. 11 is a Northern blot" with -- Figs. 11A-C are a series of Northern blots --.

At page 18, line 19, replace "Fig. 12 is a Northern blot" with -- Figs. 12A-C are a series of Northern blots --.

At page 19, line 1, after "Tables 1 and 2"insert --(SEQ ID NOS: 45-92)--.

At page 24, line 23, after "MEQKLISEEDL," insert -- (SEQ ID NO: 43) --.

At page 26, line 23, replace "Embo," with -- EMBO --.

At page 27, line 3, replace "Neurobiol," with -- Neurobiol. --.

At page 27, line 27, replace "Virol," with -- Virol. --.

At page 34, line 18, replace "Cell," with -- Cell --.

At page 34, line 18, replace "Nature," with -- Nature --.

At page 36, line 8, replace "Med," with -- Med. --.

Kindly remove the sequence listing found at pages 51-88 and renumber the pages

of the claims and abstract consecutively thereafter. The enclosed amended sequence listing should be inserted at the end of the application.

In the Claims:

Cancel claims 2, 15-29, and 33-47.

Amend claims 1, 3-7, 13, 14, and 30-32 as follows.

1. (Amended) A substantially [Substantially] pure nucleic acid encoding [an IAP] a mammalian inhibitor of apoptosis protein (IAP) polypeptide, wherein said inhibitor of apoptosis protein is a protein that modulates apoptosis and comprises a ring zinc finger (RZF) domain and at least one baculovirus inhibitor of apoptosis repeat (BIR) domain.

3. (Amended) The nucleic acid of claim [2] 1, wherein said polypeptide has at least two [BIR] baculovirus inhibitor of apoptosis repeat (BIR) domains.

4. (Amended) The nucleic acid of claim 3, wherein said polypeptide has at least three [BIR] baculovirus inhibitor of apoptosis repeat (BIR) domains.

5. (Amended) The nucleic acid of claim 1, wherein said [DNA] nucleic acid contains the [xiap] X-linked inhibitor of apoptosis protein (xiap) gene.

6. (Amended) The nucleic acid of claim 1, wherein said [DNA] nucleic acid contains the [hiap2] human inhibitor of apoptosis protein 2 (hiap2) gene.

7. (Amended) The nucleic acid of claim 1, wherein said [DNA] nucleic acid contains the [hiap1] human inhibitor of apoptosis protein 1 (hiap1) gene.

DNA.

13. (Amended) A [Substantially] substantially pure [DNA] nucleic acid having the sequence of Fig. 5 (SEQ ID NO: 39), or degenerate variants thereof, and encoding the amino acid sequence of Fig. 5 (SEQ ID NO: 40).

14. (Amended) A [Substantially] substantially pure [DNA] nucleic acid having the sequence of Fig. 6 (SEQ ID NO: 41), or degenerate variants thereof, and encoding the amino acid sequence of Fig. 6 (SEQ ID NO: 42).

30. (Amended) A method of producing [an IAP] a mammalian inhibitor of apoptosis protein (IAP) polypeptide comprising:

providing a cell transformed with [DNA] nucleic acid encoding [an] a mammalian IAP polypeptide positioned for expression in said cell, said polypeptide comprising a ring zinc finger (RZF) domain;

culturing said transformed cell under conditions for expressing said [DNA] nucleic acid; and

[isolating] producing said IAP polypeptide.

31. (Amended) The method of claim 30, wherein said mammalian inhibitor of apoptosis (IAP) [IAP] polypeptide is murine human inhibitor of apoptosis protein 1 (m-HIAP1) [HIAP1].

32. (Amended) The method of claim 30, wherein said mammalian inhibitor of apoptosis (IAP) [IAP] polypeptide is murine human inhibitor of apoptosis protein 2 (m-HIAP2) [HIAP2].

Add the following new claims 48-78.

--48. A substantially pure nucleic acid that hybridizes to a probe of at least 40 nucleotides in length, said probe derived from the nucleic acid sequence of Fig. 5 (SEQ ID NO: 39), wherein said nucleic acid hybridizes to said probe under low stringency conditions, said conditions comprising washing with 2X SSC at 40°C, and wherein said nucleic acid encodes a mammalian inhibitor of apoptosis protein (IAP) polypeptide, said polypeptide comprising a ring zinc finger (RZF) domain and at least one baculovirus

inhibitor of apoptosis repeat (BIR) domain.

49. A substantially pure nucleic acid that hybridizes to a probe of at least 40 nucleotides in length, said probe derived from the nucleic acid sequence of Fig. 6 (SEQ ID NO: 41), wherein said nucleic acid hybridizes to said probe under low stringency conditions, said conditions comprising washing with 2X SSC at 40°C, and wherein said nucleic acid encodes a mammalian inhibitor of apoptosis protein (IAP) polypeptide, said polypeptide comprising a ring zinc finger (RZF) domain and at least one baculovirus inhibitor of apoptosis repeat (BIR) domain.

50. A substantially pure nucleic acid encoding a baculovirus inhibitor of apoptosis repeat (BIR) domain, said nucleic acid comprising a sequence selected from the group consisting of SEQ ID NO: 45, SEQ ID NO: 46, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 50, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 54, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 58, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID NO: 62, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 66, and SEQ ID NO: 67.

51. A substantially pure nucleic acid encoding a ring zinc finger (RZF) domain, said nucleic acid comprising a sequence selected from the group consisting of SEQ ID NO: 48, SEQ ID NO: 52, SEQ ID NO: 56, SEQ ID NO: 60, SEQ ID NO: 64, and SEQ ID

NO: 68.

52. The nucleic acid of claim 1, wherein said nucleic acid encodes an X-linked inhibitor of apoptosis protein (XIAP).

53. The nucleic acid of claim 52, wherein said X-linked inhibitor of apoptosis protein (XIAP) is from a mouse.

54. The nucleic acid of claim 52, wherein said X-linked inhibitor of apoptosis protein (XIAP) is from a human.

55. The nucleic acid of claim 1, wherein said nucleic acid encodes a human inhibitor of apoptosis protein 1 (HIAP1).

56. The nucleic acid of claim 55, wherein said human inhibitor of apoptosis protein 1 (HIAP1) is from a mouse.

57. The nucleic acid of claim 55, wherein said human inhibitor of apoptosis protein 1 (HIAP1) is from a human.

58. The nucleic acid of claim 1, wherein said nucleic acid encodes a human inhibitor of apoptosis protein 2 (HIAP2).

59. The nucleic acid of claim 58, wherein said human inhibitor of apoptosis protein 2 (HIAP2) is from a mouse.

60. The nucleic acid of claim 58, wherein said human inhibitor of apoptosis protein 2 (HIAP2) is from a human.

61. The nucleic acid of claim 5, wherein said X-linked inhibitor of apoptosis protein (xiap) gene is from a mouse.

62. The nucleic acid of claim 5, wherein said X-linked inhibitor of apoptosis protein (xiap) gene is from a human.

63. The nucleic acid of claim 6, wherein said human inhibitor of apoptosis protein 2 (hiap2) gene is from a mouse.

64. The nucleic acid of claim 6, wherein said human inhibitor of apoptosis protein 2 (hiap2) gene is from a human.



65. The nucleic acid of claim 7, wherein said human inhibitor of apoptosis protein 1 (hiap1) gene is from a mouse.

66. The nucleic acid of claim 7, wherein said human inhibitor of apoptosis protein 1 (hiap1) gene is from a human.

67. A substantially pure nucleic acid having the sequence of Fig. 1 (SEQ ID NO: 3), or degenerate variants thereof, and encoding the amino acid sequence of Fig. 1 (SEQ ID NO: 4).

68. A substantially pure nucleic acid having the sequence of Fig. 2 (SEQ ID NO: 5), or degenerate variants thereof, and encoding the amino acid sequence of Fig. 2 (SEQ ID NO: 6).

69. A substantially pure nucleic acid having the sequence of Fig. 3 (SEQ ID NO: 7), or degenerate variants thereof, and encoding the amino acid sequence of Fig. 3 (SEQ ID NO: 8).

70. A substantially pure nucleic acid having the sequence of Fig. 4 (SEQ ID NO: 9), or degenerate variants thereof, and encoding the amino acid sequence of Fig. 4 (SEQ

ID NO: 10).

71. The method of claim 30, wherein said mammalian inhibitor of apoptosis protein (IAP) polypeptide is human inhibitor of apoptosis protein 1 (HIAP1).

72. The method of claim 30, wherein said mammalian inhibitor of apoptosis protein (IAP) polypeptide is human inhibitor of apoptosis protein 2 (HIAP2).

73. The method of claim 30, wherein said mammalian inhibitor of apoptosis protein (IAP) polypeptide is murine X-linked inhibitor of apoptosis protein (m-XIAP).

74. The method of claim 30, wherein said mammalian inhibitor of apoptosis protein (IAP) polypeptide is human X-linked inhibitor of apoptosis protein (XIAP).

75. A substantially pure nucleic acid that hybridizes to a probe of at least 40 nucleotides in length, said probe derived from the DNA sequence of Fig. 1 (SEQ ID NO: 3), wherein said nucleic acid hybridizes to said probe under low stringency conditions, said conditions comprising washing with 2X SSC at 40°C, and wherein said nucleic acid encodes a mammalian inhibitor of apoptosis protein (IAP) polypeptide, said polypeptide comprising a ring zinc finger (RZF) domain and at least one baculovirus inhibitor of

apoptosis repeat (BIR) domain.

76. A substantially pure nucleic acid that hybridizes to a probe of at least 40 nucleotides in length, said probe derived from the DNA sequence of Fig. 2 (SEQ ID NO: 5), wherein said nucleic acid hybridizes to said probe under low stringency conditions, said conditions comprising washing with 2X SSC at 40°C, and wherein said nucleic acid encodes a mammalian inhibitor of apoptosis protein (IAP) polypeptide, said polypeptide comprising a ring zinc finger (RZF) domain and at least one baculovirus inhibitor of apoptosis repeat (BIR) domain.

77. A substantially pure nucleic acid that hybridizes to a probe of at least 40 nucleotides in length, said probe derived from the DNA sequence of Fig. 3 (SEQ ID NO: 7), wherein said nucleic acid hybridizes to said probe under low stringency conditions, said conditions comprising washing with 2X SSC at 40°C, and wherein said nucleic acid encodes a mammalian inhibitor of apoptosis protein (IAP) polypeptide, said polypeptide comprising a ring zinc finger (RZF) domain and at least one baculovirus inhibitor of apoptosis repeat (BIR) domain.

78. A substantially pure nucleic acid that hybridizes to a probe of at least 40 nucleotides in length, said probe derived from the DNA sequence of Fig. 4 (SEQ ID NO: 9), wherein said nucleic acid hybridizes to said probe under low stringency conditions,

said conditions comprising washing with 2X SSC at 40°C, and wherein said nucleic acid encodes a mammalian inhibitor of apoptosis protein (IAP) polypeptide, said polypeptide comprising a ring zinc finger (RZF) domain and at least one baculovirus inhibitor of apoptosis repeat (BIR) domain.--

#### REMARKS

In general, Applicants' presently claimed invention features substantially pure nucleic acids encoding mammalian IAP polypeptides and methods of using such nucleic acids to produce such mammalian IAP polypeptides.

#### Support for the Amendments

The specification and drawings have been amended to comply with the requirements of 37 C.F.R. § 1.821 through 1.825. The specification has also been amended to properly refer to each individual panel of a drawing.

The specification and the claims have been amended to correct regrettable typographical errors.

Applicants have added new claims 48 and 49 to cover substantially pure DNA encoding mammalian inhibitor of apoptosis protein (IAP) polypeptides that hybridize under low stringency conditions to SEQ ID NO: 39 and SEQ ID NO: 41, respectively. Support for these new claims may be found in the specification at page 48, lines 15-20.

Applicants have added new claim 50 to cover a substantially pure DNA encoding a baculovirus inhibitor of apoptosis repeat domain that comprises the sequence of SEQ ID

NO: 45, SEQ ID NO: 46, SEQ ID NO: 47, SEQ ID NO: 49, SEQ ID NO: 50, SEQ ID NO: 51, SEQ ID NO: 53, SEQ ID NO: 54, SEQ ID NO: 55, SEQ ID NO: 57, SEQ ID NO: 58, SEQ ID NO: 59, SEQ ID NO: 61, SEQ ID NO: 62, SEQ ID NO: 63, SEQ ID NO: 65, SEQ ID NO: 66, or SEQ ID NO: 67. Support for this new claim can be found in the specification at page 19 in Table I (page 19, lines 12-20). The DNA of this claim finds use as, for example, a hybridization probe for screening libraries.

Applicants have added new claim 51 to cover a substantially pure DNA encoding a ring zinc finger domain that comprises the sequence of SEQ ID NO: 48, SEQ ID NO: 52, SEQ ID NO: 56, SEQ ID NO: 60, SEQ ID NO: 64, or SEQ ID NO: 68. Support for this new claim can be found in the specification at page 19 in Table I (page 19, lines 12-20). The DNA of this claim finds use as, for example, a hybridization probe for screening libraries.

Applicants have added new claim 52 to claim nucleic acid encoding an X-linked inhibitor of apoptosis protein (XIAP). New dependent claims 53 and 54 have been added to specifically claim nucleic acids encoding XIAP from a mouse and from a human, respectively. Support for these new claims may be found in the specification at page 21, lines 2-21, page 22, lines 8-32, and in Figs. 1 and 4.

Applicants have added new claim 55 to claim nucleic acid encoding a human inhibitor of apoptosis protein 1 (HIAP1). New dependent claims 56 and 57 have been added to specifically claim nucleic acids encoding HIAP1 from a mouse and from a human, respectively. Support for these new claims may be found in the specification at

page 21, line 22 through page 22, line 7, and in Figs. 2 and 5.

Applicants have added new claim 58 to claim nucleic acid encoding a human inhibitor of apoptosis protein 2 (HIAP2). New dependent claims 59 and 60 have been added to specifically claim nucleic acids encoding HIAP2 from a mouse and from a human, respectively. Support for these new claims may be found in the specification at page 21, line 22 through page 22, line 7, and in Figs. 3 and 6.

Applicants have added new dependent claims 61 and 62 to specifically claim nucleic acids containing the X-linked inhibitor of apoptosis (xiap) gene, where the (xiap) gene is from a mouse or a human, respectively. Support for these new claims may be found in the specification at page 21, lines 2-21, page 22, lines 8-32, and in Figs. 1 and 4.

Applicants have added new dependent claims 63 and 64 to specifically claim nucleic acids containing the human inhibitor of apoptosis 2 (hiap2) gene, where the (hiap2) gene is from a mouse or a human, respectively. Support for these new claims may be found in the specification at page 21, line 22 through page 22, line 7, and in Figs. 3 and 6.

Applicants have added new dependent claims 65 and 66 to specifically claim nucleic acids containing the human inhibitor of apoptosis 1 (hiap1) gene, where the (hiap1) gene is from a mouse or a human, respectively. Support for these new claims may be found in the specification at page 21, line 22 through page 22, line 7, and in Figs. 2 and 5.

Applicants have added new claims 67, 68, 69, and 70 to specifically claim substantially pure nucleic acids having the sequence of and encoding the amino acid sequence of Figs. 1, 2, 3, and 4, respectively. Support for these new claims may be found in the specification, for example, at page 21, line 2 through page 22, line 32, and in Figs. 1-4.

Applicants have added new dependent claims 71, 72, 73, and 74 to specifically claim methods for producing human inhibitor of apoptosis protein 1, human inhibitor of apoptosis protein 2, murine X-linked inhibitor of apoptosis protein, and human X-linked inhibitor of apoptosis protein, respectively. Support for these new claims may be found in the specification, for example, at page 5, lines 7-12; at page 21, line 2 through page 22, line 32; and in Figs. 1-4.

Applicants have added new claims 75-78 to specifically claim substantially pure nucleic acids encoding mammalian inhibitor of apoptosis protein (IAP) polypeptides that hybridize under low stringency conditions to probes derived from the DNA sequences of SEQ ID NO: 3, SEQ ID NO: 5, SEQ ID NO: 7, and SEQ ID NO: 9, respectively. Support for these new claims may be found in the specification at page 48, lines 15-20, and in Figs. 1-4. No new matter is added by any of these amendments.

#### Sequence Listing

As required by 37 CFR 1.825(a), enclosed is an amended sequence listing consisting of 42 sheets to be inserted at the end of the application. The amendments to


the sequence listing provide each sequence in the specification with a unique SEQ ID NO, and contain no new matter. In particular, SEQ ID NOS: 69-92 have been added to include the sequences described in Table 2, found at page 20 of the specification.

As required by 37 CFR 1.825(b), also enclosed is a diskette containing a copy of the sequence listing in computer readable form including all previously submitted data with the amendments incorporated therein. The contents of the computer readable form are the same as the contents of the paper sheets.

If there are any charges or any credits, please apply them to Deposit Account No. 03-2095.

Respectfully submitted,

Date: 9/1/00

  
\_\_\_\_\_  
Kristina Bieker-Brady, Ph.D.  
Reg. No. 39,109

Clark & Elbing LLP  
176 Federal Street  
Boston, MA 02110  
Telephone: 617-428-0200  
Facsimile: 617-428-7045  
07891.003005 Preliminary amendment xxx.wpd

*James De Camp*  
*Reg. No. 43,580*



Certificate of Mailing


Date of Deposit September 1, 2000

Label Number: EL509049835US

I hereby certify under 37 CFR 1.10 that this correspondence is being deposited with the United States Postal Service as "**Express Mail Post Office to Addressee**" with sufficient postage on the date indicated above and is addressed to BOX PATENT APPLICATION, Director for Patents, Washington, D.C. 20231.

Luis A. Cruz

Printed name of person mailing correspondence

  
Signature of person mailing correspondence

APPLICATION  
FOR  
UNITED STATES LETTERS PATENT

APPLICANT : ROBERT G. KORNELUK, ALEXANDER E. MACKENZIE,  
STEPHEN BAIRD, AND PETER LISTON

TITLE : MAMMALIAN IAP GENE FAMILY, PRIMERS, PROBES,  
AND DETECTION METHODS

MAMMALIAN IAP GENE FAMILY, PRIMERS, PROBES,  
AND DETECTION METHODS

5 The invention relates to apoptosis.

Background of the Invention

004060-043360  
10 There are two general ways by which cells die. An easily recognized pathway is necrosis, a process of cell death usually resulting from severe and sudden injury. In necrosis, changes in cellular homeostasis occur with loss of membrane integrity. Dysregulation of osmotic pressure results and, as a consequence, the cells swell and finally rupture. The cellular contents are then spilled into the surrounding tissue space and, usually, an inflammation  
15 response ensues. A second form of cell death is apoptosis. This cell "suicide" pathway or programmed cell death often occurs so rapidly that in some biological systems the apoptotic process is difficult to ascertain. Indeed, it has been only in the past few years that the involvement of  
20 apoptosis in a wide spectrum of biological processes has become recognized. Apoptosis is a fundamental physiological pathway of cell death, highly conserved throughout evolution, and playing a major role in development, viral pathogenesis, cancer, autoimmune diseases and  
25 neurodegenerative disorders.

Inappropriate increases in apoptosis may cause or contribute to a variety of diseases, including AIDS, neurodegenerative diseases (e.g. Alzheimer's Disease, Parkinson's Disease, Amyotrophic Lateral Sclerosis (ALS),  
30 retinitis pigmentosa and other diseases of the retina, myelodysplastic syndrome (e.g., aplastic anemia), toxin-

induced liver disease (e.g., alcoholism) and ischemic injury (e.g., myocardial infarction, stroke, and reperfusion injury). In addition, disruption of normally occurring apoptosis has been implicated in the development of some  
5 cancers (e.g. follicular lymphoma, p53 carcinomas, and hormone dependent tumors), autoimmune disorders (e.g., lupus erythematosus and multiple sclerosis) and viral infections (e.g., herpes virus, poxvirus, and adenovirus infections).

10 Mature CD4<sup>+</sup> T-lymphocytes in patients with HIV-1 have been observed to respond to stimulation with mitogens or super-antigens by undergoing increased apoptosis. The great majority of these cells are not infected and similar inappropriate antigen-induced apoptosis could be very important in the destruction of this vital part of the  
15 immune system early in HIV infection.

Baculoviruses encode inhibitors of apoptosis proteins (IAPs). These proteins inhibit the apoptosis which otherwise occurs when insect cells are infected by the virus. Baculovirus IAP proteins work in a manner which is  
20 thought to be independent of other viral proteins. The baculovirus IAP genes include sequences encoding a ring zinc finger-like motif which is presumed to be involved in the direct binding of DNA.

#### Summary of the Invention

25 In general, the invention features substantially pure DNA (for example, genomic DNA, cDNA, or synthetic DNA) encoding a mammalian IAP polypeptide as defined below. In related aspects, the invention also features a vector, a cell (e.g., a mammalian, yeast or bacterial cell), and a  
30 transgenic animal or embryo thereof which includes such a substantially pure DNA encoding an IAP polypeptide.



In preferred embodiments, the promoter is the promoter native to an IAP gene. Additionally, transcriptional and translational regulatory regions are preferably native to an IAP gene.

5 In another aspect, the invention provides transgenic cell lines and transgenic animals. The transgenic cells of the invention are preferably cells which are susceptible to apoptosis. In preferred embodiments, the transgenic cell is a fibroblast, neuronal cell, a lymphocyte cell, or an insect  
10 cell. Most preferably, the neuron is a motor neuron and the lymphocyte is a CD4<sup>+</sup> T-cell.

In another aspect, the invention features a method of inhibiting apoptosis which involves producing a transgenic cell having a transgene encoding an IAP  
15 polypeptide wherein the transgene is integrated into the genome of the cell and is positioned for expression in the cell and wherein the IAP transgene is expressed in the cell at a level sufficient to inhibit apoptosis.

In a related aspect, the invention features a  
20 transgenic animal, preferably a mammal, more preferably a rodent, and most preferably a mouse, having either increased copies of IAP genes inserted into the genome or a knockout of an IAP gene in the genome. The transgenic animals may express an increased amount of IAP polypeptide or may  
25 express a decreased amount of an IAP polypeptide, respectively. In related embodiments, the invention provides a method of utilizing the IAP nucleic acid to engineer a knockout mutation in an IAP gene and a method of making an animal with increased expression by insertion of  
30 IAP gene into the genome.

In another aspect, the invention features a method of detecting an IAP in a cell involving: (a) contacting the IAP gene or a portion thereof greater than 9 nucleic acids,

preferably greater than 18 nucleic acids in length with a preparation of genomic DNA from the cell under hybridization conditions providing detection of DNA sequences having about 50% or greater nucleotide sequence identity to the amino acid encoding DNA sequences of hiap1, hiap2, or xiap IAP polypeptides.

In another aspect, the invention features a method of producing an IAP polypeptide which involves: (a) providing a cell transformed with DNA encoding an IAP polypeptide positioned for expression in the cell; (b) culturing the cell under conditions for expressing the DNA; and (c) isolating the IAP polypeptide. In preferred embodiments the IAP polypeptide is expressed by DNA which has a constitutive or inducible promotor. In our embodiment, the promotor is a heterologous promotor.

In another aspect, the invention features substantially pure mammalian IAP polypeptide. Preferably, the polypeptide includes a greater than 50 amino acid sequence substantially identical to a greater than 50 amino acid sequence shown in any one of Figs. 1-4. Most preferably, the polypeptide is the human or murine XIAP, HIAP1, or HIAP2 polypeptide. Fragments including BIR domains and RZF-domains provided herein are also a part of the invention.

In another aspect, the invention features a recombinant mammalian polypeptide capable of modulating apoptosis wherein the polypeptide includes at least a ring zinc finger domain and a BIR domain as defined herein. In preferred embodiments, the invention features a substantially pure polypeptide and an oligonucleotide encoding said polypeptide, the polypeptide including a ring zinc finger (RZF) having the sequence:

Glu Xaa1 Xaa1 Xaa1 Xaa1 Xaa1 Xaa1 Xaa2 Xaa1 Xaa1  
 Xaa1 Cys Lys Xaa3 Cys Met Xaa1 Xaa1 Xaa1 Xaa1 Xaa1 Xaa3 Xaa1  
 Phe Xaa1 Pro Cys Gly His Xaa1 Xaa1 Xaa1 Cys Xaa1 Xaa1 Cys  
 Ala Xaa1 Xaa1 Xaa1 Xaa1 Xaa1 Cys Pro Xaa1 Cys, wherein Xaa1  
 5 is any amino acid, Xaa2 is Glu or Asp, Xaa3 is Val or Ile  
 (SEQ ID NO:1); and at least one BIR domain having the  
 sequence: Xaa1 Xaa1 Xaa1 Arg Leu Xaa1 Thr Phe Xaa1 Xaa1 Trp  
 Pro Xaa2 Xaa1 Xaa1 Xaa2 Xaa2 Xaa1 Xaa1 Xaa1 Xaa1 Leu Ala  
 Xaa1 Ala Gly Phe Tyr Tyr Xaa1 Gly Xaa1 Xaa1 Asp Xaa1 Val  
 10 Xaa1 Cys Phe Xaa1 Cys Xaa1 Xaa1 Xaa1 Xaa1 Xaa1 Xaa1 Trp Xaa1  
 Xaa1 Xaa1 Asp Xaa1 Xaa1 Xaa1 Xaa1 Xaa1 His Xaa1 Xaa1 Xaa1  
 Xaa1 Pro Xaa1 Cys Xaa1 Phe Val, wherein Xaa1 may be any  
 amino acid and Xaa2 may be any amino acid or may be absent  
 (SEQ ID NO:2).

15 In various preferred embodiments the protein has at  
 least two or, more preferably at least three BIR domains,  
 the RZF domain has one of the IAP sequences shown in Fig. 6,  
 and the BIR domains are comprised of BIR domains shown in  
 Fig. 5. In other preferred embodiments the BIR domains are  
 20 at the amino terminal end of the protein relative to the RZF  
 domain, which is at or near the carboxy terminus of the  
 polypeptide.

In another aspect, the invention features an IAP  
 gene isolated according to the method involving: (a)  
 25 providing a sample of DNA; (b) providing a pair of  
 oligonucleotides having sequence homology to a conserved  
 region of an IAP disease-resistance gene; (c) combining the  
 pair of oligonucleotides with the cell DNA sample under  
 conditions suitable for polymerase chain reaction-mediated  
 30 DNA amplification; and (d) isolating the amplified IAP gene  
 or fragment thereof.

In preferred embodiments, the amplification is carried out using a reverse-transcription polymerase chain reaction, for example, the RACE method.

In another aspect, the invention features an IAP gene isolated according to the method involving: (a) providing a preparation of DNA; (b) providing a detectably-labelled DNA sequence having homology to a conserved region of an IAP gene; (c) contacting the preparation of DNA with the detectably-labelled DNA sequence under hybridization conditions providing detection of genes having 50% or greater nucleotide sequence identity; and (d) identifying an IAP gene by its association with the detectable label.

In another aspect, the invention features an IAP gene isolated according to the method involving: (a) providing a cell sample; (b) introducing by transformation into the cell sample a candidate IAP gene; (c) expressing the candidate IAP gene within the cell sample; and (d) determining whether the cell sample exhibits an altered apoptotic response, whereby a response identifies an IAP gene.

In another aspect, the invention features a method of identifying an IAP gene in a cell, involving: (a) providing a preparation of cellular DNA (for example, from the human genome or a cDNA library (such as a cDNA library isolated from a cell type which undergoes apoptosis); (b) providing a detectably-labelled DNA sequence (for example, prepared by the methods of the invention) having homology to a conserved region of an IAP gene; (c) contacting the preparation of cellular DNA with the detectably-labelled DNA sequence under hybridization conditions providing detection of genes having 50% nucleotide or greater sequence identity; and (d) identifying an IAP gene by its association with the detectable label.



In another aspect, the invention features a method of isolating an IAP gene from a recombinant library, involving: (a) providing a recombinant library; (b) contacting the library with a detectably-labelled gene fragment produced according to the PCR method of the invention under hybridization conditions providing detection of genes having 50% or greater nucleotide sequence identity; and (c) isolating an IAP gene by its association with the detectable label.

10 In another aspect, the invention features a method of identifying an IAP gene involving: (a) providing a cell tissue sample; (b) introducing by transformation into the cell sample a candidate IAP gene; (c) expressing the candidate IAP gene within the cell sample; and (d)  
15 determining whether the cell sample exhibits inhibition of apoptosis, whereby a change in (i.e. modulation of) apoptosis identifies an IAP gene.

Preferably, the cell sample is a cell type which may be assayed for apoptosis (e.g., lymphocytes, T-cells and B-cells, neuronal cells, baculovirus infected insect cells and fibroblast cells); the candidate IAP gene is obtained from a  
20 cDNA expression library; and the apoptosis response is the inhibition of apoptosis.

In another aspect, the invention features a method  
25 of inhibiting apoptosis in a mammal wherein the method includes: (a) providing DNA encoding at least one IAP polypeptide to a cell which is susceptible to apoptosis; wherein the DNA is integrated into the genome of the cell and is positioned for expression in the cell; and the IAP  
30 gene is under the control of regulatory sequences suitable for controlled expression of the gene(s); wherein the IAP transgene is expressed at a level sufficient to inhibit apoptosis relative to a cell lacking the IAP transgene. It

will be appreciated that IAP polypeptides also may be administered directly to inhibit any undesirable apoptosis.

In a related aspect, the invention features a method of inhibiting apoptosis wherein the method involves: (a)  
5 producing a cell having integrated in the genome a transgene containing the IAP gene under the control of a promoter providing constitutive expression of the IAP gene.

In yet another related aspect, the invention features a method of inhibiting apoptosis wherein the method  
10 involves: (a) producing a cell having integrated in the genome a transgene containing the IAP gene under the control of a promoter providing controllable expression of the IAP gene; and (b) regulating the environment of the cell so that the IAP transgene is controllably expressed in the cell. In  
15 preferred embodiments, the IAP gene is expressed using a tissue-specific or cell type-specific promoter, or by a promoter that is activated by the introduction of an external signal or agent, such as a chemical signal or agent. In preferred embodiments the cell is a lymphocyte or  
20 B-cell, a neuronal cell, or a fibroblast. In other embodiments the cell is a cell in an HIV infected human, or a mammal with a neurodegenerative disease, ischemia, toxin induced liver disease, or a myelodysplastic syndrome.

In a related aspect, the invention provides a method  
25 of inhibiting apoptosis in a mammal by providing an apoptosis-inhibiting amount of IAP polypeptide.

In another aspect, the invention features a purified antibody which binds specifically to an IAP family protein. Such an antibody may be used in any standard immunodetection  
30 method for the identification of an IAP polypeptide. Preferably, the antibody binds specifically to xiap, hiap1 or hiap2. In various embodiments the antibody may react with other IAP polypeptides or may be specific for one or a

few IAP polypeptides. The antibody may be a monoclonal polyclonal antibody. Preferably, the antibody reacts specifically with only one of the IAP polypeptides, for example, reacts with murine and human xiap, but not with  
5 hiap1 or hiap2 from mammalian species.

In another aspect, the invention features a method of identifying a compound which modulates apoptosis. The method includes (a) providing a cell expressing an IAP polypeptide; and (b) contracting the cell with a candidate  
10 compound, and monitoring the expression of an IAP gene. An alteration in the level of expression of the IAP gene indicates the presence of a compound which modulates apoptosis. The compound may be an inhibitor or an enhancer of apoptosis. In various preferred embodiments, the cell is  
15 a fibroblast, a neuronal cell, a lymphocyte (T-cell or B-cell), or an insect cell; the polypeptide expression being monitored is XIAP, HIAP1, or HIAP2 (e.g., human or murine).

In a related aspect, the invention features methods of detecting compounds which modulate apoptosis using the  
20 interaction trap technology and IAP polypeptides or fragments thereof as a component of the bait. In preferred embodiments, the compound being tested as a modulator of apoptosis is also a polypeptide.

In another aspect, the invention features a method  
25 for diagnosing a cell proliferation disease, or an increased likelihood of such a disease, using an IAP nucleic acid probe or antibody. Preferably, the disease is a cancer. Most preferably, the disease is selected from the group consisting of promyelocytic leukemia, a Hela-type carcinoma,  
30 chronic myelogenous leukemia (preferably using xiap or hiap2 related probes), lymphoblastic leukemia (preferably using a xiap related probe), Burkitt's lymphoma (preferably using an hiap1 related probe), colorectal adenocarcinoma, lung

carcinoma, and melanoma (preferably using a xiap probe). Preferably, a diagnosis is indicated by a 2-fold increase in expression or activity, more preferably, at least a 10-fold increase in expression or activity.

5 By "IAP gene" is meant a gene encoding a polypeptide having at least one BIR domain and a ring zinc finger domain which is capable of modulating (inhibiting or enhancing) apoptosis in a cell or tissue when provided by other intracellular or extracellular delivery methods. In  
10 preferred embodiments the IAP gene is a gene having about 50% or greater nucleotide sequence identity to at least one of the IAP amino acid encoding sequences of Figs. 1-4 or portions thereof. Preferably, the region of sequence over which identity is measured is a region encoding at least one  
15 BIR domain and a ring zinc finger domain. Mammalian IAP genes include nucleotide sequences isolated from any mammalian source. Preferably, the mammal is a human.

By an "IAP gene" is also meant any member of the family of apoptosis inhibitory genes characterized by their  
20 ability to modulate apoptosis and having at least 20%, preferably 30%, and most preferably 50% amino acid sequence identity to at least one of the conserved regions of one of the IAP members described herein (i.e., either the BIR or ring zinc finger domains from the human or murine xiap, hiap1 and hiap2). Representative members of the IAP gene  
25 family include, without limitation, the human and murine xiap, hiap1, and hiap2 genes. By "IAP protein" is meant a polypeptide encoded by an IAP gene.

By "BIR domain" is meant a domain having the amino  
30 acid sequence of the consensus sequence: Xaa1 Xaa1 Xaa1 Arg Leu Xaa1 Thr Phe Xaa1 Xaa1 Trp Pro Xaa2 Xaa1 Xaa1 Xaa2 Xaa2 Xaa1 Xaa1 Xaa1 Xaa1 Leu Ala Xaa1 Ala Gly Phe Tyr Tyr Xaa1 Gly Xaa1 Xaa1 Asp Xaa1 Val Xaa1 Cys Phe Xaa1 Cys Xaa1 Xaa1

Xaa1 Xaa1 Xaa1 Xaa1 Trp Xaa1 Xaa1 Xaa1 Asp Xaa1 Xaa1 Xaa1  
Xaa1 Xaa1 His Xaa1 Xaa1 Xaa1 Xaa1 Pro Xaa1 Cys Xaa1 Phe Val,  
wherein Xaa1 is any amino acid and Xaa2 is any amino acid or  
is absent (SEQ ID NO:2). Preferably, the sequence is  
5 substantially identical to one of the BIR domain sequences  
provided for xiap, hiap1, hiap2 herein.

By "ring zinc finger" or "RZF" is meant a domain  
having the amino acid sequence of the consensus sequence:  
Glu Xaa1 Xaa1 Xaa1 Xaa1 Xaa1 Xaa1 Xaa2 Xaa1 Xaa1 Xaa1 Cys  
10 Lys Xaa3 Cys Met Xaa1 Xaa1 Xaa1 Xaa1 Xaa1 Xaa3 Xaa1 Phe Xaa1  
Pro Cys Gly His Xaa1 Xaa1 Xaa1 Cys Xaa1 Xaa1 Cys Ala Xaa1  
Xaa1 Xaa1 Xaa1 Xaa1 Cys Pro Xaa1 Cys, wherein Xaa1 is any  
amino acid, Xaa2 is Glu or Asp, and Xaa3 is Val or Ile (SEQ  
ID NO:1). Preferably, the sequence is substantially  
15 identical to the RZF domains provided herein for the human  
or murine xiap, hiap1, or hiap2.

By "modulating apoptosis" or "altering apoptosis" is  
meant increasing or decreasing the number of cells which  
undergo apoptosis in a given cell population. Preferably,  
20 the cell population is selected from a group including T-  
cells, neuronal cells, fibroblasts, or any other cell line  
known to undergo apoptosis in a laboratory setting (e.g.,  
the baculovirus infected insect cells). It will be  
appreciated that the degree of modulation provided by an IAP  
25 or modulating compound in a given assay will vary, but that  
one skilled in the art can determine the statistically  
significant change in the level of apoptosis which  
identifies an IAP or a compound which modulates an IAP.

By "inhibiting apoptosis" is meant any decrease in  
30 the number of cells which undergo apoptosis relative to an  
untreated control. Preferably, the decrease is at least  
25%, more preferably the decrease is 50%, and most  
preferably the decrease is at least one-fold.

By "polypeptide" is meant any chain of amino acids, regardless of length or post-translational modification (e.g., glycosylation or phosphorylation).

By "substantially identical" is meant a polypeptide or nucleic acid exhibiting at least 50%, preferably 85%, more preferably 90%, and most preferably 95% homology to a reference amino acid or nucleic acid sequence. For polypeptides, the length of comparison sequences will generally be at least 16 amino acids, preferably at least 20 amino acids, more preferably at least 25 amino acids, and most preferably 35 amino acids. For nucleic acids, the length of comparison sequences will generally be at least 50 nucleotides, preferably at least 60 nucleotides, more preferably at least 75 nucleotides, and most preferably 110 nucleotides.

Sequence identity is typically measured using sequence analysis software (e.g., Sequence Analysis Software Package of the Genetics Computer Group, University of Wisconsin Biotechnology Center, 1710 University Avenue, Madison, WI 53705). Such software matches similar sequences by assigning degrees of homology to various substitutions, deletions, and other modifications. Conservative substitutions typically include substitutions within the following groups: glycine, alanine, valine, isoleucine, leucine; aspartic acid, glutamic acid, asparagine, glutamine; serine, threonine; lysine, arginine; and phenylalanine, tyrosine.

By a "substantially pure polypeptide" is meant an IAP polypeptide which has been separated from components which naturally accompany it. Typically, the polypeptide is substantially pure when it is at least 60%, by weight, free from the proteins and naturally-occurring organic molecules with which it is naturally associated. Preferably, the

preparation is at least 75%, more preferably at least 90%,  
and most preferably at least 99%, by weight, IAP  
polypeptide. A substantially pure IAP polypeptide may be  
obtained, for example, by extraction from a natural source  
5 (e.g., a fibroblast, neuronal cell, or lymphocyte cell); by  
expression of a recombinant nucleic acid encoding an IAP  
polypeptide; or by chemically synthesizing the protein.  
Purity can be measured by any appropriate method, e.g.,  
those described in column chromatography, polyacrylamide gel  
10 electrophoresis, or by HPLC analysis.

A protein is substantially free of naturally  
associated components when it is separated from those  
contaminants which accompany it in its natural state. Thus,  
a protein which is chemically synthesized or produced in a  
15 cellular system different from the cell from which it  
naturally originates will be substantially free from its  
naturally associated components. Accordingly, substantially  
pure polypeptides include those derived from eukaryotic  
organisms but synthesized in *E. coli* or other prokaryotes.

20 By "substantially pure DNA" is meant DNA that is  
free of the genes which, in the naturally-occurring genome  
of the organism from which the DNA of the invention is  
derived, flank the gene. The term therefore includes, for  
example, a recombinant DNA which is incorporated into a  
25 vector; into an autonomously replicating plasmid or virus;  
or into the genomic DNA of a prokaryote or eukaryote; or  
which exists as a separate molecule (e.g., a cDNA or a  
genomic or cDNA fragment produced by PCR or restriction  
endonuclease digestion) independent of other sequences. It  
30 also includes a recombinant DNA which is part of a hybrid  
gene encoding additional polypeptide sequence.

By "transformed cell" is meant a cell into which (or  
into an ancestor of which) has been introduced, by means of

recombinant DNA techniques, a DNA molecule encoding (as used herein) an IAP polypeptide.

By "transgene" is meant any piece of DNA which is inserted by artifice into a cell, and becomes part of the genome of the organism which develops from that cell. Such a transgene may include a gene which is partly or entirely heterologous (i.e., foreign) to the transgenic organism, or may represent a gene homologous to an endogenous gene of the organism.

By "transgenic" is meant any cell which includes a DNA sequence which is inserted by artifice into a cell and becomes part of the genome of the organism which develops from that cell. As used herein, the transgenic organisms are generally transgenic mammalian (e.g., rodents such as rats or mice) and the DNA (transgene) is inserted by artifice into the nuclear genome.

By "transformation" is meant any method for introducing foreign molecules into a cell. Lipofection, calcium phosphate precipitation, retroviral deliver, electroporation and biolistic transformation are just a few of the teachings which may be used. For example, Biolistic transformation is a method for introducing foreign molecules into a cell using velocity driven microprojectiles such as tungsten or gold particles. Such velocity-driven methods originate from pressure bursts which include, but are not limited to, helium-driven, air-driven, and gunpowder-driven techniques. Biolistic transformation may be applied to the transformation or transfection of a wide variety of cell types and intact tissues including, without limitation, intracellular organelles (e.g., and mitochondria and chloroplasts), bacteria, yeast, fungi, algae, animal tissue, and cultured cells.



By "positioned for expression" is meant that the DNA molecule is positioned adjacent to a DNA sequence which directs transcription and translation of the sequence (i.e., facilitates the production of, e.g., an IAP polypeptide, a recombinant protein or a RNA molecule).

By "reporter gene" is meant a gene whose expression may be assayed; such genes include, without limitation,  $\beta$ -glucuronidase (GUS), luciferase, chloramphenicol transacetylase (CAT), and  $\beta$ -galactosidase.

By "promoter" is meant minimal sequence sufficient to direct transcription. Also included in the invention are those promoter elements which are sufficient to render promoter-dependent gene expression controllable for cell-type specific, tissue-specific or inducible by external signals or agents; such elements may be located in the 5' or 3' regions of the native gene.

By "operably linked" is meant that a gene and a regulatory sequence(s) are connected in such a way as to permit gene expression when the appropriate molecules (e.g., transcriptional activator proteins) are bound to the regulatory sequence(s).

By "conserved region" is meant any stretch of six or more contiguous amino acids exhibiting at least 30%, preferably 50%, and most preferably 70% amino acid sequence identity between two or more of the IAP family members, (e.g., between human HIAP1, HIAP2, and XIAP). Examples of preferred conserved regions are shown (as boxed or designated sequences) in Figures 5-7 and Tables 1 and 2, and include, without limitation, BIR domains and ring zinc finger domains.

By "detectably-labelled" is meant any means for marking and identifying the presence of a molecule, e.g., an oligonucleotide probe or primer, a gene or fragment thereof,

or a cDNA molecule. Methods for detectably-labelling a molecule are well known in the art and include, without limitation, radioactive labelling (e.g., with an isotope such as <sup>32</sup>P or <sup>35</sup>S) and nonradioactive labelling (e.g., chemiluminescent labelling, e.g., fluorescein labelling).

By "purified antibody" is meant antibody which is at least 60%, by weight, free from proteins and naturally-occurring organic molecules with which it is naturally associated. Preferably, the preparation is at least 75%, more preferably 90%, and most preferably at least 99%, by weight, antibody, e.g., an IAP specific antibody. A purified antibody may be obtained, for example, by affinity chromatography using recombinantly-produced protein or conserved motif peptides and standard techniques.

By "specifically binds" is meant an antibody which recognizes and binds a protein but which does not substantially recognize and bind other molecules in a sample, e.g., a biological sample, which naturally includes protein.

Other features and advantages of the invention will be apparent from the following description of the preferred embodiments thereof, and from the claims.

#### Detailed Description

The drawings will first be described.

#### Drawings

Fig. 1 is the human xiap cDNA sequence and the XIAP polypeptide sequence (SEQ ID NOS:3, 4).

Fig. 2 is the human hiap1 cDNA sequence and the HIAP1 polypeptide sequence (SEQ ID NOS:5, 6).

Fig. 3 is the human hiap2 cDNA sequence and the HIAP2 polypeptide sequence (SEQ ID NOS:7, 8). The sequence absent in the hiap2-G variant is boxed.

Fig. 4 is the murine xiap cDNA sequence and encoded murine XIAP polypeptide sequence (SEQ ID NOS:9, 10).

Fig. 5 is the murine hiap1 cDNA sequence and the encoded murine HIAP1 polypeptide sequence (SEQ ID NOS:39, 40).

Fig. 6 is the murine hiap2 cDNA sequence and the encoded murine HIAP2 polypeptide SEQ ID NOS:41, 42).

Fig. 7 shows the alignment of the BIR domains of IAP proteins (SEQ ID NOS: 11 and 14-31).

Fig. 8 is the alignment of human IAP polypeptides with diap, cp-iap, and the consensus sequence (SEQ ID NOS:4, 6, 8, 10, 12, and 13).

Fig. 9 shows the alignment of the Ring Zinc Finger domains of IAP proteins (SEQ ID NOS: 32-38).

Fig. 10 is a Northern blot showing human hiap1 and hiap2 mRNA expression in human tissues.

Fig. 11 is a Northern blot showing human hiap2 mRNA expression in human tissues.

Fig. 12 is a Northern blot showing human xiap mRNA expression in human tissues.

Fig. 13A and 13B are agarose gels showing apoptic DNA ladders and RT PCR products using hiap1 and hiap2 specific probes in HIV infected T cells.

Fig. 14A - 14D are graphs showing apoptosis suppression by XIAP, HIAP1, HIAP2, bcl-2m, smn and 6-myc.

### I. IAP Polypeptides and Genes Encoding IAP polypeptides

We have discovered a new class of mammalian proteins which modulate apoptosis (IAPs) and the genes which encode these proteins. The IAP proteins are characterized by the presence of a ring zinc finger (RZF) domain (Fig. 9) and at least one BIR domain as defined by the boxed consensus sequences in Figs. 7 and 8 and by the sequence domains

provided in Tables 1 and 2. As examples of the IAP proteins we provide the cDNA sequences and amino acid sequences for these new human and murine apoptosis inhibitors, HIAP1, HIAP2, and XIAP. Additional members of the mammalian IAP family (including homologs from other species and mutant sequences) may be isolated using standard cloning techniques and the conserved amino acid sequences, primers and probes provided herein and known in the art.

This application is related to U.S. Serial Number 08/511,485, filed August 4, 1995. U.S.S.N 08/511,485 is hereby incorporated by reference.

**TABLE 1**  
**NUCLEOTIDE POSITION OF CONSERVED DOMAINS\***

	<b>BIR-1</b>	<b>BIR-2</b>	<b>BIR-3</b>	<b>Ring Zinc Finger</b>
<b>h-xiap</b>	109 - 312	520 - 723	826 - 1023	1348-1485
<b>m-xiap</b>	202 - 405	613 - 816	916 - 1113	1438-1575
<b>h-hiap1</b>	273 - 476	693 - 893	951 - 1154	1824-1961
<b>m-hiap1</b>	251 - 453	670 - 870	928 - 1131	1795-1932
<b>h-hiap2</b>	373 - 576	787 - 987	1042-1245	1915-2052
<b>m-hiap2</b>	215 - 418	608 - 808	863 - 1066	1763-1876

\* Positions indicate correspond to those shown in Figs. 1-4.

**TABLE 2**  
**AMINO ACID POSITION OF CONSERVED DOMAINS\***

	<b>BIR-1</b>	<b>BIR-2</b>	<b>BIR-3</b>	<b>Ring Zinc Finger</b>
<b>h-Xiap</b>	26 - 93	163 - 230	265 - 330	439 - 484
<b>m-Xiap</b>	26 - 93	163 - 230	264 - 329	438 - 483
<b>h-Hiap1</b>	29 - 96	169 - 235	255 - 322	546 - 591
<b>m-Hiap1</b>	29 - 96	169 - 235	255 - 322	544 - 589
<b>h-Hiap2</b>	46 - 113	184 - 250	269 - 336	560 - 605
<b>m-Hiap2</b>	25 - 92	156 - 222	241 - 308	541 - 578

Positions indicate correspond to those shown in Figs. 1-4.

Recognition of this mammalian IAP family has provided emergent patterns of protein structure. Recognition of these patterns has also allowed us assign the function of a modulator of apoptosis to a drosophila gene product of previously unknown function (Genbank Accession Number M96581). The amino acid sequence of this protein, termed diap, is shown in Fig. 8 for comparison.

The IAP proteins may be used to inhibit the apoptosis which occurs as part of disease or disorder processes. For example, IAP polypeptides or nucleic acid encoding IAP polypeptides may be administered for the treatment of or prevention of apoptosis which occurs as a part of AIDS, neurodegenerative diseases, ischemic injury, toxin-induced liver disease and myelodysplastic syndromes. Nucleic acid encoding the IAP polypeptide may also be provided to inhibit apoptosis.

## II. Cloning of IAP Genes

### A. XIAP

Our search for human genes potentially involved in apoptosis has resulted in the identification of an x-linked sequence tag site (STS) in the GenBank which demonstrated strong homology with the conserved RZF domain of CpIAP and OpIAP, the two baculovirus genes known to inhibit apoptosis (Clem et al., Mol. Cell Biol., 14:5212-5222, (1994); and Birnbaum et al, J. Virol. 68:2521-8, (1994)). Screening a human fetal brain ZapII cDNA library (Stratagene, La Jolla, CA) with this STS resulted in the identification and cloning of xiap (for X-linked Inhibitor of apoptosis protein gene). The human gene has a 1.7 kb coding sequence that includes three BIR (baculovirus inhibitor of apoptosis repet (Crook et al., J. Virol. 67:2168-74, (1993), Clem et al., Science 254:1388-90, (1991); and Birnbaum et al., J. Virol., 68:2521-8, (1994)) domains and a zinc finger. Northern analysis with xiap reveals a greater than 7kb message expressed in different tissues particularly liver and kidney (Fig. 12). The large size of the transcript reflects large 5' and 3' untranslated regions.

### B. HUMAN HIAP1 and HIAP2

The hiap1 and hiap2 genes were cloned by screening a human liver library (Stratagene) with a probe including the whole xiap coding region at low stringency (40°C wash, 2xssc, 10% SDS) (Figs. 2 and 3). hiap1 and hiap2 were also independently detected using a probe derived from a expressed sequence tag (EST) (GenBank Accession No. T96284) which includes a portion of a BIR domain. This EST was originally isolated by the PCR amplification of a cDNA library using the EST-specific primers. The derived probe

was then used to screen the human liver cDNA library for full length hiap coding sequences. We have subsequently detected a third DNA which includes the hiap2 sequence which appears to lack one exon, presumably due to alternative mRNA splicing (see boxed region in Fig. 3). Figures 8 and 9 show hiap1 and hiap2 expression in human tissues as assayed by Northern Analysis.

### C. M-XIAP

Screening of a mouse embryo  $\lambda$ gt11 cDNA library (Clonetech, Palo Alto, CA) and a mouse FIX II genomic library with a xiap cDNA clones probe has resulted in the identification of 14 positive cDNA and two hybridizing genomic clones. A cDNA contig spanning 8.0 kb was constructed using 12 overlapping mouse clones. DNA sequencing revealed a coding sequence of about 1.7 kb. The mouse gene called *m-xiap* (for mouse x-linked inhibitor of apoptosis protein gene) shows striking amino acid homology with xiap at and around the initiation methionine, the stop codon, the three BIR domains and the zinc finger domain. As with the human gene, the mouse homologue contains large 5' and 3' UTRs predicted to result in a transcript as large as 7-8 kb.

Sequencing and restriction mapping of *m-xiap* can be used to further delineate the structure and genomic organization of *m-xiap*. Southern blot analysis and inverse PCR technique (Grodén et al., Cell 66:589-600 (1991)) can be employed to map exons and sequence exon-intron boundaries.

Antisera can be raised against a *m-xiap* fusion protein expressed in *Escherichia coli* using a bacterial expression system. The resulting antisera can be used along with Northern blot analysis to analyze the spatial and temporal expression of *m-xiap* in the mouse.

#### D. M-HIAP1 and M-HIAP2

The murine homologs to hiap1 and hiap2 were cloned and sequenced in the same general manner as m-xiap using the human hiap1 and hiap2 sequences as probes. Cloning of m-hiap1 and m-hiap2 provide further demonstrations of the case with which homologs from different species may be detected and obtained using the techniques provided herein and those generally known to one skilled in the art of molecular biology.

#### 10 III. Cloning of Additional IAP Genes

Low stringency Southern blot hybridization of human genomic DNA using probes specific for xiap, hiap1 and hiap2 show bands which correspond to the other known human IAP sequences. In addition, these probes detect sequences which do not correspond to known IAP sequences. This result indicates that additional IAP sequences may be readily identified using low stringency hybridization. Examples of murine and human xiap, hiap1, and hiap2 specific primers which may be used to clone additional genes by RT PCR are shown in Table 5. Standard techniques including PCR and hybridization may be used to clone homologs and additional genes.

#### IV. Characterization of IAP Apoptosis Modulating Activity

The apoptosis inhibiting capability of IAPs can be defined in an *in vitro* system know to detect alterations in apoptosis. Mammalian expression constructs carrying IAPs and their truncated forms can be introduced into various cell lines such as CHO, HIH 3T3, HL60, Rat-1, or Jurkart cells, for example. In addition, SF21 insect cells may be used in which case the IAP gene is preferentially expressed using an insect heat shock promotor. Apoptosis will then be



induced in transfected cells and controls employing standard methodologies (e.g. serum withdrawal and staurosporine). A survival index (ratio of surviving transfected cells to surviving control cells) will indicate the strength of each IAP construct in inhibiting apoptosis. These experiments can confirm the presence of apoptosis inhibiting or enhancing activity and, can help to determine the minimal functional region of an IAP. These methods may also be used in combination with compounds to identify compounds which modulate apoptosis via their effect on IAP expression.

Figs. 14A - 14D show specific examples of apoptosis suppression assays. Fig. 14A shows CHO survival following serum withdrawal. CHO cells were transfected via Lipofectace with 2  $\mu$ g of each of the following recombinant plasmids; pCDNA3-6myc-hiap-1, pCDNA3-6myc-hiap-2, pCDNA3-6myc-xiap, pCDNA3-6myc, pCDNA3-HA-smn, and pCDNA3-bcl-2. Oligonucleotide primers were synthesized to allow PCR amplification and cloning of the xiap, hiap-1 and hiap-2. Oligonucleotide primers were synthesized to allow PCR amplification and cloning of the xiap, hiap-1, and hiap-2 ORFs in pCDNA3 (Invitrogen). Each construct was modified to incorporate a synthetic myc tag encoding six repeats of the peptide sequence MEQKLISEEDL allowing detection of myc-IAP fusion proteins via monoclonal anti-myc antiserum (Egan, et al., Nature 363:45-51, 1993). Triplicate samples of cell lines in 24 well dishes were washed 5 times with serum free media and maintained in serum free conditions during the course of the experiment. Trypan blue exclusion counting of viable cells utilizing a hemocytometer was performed on samples at time zero, 24 hrs., 48 hrs., and 72 hrs., post serum withdrawal. Survival was calculated as a percentage of initial numbers. Numbers represent the average of three separate experiments performed in triplicate, +/- average

deviation. Fig. 14B shows survival of CHO transfected cell lines following exposure to menadione. Cell lines were plated in 24 well dishes, allowed to grow overnight, then exposed for 1.5 hrs. to [20mM] menadione (Sigma).

- 5 Triplicate samples were harvested at the time of exposure and at 24 hrs. post exposure and assessed by trypan blue exclusion for survival. Data represents the average of three independent experiments, +/- average deviation. Fig. 14C shows survival of Rat-1 cells following staurosporine exposure. Rat-1 cells were transfected with the plasmids listed in a), with selection in [800 mg/ml] G418 media for two weeks. Cell lines were assessed for resistance to [1μM]staurosporine induced apoptosis for 5 hrs. Viable cell counts were obtained 24 hrs. post exposure via trypan blue exclusion counting of samples prepared in triplicate. Numbers represent the average of two independent experiments, +/- average deviation. Fig. 14D shows Rat-1 cell lines were tested for resistance to [10 mM] menadione for 1.5 hrs., then counted at 18 hrs. post exposure. Numbers represent the average of three experiments performed in triplicate, +/- average deviation.

Specific examples of apoptosis assays are also provided in the following references:

- Lymphocyte: C.J. Li et al., "Induction of apoptosis in uninfected lymphocytes by HIV-1 Tat protein", Science, 268:429-431 (1995); D. Gibellini et al., "Tat-expressing Jurkat cells show an increased resistance to different apoptotic stimuli, including acute human immunodeficiency virus-type 1 (HIV-1) infection", Br. J. Haematol. 89:24-33, (1995); S.J. Martin et al., "HIV-1 infection of human CD4+ T cells in vitro. Differential induction of apoptosis in



cultured neurons", Ann. Neurol., 36:864-870, (1994); N. Sato et al., "Neuronal differentiation of PC12 cells as a result of prevention of cell death by bcl-2", J. Neurobiol, 25:1227-1234, (1994); G. Ferrari et al., "N-acetylcysteine (D- and L-stereoisomers) prevents apoptotic death of neuronal cells", J. Neurosci., 15:2857-2866, (1995); A. K. Talley et al., "Tumor necrosis factor alpha-induced apoptosis in human neuronal cells: protection by the antioxidant N-acetylcysteine and the genes bcl-2 and crmA", Mol. Cell Biol., 15:2359-2366, (1995); A. K. Talley et al., "Tumor Necrosis Factor Alpha-Induced Apoptosis in Human Neuronal Cells: Protection by the Antioxidant N-Acetylcysteine and the Genes bcl-2 and crmA", Mol. and Cell. Biol., 15:2359-2366, (1995); G. Walkinshaw et al., "Induction of apoptosis in catecholaminergic PC12 cells by L-DOPA. Implications for the treatment of Parkinson's disease.", J. Clin. Invest. 95:2458-2464, (1995).

Insect Cells: R. J. Clem et al., "Prevention of apoptosis by a baculovirus gene during infection of insect cells", Science, 254:1388-90, (1991); N. E. Crook et al., "An apoptosis-inhibiting baculovirus gene with a zinc finger-like motif", J. Virol., 67:2168-74, (1993); S. Rabizadeh et al., "Expression of the baculovirus p35 gene inhibits mammalian neural cell death", J. Neurochem., 61:2318-21, (1993); M. J. Birnbaum et al., "An apoptosis-inhibiting gene from a nuclear polyhidrosis virus encoding a polypeptide with Cys/His sequence motifs", J. Virol, 68:2521-8, (1994); R. J. Clem et al., "Control of programmed cell death by the baculovirus genes p35 and iap", Mol. Cell. Biol., 14:5212-5222, (1994).

## V. Construction of a Transgenic Animal

Characterization of IAPs can provide information that allows for the development of an IAP knockout animal model, preferably mammal, most preferably a mouse, by homologous recombination. Similarly, an IAP overproducing animal may be produced by means of DNA sequence integration into the genome.

A replacement type targeting vector to create a knockout can be constructed using an isogenic genomic clone from a mouse strain, e.g. 129/Sv (Strategene LaJolla, CA). The targeting vector will be introduced into a J1 line of embryonic stem (ES) cells by electroporation to generate ES cell lines that carry a profoundly truncated form of an IAP. To generate chimeric founder mice, the targeted cell lines will be injected into a mouse blastula stage embryo. Heterozygote offspring will be interbred to homozygosity. Knockout mice may be constructed as a means of screening in vivo for therapeutic compounds which modulate apoptosis.

Animals having enhanced IAP expression may also be constructed using standard transgenic technologies.

## VI. IAP Protein Expression

IAP genes may be expressed in both prokaryotic and eukaryotic cell types. For those IAP's which increase apoptosis it may be desirable to express the protein under control of an inducible promotor for the purposes of protein production.

In general, IAP proteins according to the invention may be produced by transformation of a suitable host cell with all or part of a IAP-encoding cDNA fragment (e.g., the cDNA described above) in a suitable expression vehicle.

Those skilled in the field of molecular biology will understand that any of a wide variety of expression systems

may be used to provide the recombinant protein. The precise host cell used is not critical to the invention. The IAP protein may be produced in a prokaryotic host (e.g., E. coli) or in a eukaryotic host (e.g., Saccharomyces cerevisiae, insect cells, e.g., Sf21 cells, or mammalian cells, e.g., COS 1, NIH 3T3, or HeLa cells). Such cells are available from a wide range of sources (e.g., the American Type Culture Collection, Rockland, MD; also, see, e.g., Ausubel et al., Current Protocols in Molecular Biology, John Wiley & Sons, New York, 1994). The method of transformation or transfection and the choice of expression vehicle will depend on the host system selected. Transformation and transfection methods are described, e.g., in Ausubel et al., (supra); expression vehicles may be chosen from those provided, e.g., in Cloning Vectors: A Laboratory Manual (P.H. Pouwels et al., 1985, Supp. 1987).

One preferred expression system is the baculovirus system (using, for example, the vector pBacPAK9) available from Clontech (Palo Alto, CA). If desired, this system may be used in conjunction with other protein expression techniques, for example, the myc tag approach described by Evan et al. (Mol. Cell Biol. 5:3610-3616, 1985).

Alternatively, a IAP protein is produced by a stably-transfected mammalian cell line. A number of vectors suitable for stable transfection of mammalian cells are available to the public, e.g., see Pouwels et al. (supra); methods for constructing such cell lines are also publicly available, e.g., in Ausubel et al. (supra). In one example, cDNA encoding the IAP protein is cloned into an expression vector which includes the dihydrofolate reductase (DHFR) gene. Integration of the plasmid and, therefore, the IAP protein-encoding gene into the host cell chromosome is selected for by inclusion of 0.01-300  $\mu$ M methotrexate in the

cell culture medium (as described in Ausubel et al., supra). This dominant selection can be accomplished in most cell types. Recombinant protein expression can be increased by DHFR-mediated amplification of the transfected gene.

5 Methods for selecting cell lines bearing gene amplifications are described in Ausubel et al. (supra); such methods generally involve extended culture in medium containing gradually increasing levels of methotrexate.

DHFR-containing expression vectors commonly used for this  
10 purpose include pCVSEII-DHFR and pAdD26SV(A) (described in Ausubel et al., supra). Any of the host cells described above or, preferably, a DHFR-deficient CHO cell line (e.g., CHO DHFR<sup>-</sup> cells, ATCC Accession No. CRL 9096) are among the host cells preferred for DHFR selection of a stably-  
15 transfected cell line or DHFR-mediated gene amplification.

Once the recombinant IAP protein is expressed, it is isolated, e.g., using affinity chromatography. In one example, an anti-IAP protein antibody (e.g., produced as described herein) may be attached to a column and used to  
20 isolate the IAP protein. Lysis and fractionation of IAP protein-harboring cells prior to affinity chromatography may be performed by standard methods (see, e.g., Ausubel et al., supra).

Once isolated, the recombinant protein can, if  
25 desired, be further purified, e.g., by high performance liquid chromatography (see, e.g., Fisher, Laboratory Techniques In Biochemistry And Molecular Biology, eds., Work and Burdon, Elsevier, 1980).

Polypeptides of the invention, particularly short  
30 IAP protein fragments, can also be produced by chemical synthesis (e.g., by the methods described in Solid Phase Peptide Synthesis, 2nd ed., 1984 The Pierce Chemical Co., Rockford, IL).

These general techniques of polypeptide expression and purification can also be used to produce and isolate useful IAP fragments or analogs (described herein).

#### VI. Anti-IAP Antibodies

5 To generate IAP-specific antibodies, a IAP coding sequence (i.e., amino acids 180-276) can be expressed as a C-terminal fusion with glutathione S-transferase (GST) (Smith et al., Gene 67:31-40, 1988). The fusion protein can be purified on glutathione-Sepharose beads, eluted with  
10 glutathione cleaved with thrombin (at the engineered cleavage site), and purified to the degree necessary for immunization of rabbits. Primary immunizations can be carried out with Freund's complete adjuvant and subsequent immunizations with Freund's incomplete adjuvant. Antibody  
15 titres are monitored by Western blot and immunoprecipitation analyses using the thrombin-cleaved IAP protein fragment of the GST-IAP fusion protein. Immune sera are affinity purified using CNBr-Sepharose-coupled IAP protein. Antiserum specificity is determined using a panel of  
20 unrelated GST proteins (including GSTp53, Rb, HPV-16 E6, and E6-AP) and GST-trypsin (which was generated by PCR using known sequences).

As an alternate or adjunct immunogen to GST fusion proteins, peptides corresponding to relatively unique  
25 hydrophilic regions of IAP may be generated and coupled to keyhole limpet hemocyanin (KLH) through an introduced C-terminal lysine. Antiserum to each of these peptides is similarly affinity purified on peptides conjugated to BSA, and specificity tested in ELISA and Western blots using  
30 peptide conjugates, and by Western blot and immunoprecipitation using IAP expressed as a GST fusion protein.



Alternatively, monoclonal antibodies may be prepared using the IAP proteins described above and standard hybridoma technology (see, e.g., Kohler et al., Nature 256:495, 1975; Kohler et al., Eur. J. Immunol. 6:511, 1976; Kohler et al., Eur. J. Immunol. 6:292, 1976; Hammerling et al., In Monoclonal Antibodies and T Cell Hybridomas, Elsevier, NY, 1981; Ausubel et al., supra). Once produced, monoclonal antibodies are also tested for specific IAP recognition by Western blot or immunoprecipitation analysis (by the methods described in Ausubel et al., supra). Antibodies which specifically recognize IAP are considered to be useful in the invention; such antibodies may be used, e.g., in an immunoassay to monitor the level of IAP produced by a mammal (for example, to determine the amount or subcellular location of IAP).

Preferably, antibodies of the invention are produced using fragments of the IAP protein which lie outside highly conserved regions and appear likely to be antigenic, by criteria such as those provided by the Peptidestructure program of the Genetics Computer Group Sequence Analysis Package (Program Manual for the GCG Package, Version 7, 1991) using the algorithm of Jameson and Wolf (CABIOS 4:181 1988)). Specifically these regions, which are found between BIR1 and BIR2 of all the IAP proteins, are in hiap1 from amino acid 99 to 170, hiap2 from amino acid 123 to 184, xiap from 116 to 133 and m-xiap from 116 to 133. In one specific example, such fragments are generated by standard techniques of PCR and cloned into the pGEX expression vector (Ausubel et al., supra). Fusion proteins are expressed in E. coli and purified using a glutathione agarose affinity matrix as described in Ausubel et al. (supra). To attempt to minimize the potential problems of low affinity or specificity of antisera, two or three such fusions are generated for each

protein, and each fusion is injected into at least two rabbits. Antisera are raised by injections in a series, preferably including at least three booster injections.

## **VII. Identification of Molecules that Modulate IAP Protein Expression**

Isolation of the IAP cDNAs also facilitates the identification of molecules which increase or decrease IAP expression. According to one approach, candidate molecules are added at varying concentrations to the culture medium of cells expressing IAP mRNA. IAP expression is then measured, for example, by standard Northern blot analysis (Ausubel et al., supra) using a IAP cDNA (or cDNA fragment) as a hybridization probe (see also Table 5). The level of IAP expression in the presence of the candidate molecule is compared to the level measured for the same cells in the same culture medium but in the absence of the candidate molecule.

If desired, the effect of candidate modulators on expression may, in the alternative, be measured at the level of IAP protein production using the same general approach and standard immunological detection techniques, such as Western blotting or immunoprecipitation with a IAP-specific antibody (for example, the IAP antibody described herein).

Candidate modulators may be purified (or substantially purified) molecules or may be one component of a mixture of compounds (e.g., an extract or supernatant obtained from cells; Ausubel et al., supra). In a mixed compound assay, IAP expression is tested against progressively smaller subsets of the candidate compound pool (e.g., produced by standard purification techniques, e.g., HPLC or FPLC) until a single compound or minimal compound mixture is demonstrated to modulate IAP expression.

Alternatively, or in addition, candidate compounds may be screened for those which modulate IAP apoptosis inhibiting activity. In this approach, the degree of apoptosis in the presence of a candidate compound is compared to the degree of apoptosis in its absence, under equivalent conditions. Again, such a screen may begin with a pool of candidate compounds, from which one or more useful modulator compounds are isolated in a step-wise fashion. Apoptosis activity may be measured by any standard assay, for example, those described herein.

Another method for detecting compounds which modulate IAP polypeptide activity is to screen for compounds which physically interact with a given IAP polypeptide. Such compounds may be detected using adaptations of the interaction trap expression systems known in the art. Such systems detect protein interactions using a transcriptional activation assay and are generally described in Gyuris et al., Cell 75:791-803 (1993), and Field and Song, Nature 340:245-246, (1989), and are commercially available from Clonetech (Palo Alto, CA). In addition, PCT Publication WO 95/28497 (hereby incorporated by reference) describe a method for detecting proteins involved in apoptosis by virtue of their interaction with Bcl-2 using such an interaction trap assay. A similar method may be exploited to identify proteins and other compounds which interact with the IAP polypeptides.

Candidate IAP modulators include peptide as well as non-peptide molecules (e.g., peptide or non-peptide molecules found, e.g., in a cell extract, mammalian serum, or growth medium on which mammalian cells have been cultured).

A molecule which promotes an increase in IAP expression or IAP activity is considered particularly useful

in the invention; such a molecule may be used, for example, as a therapeutic to increase cellular levels of IAP and thereby exploit the effect of IAP polypeptides for the inhibition of apoptosis.

5           A molecule which decreases IAP activity (e.g., by decreasing gene expression or polypeptide activity) may be useful for decreasing cell proliferation. Such uses include treatment of neoplasms (see Table 3, below) or other cell proliferative diseases.

10           Modulators found to be effective at the level of IAP expression or activity may be confirmed as useful in animal models and, if successful, may be used as anti-cancer therapeutics for either the inhibition or the enhancement of apoptosis, as appropriate.

15    **IX. IAP Therapy**

          Because expression levels of IAP genes correlates with the levels of apoptosis, the IAP gene also finds use in anti-apoptosis gene therapy. In particular, to sustain neuronal cells, lymphocytes (T-cells and B-cells), or cells  
20    exposed to ischemic injury, a functional IAP gene may be introduced into cells at the sites predicted to undergo undesirable apoptosis.

          Retroviral vectors, adenoviral vectors, adeno-associated viral vectors, or other viral vectors with the  
25    appropriate tropism for cells likely to be involved in apoptosis (for example, epithelial cells) may be used as a gene transfer delivery system for a therapeutic IAP gene construct. Numerous vectors useful for this purpose are generally known (Miller, Human Gene Therapy 15-14, 1990;  
30    Friedman, Science 244:1275-1281, 1989; Eglitis and Anderson, BioTechniques 6:608-614, 1988; Tolstoshev and Anderson, Current Opinion in Biotechnology 1:55-61, 1990; Sharp, The

Lancet 337:1277-1278, 1991; Cornetta et al., Nucleic Acid Research and Molecular Biology 36:311-322, 1987; Anderson, Science 226:401-409, 1984; Moen, Blood Cells 17:407-416, 1991; and Miller and Rosman, Biotechniques 7:980-990, 1989; 5 Le Gal La Salle et al., Science 259:988-990, 1993; and Johnson, Chest 107:77S-83S, 1995). Retroviral vectors are particularly well developed and have been used in clinical settings (Rosenberg et al., N. Engl. J. Med 323:370, 1990; Anderson et al., U.S. Pat. No. 5,399,346).

10 Non-viral approaches may also be employed for the introduction of therapeutic DNA into cells otherwise predicted to undergo apoptosis. For example, IAP may be introduced into a neuronal cell or a T-cell by the techniques of lipofection (Felgner et al., Proc. Natl. Acad. 15 Sci. USA 84:7413, 1987; Ono et al., Neuroscience Lett 117:259, 1990; Brigham et al., Am. J. Med. Sci. 298:278, 1989; Staubinger and Papahadjopoulos, Meth. Enz. 101:512, 1983); asialorosonucoid-polylysine conjugation (Wu and Wu, J. Biol. Chem. 263:14621, 1988; Wu et al., J. Biol. Chem. 20 264:16985, 1989); or, less preferably, microinjection under surgical conditions (Wolff et al., Science 247:1465, 1990).

For any of the above approaches, the therapeutic IAP DNA construct is preferably applied to the site of the predicted apoptosis event (for example, by injection), but 25 may also be applied to tissue in the vicinity of the predicted apoptosis event or even to a blood vessel supplying the cells predicted to undergo apoptosis.

In the gene therapy constructs, IAP cDNA expression is directed from any suitable promoter (e.g., the human 30 cytomegalovirus, simian virus 40, or metallothionein promoters), and its production is regulated by any desired mammalian regulatory element. For example, if desired, enhancers known to direct preferential gene expression in

neural cells or T-cells may be used to direct IAP expression. Such enhancers include, without limitation, those enhancers which are characterized as tissue or cell specific in their expression.

5           Alternatively, if a IAP genomic clone is utilized as a therapeutic construct (for example, following its isolation by hybridization with the IAP cDNA described above), IAP expression is regulated by its cognate regulatory sequences or, if desired, by regulatory sequences  
10       derived from a heterologous source, e.g., any of the promoters or regulatory elements described above.

          Less preferably, IAP gene therapy is accomplished by direct administration of the IAP mRNA to a cell predicted to undergo apoptosis. This mRNA may be produced and isolated  
15       by any standard technique, but is most readily produced by in vitro transcription using a IAP cDNA under the control of a high efficiency promoter (e.g., the T7 promoter). Administration of IAP mRNA to malignant cells is carried out by any of the methods for direct nucleic acid administration  
20       described above.

          Ideally, the production of IAP protein by any gene therapy approach described above results in a cellular level of IAP that is at least equivalent to the normal, cellular level of IAP in an unaffected individual. Treatment by any  
25       IAP-mediated gene therapy approach may be combined with more traditional therapies.

          Another therapeutic approach included within the invention involves direct administration of recombinant IAP protein, either to the site of a predicted apoptosis event  
30       (for example, by injection) or systemically by any conventional recombinant protein administration technique. The actual dosage of IAP depends on a number of factors, including the size and health of the individual patient,

but, generally, between 0.1mg and 100mg inclusive are administered per day to an adult in any pharmaceutically-acceptable formulation.

5 X. Administration of IAP polypeptides, IAP genes, or  
modulators of IAP synthesis or function

10 A IAP protein, gene, or modulator may be administered with a pharmaceutically-acceptable diluent, carrier, or excipient, in unit dosage form. Conventional pharmaceutical practice may be employed to provide suitable formulations or compositions to administer IAP to patients suffering from or presymptomatic for a IAP-associated carcinoma. Any appropriate route of administration may be employed, for example, parenteral, intravenous, subcutaneous, intramuscular, intracranial, intraorbital, ophthalmic, intraventricular, intracapsular, intraspinal, intracisternal, intraperitoneal, intranasal, aerosol, or oral administration. Therapeutic formulations may be in the form of liquid solutions or suspensions; for oral administration, formulations may be in the form of tablets or capsules; and for intranasal formulations, in the form of powders, nasal drops, or aerosols.

25 Methods well known in the art for making formulations are found in, for example, "Remington's Pharmaceutical Sciences." Formulations for parenteral administration may, for example, contain excipients, sterile water, or saline, polyalkylene glycols such as polyethylene glycol, oils of vegetable origin, or hydrogenated naphthalenes. Biocompatible, biodegradable lactide polymer, lactide/glycolide copolymer, or polyoxyethylene- polyoxypropylene copolymers may be used to control the release of the compounds. Other potentially useful parenteral delivery systems for IAP modulatory compounds

include ethylene-vinyl acetate copolymer particles, osmotic pumps, implantable infusion systems, and liposomes.

Formulations for inhalation may contain excipients, for example, lactose, or may be aqueous solutions containing, for example, polyoxyethylene-9-lauryl ether, glycocholate and deoxycholate, or may be oily solutions for administration in the form of nasal drops, or as a gel.

If desired, treatment with a IAP protein, gene, or modulatory compound may be combined with more traditional therapies for the disease such as surgery, radiation, or chemotherapy for cancers; surgery, steroid therapy, and chemotherapy for autoimmune diseases; antiviral therapies for AIDS; and for example, TPA for ischemic injury.

#### **XI. Detection of A Condition Involving Altered Apoptosis**

IAP polypeptides and nucleic acid sequences find diagnostic use in the detection or monitoring of conditions involving aberrant levels of apoptosis. For example, decrease expression of IAP may be correlated with enhanced apoptosis in humans (see XII, below). Accordingly, a decrease or increase in the level of IAP production may provide an indication of a deleterious condition. Levels of IAP expression may be assayed by any standard technique. For example, its expression in a biological sample (e.g., a biopsy) may be monitored by standard Northern blot analysis or may be aided by PCR (see, e.g., Ausubel et al., supra; PCR Technology: Principles and Applications for DNA Amplification, ed., H.A. Ehrlich, Stockton Press, NY; and Yap and McGee, Nucl. Acids. Res. 19:4294, 1991).

Alternatively, a patient sample may be analyzed for one or more mutations in the IAP sequences using a mismatch detection approach. Generally, these techniques involve PCR amplification of nucleic acid from the patient sample,



followed by identification of the mutation (i.e., mismatch) by either altered hybridization, aberrant electrophoretic gel migration, binding or cleavage mediated by mismatch binding proteins, or direct nucleic acid sequencing. Any of these techniques may be used to facilitate mutant IAP detection, and each is well known in the art; examples of particular techniques are described, without limitation, in Orita et al., Proc. Natl. Acad. Sci. USA 86:2766-2770, (1989); and Sheffield et al., Proc. Natl. Acad. Sci. USA 86:232-236, (1989).

In yet another approach, immunoassays are used to detect or monitor IAP protein in a biological sample. IAP-specific polyclonal or monoclonal antibodies (produced as described above) may be used in any standard immunoassay format (e.g., ELISA, Western blot, or RIA assay) to measure IAP polypeptide levels; again comparison is to wild-type IAP levels, and a decrease in IAP production is indicative of a condition involving increased apoptosis. Examples of immunoassays are described, e.g., in Ausubel et al., supra. Immunohistochemical techniques may also be utilized for IAP detection. For example, a tissue sample may be obtained from a patient, and a section stained for the presence of IAP using an anti-IAP antibody and any standard detection system (e.g., one which includes a secondary antibody conjugated to horseradish peroxidase). General guidance regarding such techniques can be found in, e.g., Bancroft and Stevens (Theory and Practice of Histological Techniques, Churchill Livingstone, 1982) and Ausubel et al. (supra).

In one preferred example, a combined diagnostic method may be employed that begins with an evaluation of IAP protein production (for example, by immunological techniques or the protein truncation test (Hogerrorst, F.B.L., et al., Nature Genetics 10:208-212 (1995) and also includes a

nucleic acid-based detection technique designed to identify more subtle IAP mutations (for example, point mutations). As described above, a number of mismatch detection assays are available to those skilled in the art, and any preferred  
5 technique may be used (see above). By this approach, mutations in IAP may be detected that either result in loss of IAP expression or loss of IAP biological activity. In a variation of this combined diagnostic method, IAP biological activity is measured as protease activity using any  
10 appropriate protease assay system (for example, those described above).

Mismatch detection assays also provide the opportunity to diagnose a IAP-mediated predisposition to diseases of apoptosis. For example, a patient heterozygous  
15 for an IAP mutation may show no clinical symptoms and yet possess a higher than normal probability of developing one or more types of neurodegenerative, myelodysplastic or ischemic diseases. Given this diagnosis, a patient may take precautions to minimize their exposure to adverse  
20 environmental factors (for example, UV exposure or chemical mutagens) and to carefully monitor their medical condition (for example, through frequent physical examinations). This type of IAP diagnostic approach may also be used to detect IAP mutations in prenatal screens.

25 The IAP diagnostic assays described above may be carried out using any biological sample (for example, any biopsy sample or bodily fluid or tissue) in which IAP is normally expressed (for example, the inhibition of apoptosis). Identification of a mutant IAP gene may also be  
30 assayed using these sources for test samples.

Alternatively, a IAP mutation, particularly as part of a diagnosis for predisposition to IAP-associated degenerative disease, may be tested using a DNA sample from any cell, for

example, by mismatch detection techniques; preferably, the DNA sample is subjected to PCR amplification prior to analysis.

To demonstrate the utility of IAP gene sequences as  
5 diagnostics and prognostics for cancer we probed the  
Clontech (La Jolla) Human Cancer Cell Line Multiple Tissue  
Northern Blot (#7757-1). As Table 3 shows, all cancer lines  
tested showed increased IAP expression relative to samples  
from non-cancerous control cell lines. xiap expression was  
10 particularly high in HeLa (S-3), chronic myelogenous  
leukemia (K-562), colorectal adenocarcinoma (SW-480) and  
melanoma (G-361) lines. hiap1 expression was extremely high  
in Burkitt's lymphoma and was also elevated in colorectal  
adenocarcinoma. hiap2 expression was particularly high in  
15 chronic myelogenous leukemia (K-562) and colorectal  
adenocarcinoma (SW-480).

In addition, we note that we have mapped hiap1 and  
hiap2 to human chromosome 11g23. This is a known hotspot  
for cancer causing mutations.

TABLE 3  
Northern Blot IAP RNA levels in Cancer Cells\*

	xiap	hiap1	hiap2
Promylocytic Leukemia HL-60	+	+	+
Hela S-3	+	+	+
5 Chronic Myclogenous Leukemia K-562	+++	+	+++
Lymphoblastic Leukemia MDLT-4	+++	+	+
Burkitt's Lymphoma Raji	+	+(x10)	+
10 Colorectal Adenocarcinoma SW-480	+++	+++	+++
Lung Carcinoma A-549	+	+	+
Melanoma G-361	+++	+	+

\*Levels are indicated by a (+) and are the approximate increase in RNA levels relative to Northern blots of RNA from non-cancerous control cell lines. A single plus indicates an estimated increase of at least 1-fold

## XII. Treatment of HIV Infected Individuals

We have found that hiap1 and hiap 2 expression is decreased significantly in HIV infected human cells. This decrease precedes apoptosis. The result indicates that administration of HIAP1, HIAP2, genes encoding these proteins, or compounds which upregulate these genes can be used to prevent T-cell attrition in HIV infected patients.

25 The following assay may also be used to screen for compounds

which alter hiap1 and hiap2 expression and which also prevent apoptosis.

The experiments were preformed as follows: Cultured mature lymphocyte CD-4<sup>+</sup> T-cell lines (H9 labelled "a"; CEM/CM-3 labelled "b"; 6T-CEM labelled "c"; and Jurkat labelled "d" in Figs. 13A and 13B) were examined for apoptosis (Fig. 13A) and hiap gene expression (Fig. 13B). Control conditions are labelled as lane 1 in Fig. 13A and Fig. 13B. Lane 2 shows the result 24 hours after PHA/PMH (phytohemagglutinin, phorbol ester) mitogen stimulation. Lane 3 shows the result 24 hours after HIV strain III<sub>B</sub> infection. The "M" refers to standard DNA markers, the 123 bp ladder (Gibco-BRL) in Fig. 13B, and lambda HindIII ladder (Gibco-BRL) in Fig. A.

In Fig. 13A is a picture of ethidium bromide stained gel showing the presence of DNA ladders (as assayed by the test of Prigent et al., J. of Immun. Methods, 160:139-140, (1993), indicative of apoptosis. The sensitivity and degree of apoptosis of the four T-cell lines varies following mitogen stimulation and HIV infection.

For the experiment examining hiap gene expression, total RNA was prepared from the cultured cells and subject to a reverse transcriptase reaction using oligo-dT priming. The RT cDNA products were PCR amplified using specific primers (as shown in Table 5) for the detection of hiap2a, hiap2b and hiap 1. PCR conditions were routine (94°C melting for 1 minute, 55°C annealing for 2 minutes and 72°C extension for 1.5 minutes for 35 cycles) using a Perkin-Elmer 480 thermocycler. The Fig. 13B shows a picture of the RT-PCR products run on a 1% agarose gel stained with ethidium bromide. Absence of hiap2 transcripts is noted in all four cell lines 24 hours after HIV infection. In three of four cell lines (all except H9), the hiap1 gene is also

dramatically down-regulated after HIV infection. PHA/PMA mitogen stimulation also appears to decrease hiap gene expression, particularly for hiap2 and to a lesser extent, for hiap1.

- 5           The data from these experiments is summarized in the accompanying Table 5. The  $\beta$ -action gene expression was consistent in all cell lines tested, indicating that a flow in the RT-PCR assay does not account for the decreases in hiap gene expression.

094747-094747

**Table 4**

Oligonucleotide primers for the specific RT-PCR amplification of unique IAP genes.

IAP Gene	Forward Primer (nucleotide position*)	Reverse Primer (nucleotide position*)	Size of Product (bp)
h-xiap	p2415 (876-896)	p2449 (1291-1311)	435
m-xiap	p2566 (458-478)	p2490 (994-1013)	555
h-hiap1	p2465 (827-847)	p2464 (1008-1038)	211
m-hiap1	p2687 (747-767)	p2684 (1177-1197)	450
hiap2	p2595 (1562-1585)	p2578 (2339-2363)	801 <sup>a</sup> 618 <sup>b</sup>
m-hiap2	p2693 (1751-1772)	p2734 (2078-2100)	349

\* Nucleotide position as determined from Figs. 1-4 for each IAP gene

<sup>a</sup> PCR product size of hiap2a

<sup>b</sup> PCR product size of hiap2b

**Table 5**

Apoptosis and hiap gene expression in cultured T-cells following mitogen stimulation or HIV infection.

Cell Line	Condition	Apoptosis	hiap1	hiap2
H9	not stimulated	-	+	+/-
	PHA/PMA stimulated	+++	+	+/-
	HIV infected	++	+	-
CEM/CM-3	not stimulated	-	+	+/-
	PHA/PMA stimulated	+/-	+	-
	HIV infected	+/-	-	-
6T-CEM	not stimulated	-	+	+
	PHA/PMA stimulated	+/-	-	-
	HIV infected	+	-	-
Jurkat	not stimulated	-	+	++
	PHA/PMA stimulated	+	+	+
	HIV infected	+/-	-	-

### **XIII. Preventive Anti-Apoptotic Therapy**

In a patient diagnosed to be heterozygous for an IAP mutation or to be susceptible to IAP mutations (even if those mutations do not yet result in alteration or loss of IAP biological activity), or a patient diagnosed as HIV positive, any of the above therapies may be administered before the occurrence of the disease phenotype. For example, the therapies may be provided to a patient who is HIV positive but does not yet show a diminished T-cell count or other signs of full-blown AIDS. In particular, compounds shown to increase IAP expression or IAP biological activity may be administered by any standard dosage and route of administration (see above). Alternatively, gene therapy using an IAP expression construct may be undertaken to



reverse or prevent the cell defect prior to the development of the degenerative disease.

The methods of the instant invention may be used to reduce or diagnose the disorders described herein in any mammal, for example, humans, domestic pets, or livestock. Where a non-human mammal is treated or diagnosed, the IAP polypeptide, nucleic acid, or antibody employed is preferably specific for that species.

#### Other Embodiments

10 In other embodiments, the invention includes any protein which is substantially identical to a mammalian IAP polypeptides (Figs. 1-6; SEQ ID NO:1-42); such homologs include other substantially pure naturally-occurring mammalian IAP proteins as well as allelic variants; natural  
15 mutants; induced mutants; DNA sequences which encode proteins and also hybridize to the IAP DNA sequences of Figs. 1-6 (SEQ ID NOS:1-42) under high stringency conditions or, less preferably, under low stringency conditions (e.g., washing at 2X SSC at 40°C with a probe length of at least 40  
20 nucleotides); and proteins specifically bound by antisera directed to a IAP polypeptide. The term also includes chimeric polypeptides that include a IAP portion.

The invention further includes analogs of any naturally-occurring IAP polypeptide. Analogs can differ  
25 from the naturally-occurring IAP protein by amino acid sequence differences, by post-translational modifications, or by both. Analogs of the invention will generally exhibit at least 85%, more preferably 90%, and most preferably 95% or even 99% identity with all or part of a naturally-  
30 occurring IAP amino acid sequence. The length of sequence comparison is at least 15 amino acid residues, preferably at least 25 amino acid residues, and more preferably more than

0944-090109

35 amino acid residues. Modifications include in vivo and  
in vitro chemical derivatization of polypeptides, e.g.,  
acetylation, carboxylation, phosphorylation, or  
glycosylation; such modifications may occur during  
5 polypeptide synthesis or processing or following treatment  
with isolated modifying enzymes. Analogs can also differ  
from the naturally-occurring IAP polypeptide by alterations  
in primary sequence. These include genetic variants, both  
natural and induced (for example, resulting from random  
10 mutagenesis by irradiation or exposure to  
ethanemethylsulfate or by site-specific mutagenesis as  
described in Sambrook, Fritsch and Maniatis, Molecular  
Cloning: A Laboratory Manual (2d ed.), CSH Press, 1989, or  
Ausubel et al., supra). Also included are cyclized  
15 peptides, molecules, and analogs which contain residues  
other than L-amino acids, e.g., D-amino acids or non-  
naturally occurring or synthetic amino acids, e.g.,  $\beta$  or  $\gamma$   
amino acids.

In addition to full-length polypeptides, the  
20 invention also includes IAP polypeptide fragments. As used  
herein, the term "fragment," means at least 20 contiguous  
amino acids, preferably at least 30 contiguous amino acids,  
more preferably at least 50 contiguous amino acids, and most  
preferably at least 60 to 80 or more contiguous amino acids.  
25 Fragments of IAP polypeptides can be generated by methods  
known to those skilled in the art or may result from normal  
protein processing (e.g., removal of amino acids from the  
nascent polypeptide that are not required for biological  
activity or removal of amino acids by alternative mRNA  
30 splicing or alternative protein processing events).

Preferable fragments or analogs according to the  
invention are those which facilitate specific detection of a  
IAP nucleic acid or amino acid sequence in a sample to be

diagnosed. Particularly useful IAP fragments for this purpose include, without limitation, the amino acid fragments shown in Table 2.

5 All publications and patent applications mentioned in this specification are herein incorporated by reference to the same extent as if each independent publication or patent application was specifically and individually indicated to be incorporated by reference.

What is claimed is:

### Claims

1           1. Substantially pure nucleic acid encoding an IAP  
2 polypeptide.

1           2. The nucleic acid of claim 1, wherein said  
2 polypeptide comprises a ring zinc finger domain and at least  
3 one BIR domain.

1           3. The nucleic acid of claim 2, wherein said  
2 polypeptide has at least two BIR domains.

1           4. The nucleic acid of claim 3, wherein said  
2 polypeptide has at least three BIR domains.

1           5. The nucleic acid of claim 1, wherein said DNA  
2 contains the xiap gene.

1           6. The nucleic acid of claim 1, wherein said DNA  
2 contains the hiap2 gene.

1           7. The nucleic acid of claim 1, wherein said DNA  
2 contains the hiap1 gene.

1           8. The nucleic acid of claim 1, wherein said  
2 nucleic acid is genomic DNA.

1           9. The nucleic acid of claim 1, wherein said  
2 nucleic acid is cDNA.

1           10. The nucleic acid of claim 1, wherein said  
2 nucleic acid is mammalian DNA.

1           11. The nucleic acid of claim 10, wherein said  
2 mammalian DNA is human DNA.

1           12. The nucleic acid of claim 10, wherein said  
2 mammalian DNA is murine DNA.

1           13. Substantially pure DNA having the sequence of  
2 Fig. 5, or degenerate variants thereof, and encoding the  
3 amino acid sequence of Fig. 5.

1           14. Substantially pure DNA having the sequence of  
2 Fig. 6, or degenerate variants thereof, and encoding the  
3 amino acid sequence of Fig. 6.

1           15. Substantially pure DNA having about 50% or  
2 greater nucleotide sequence identity to the DNA sequence of  
3 Fig. 5.

1           16. Substantially pure DNA having about 50% or  
2 greater nucleotide sequence identity to the DNA sequence of  
3 Fig. 6.

1           17. A purified DNA sequence substantially identical  
2 to the DNA sequence shown in Fig. 5.

1           18. A purified DNA sequence substantially identical  
2 to the DNA sequence shown in Fig. 6.

1           19. A substantially pure mammalian IAP polypeptide.

1           20. The polypeptide of claim 19, wherein said  
2 polypeptide is the murine HIAP1 polypeptide.

001050-242450

1           21. The polypeptide of claim 19, wherein said  
2 polypeptide is the murine HIAP2 polypeptide.

1           22. The polypeptide of claim 19, comprising an  
2 amino acid sequence substantially identical to an amino acid  
3 sequence shown in Fig. 5.

1           23. The polypeptide of claim 19, comprising an  
2 amino acid sequence substantially identical to an amino acid  
3 sequence shown in Fig. 6.

1           24. A therapeutic composition comprising as an  
2 active ingredient an IAP polypeptide according to claim 19,  
3 said active ingredient being formulated in a physiologically  
4 acceptable carrier.

1           25. A method of inhibiting apoptosis in a mammal,  
2 said method comprising:

3           providing a cell of said mammal with a transgene  
4 encoding an IAP polypeptide, said DNA positioned for  
5 expression in said cell.

1           26. The method of claim 25 wherein said polypeptide  
2 is murine HIAP1.

1           27. The method of claim 25 wherein said polypeptide  
2 is murine HIAP2.

1           28. A method of detecting an IAP gene in an animal  
2 cell, said method comprising:

3           contacting the DNA of claim 13 or a portion thereof  
4 greater than about 18 nucleic acids in length with a  
5 preparation of genomic DNA from said animal cell under

6 hybridization conditions providing detection of DNA  
7 sequences having about 50% or greater nucleotide sequence  
8 identity to the sequence of Fig. 5.

1           29. A method of detecting an IAP gene in an animal  
2    cell, said method comprising:

3           contacting the DNA of claim 14 or a portion thereof  
4   greater than about 18 nucleic acids in length with a  
5   preparation of genomic DNA from said animal cell under  
6   hybridization conditions providing detection of DNA  
7   sequences having about 50% or greater nucleotide sequence  
8   identity to the sequence of Fig. 6.

1           30.   A method of producing an IAP polypeptide  
2   comprising:

3 providing a cell transformed with DNA encoding an  
4 IAP polypeptide positioned for expression in said cell;  
5 culturing said transformed cell under conditions for  
6 expressing said DNA; and  
7 isolating said IAP polypeptide.

1           31. The method of claim 30, wherein said IAP  
2    polypeptide is murine HIAP1.

1           32. The method of claim 30, wherein said IAP  
2 polypeptide is murine HIAP2.

1           33. A method of identifying a compound which  
2 modulates apoptosis, said method comprising (a) providing a  
3 cell expressing an IAP polypeptide; and (b) contracting said  
4 cell with a candidate compound and monitoring the expression  
5 of an IAP gene, an alteration in the level of expression of

0071060-090400

6 said gene indicating the presence of a compound which  
7 modulates apoptosis.

1 34. The method of claim 33, wherein said IAP gene  
2 is murine HIAP1.

1 35. The method of claim 33, wherein said IAP gene  
2 is murine HIAP2.

1 36. A method for detecting a protein that interacts  
2 with an IAP polypeptide comprising the steps of:

3 a. contacting under suitable conditions an IAP  
4 protein with a compound suspected to be a modulator of  
5 apoptosis; and

6 b. detecting the interaction of said compound with  
7 said IAP polypeptide, wherein said interaction indicates  
8 that said compound is involved in the modulation of  
9 apoptosis.

1 37. The method of claim 36, wherein said IAP  
2 polypeptide is HIAP1.

1 38. The method of claim 36, wherein said IAP  
2 polypeptide is HIAP2.

1 39. The method of claim 36, wherein said IAP  
2 polypeptide is XIAP.

1 40. The method of claim 36, wherein said  
2 interaction is detected by measuring the transcriptional  
3 activity of a reporter gene.



1           41. The method of claim 36, wherein said  
2 interaction occurs in a yeast cell.

1           42. The method of claim 36, wherein said compound  
2 is a polypeptide.

1           43. The method of claim 42, wherein said  
2 polypeptide is expressed from a recombinant nucleic acid.

1           44. A method of diagnosing an increased likelihood  
2 of a cell proliferative disease in a patient, said method  
3 comprising detecting the level of IAP gene expression in  
4 said patient.

1           45. A method of diagnosing an increased likelihood  
2 of a cell proliferative disease in a patient, said method  
3 comprising detecting the level of IAP polypeptide activity  
4 in said patient.

1           46. A transgenic rodent having a knockout mutation  
2 in an IAP gene.

1           47. A transgenic rodent, said rodent having  
2 additional copies of IAP nucleic acids added to its genome.

MAMMALIAN IAP GENE FAMILY, PRIMERS, PROBES,  
AND DETECTION METHODS

ABSTRACT OF THE DISCLOSURE

Disclosed is substantially pure DNA encoding mammalian IAP polypeptides; substantially pure polypeptides; and methods of using such DNA to express the IAP polypeptides in cells and animals to inhibit apoptosis. Also disclosed are conserved regions characteristic of the IAP family and primers and probes for the identification and isolation of additional IAP genes. In addition, methods for treating diseases and disorders involving apoptosis are provided.

159472.B11

# HUMAN xiap

SEQ ID NO:3

1 gaaaagggtggacaagtcctaatttcaagagaagatgacttttaacagttttgaaggatct  
-----+-----+-----+-----+-----+ 60

SEQ ID NO:4 a

M T F N S F E G S -

61

aaaacttggtacctgcagacatcaataaggagaagaattttagaagagttttaataga  
-----+-----+-----+-----+-----+ 120

a

K T C V P A D I N K E E F V E E F N R -

121

ttaaaaaacttttgctaattttccaagtggtagtcctgtttcagcatcaacactggcacga  
-----+-----+-----+-----+-----+ 180

a

L K T F A N F P S G S P V S A S T L A R -

181

gcaggggttctttatactggtgaaggagataccgtgcgggtgctttagttgcatgcagct  
-----+-----+-----+-----+-----+ 240

a

A G F L Y T G E G D T V R C F S C H A A -

241

gtagatagatggcaatatggagactcagcagttggaagacacaggaaagtatccccaaat  
-----+-----+-----+-----+-----+ 300

a

V D R W Q Y G D S A V G R H R K V S P N -

301

tgcagatttatcaacggcttttatcttgaaaaatagtgccacgcagtcacaaattctggt  
-----+-----+-----+-----+-----+ 360

a

C R F I N G F Y L E N S A T Q S T N S G -

FIG. 1 (PAGE 1 OF 7)

# HUMAN xiap

```

361 atccagaatggtcagtaacaagtgtgaaaactatctgggaagcagagatcattttgcctta 420
a I Q N G Q Y K V E N Y L G S R D H F A L -

421 gacaggcatctgagacacatgcagactatcttttgagaactgggcagggtttagatatata 480
a D R P S E T H A D Y L L R T G Q V V D I -

481 tcagacaccatataccgaggaaccctgccatgtattgtgaagaagctagattaaagtcc 540
a S D T I Y P R N P A M Y C E E A R L K S -

541 ttccagaactggccagactatgctcacctaaccccaagagagttagcaagtgttgactc 600
a F Q N W P D Y A H L T P R E L A S A G L -

601 tactacacaggatttggtgaccaagtgcagtgcttttgttggtggaaaactgaaaaat 660
a Y Y T G I G D Q V Q C F C C G G K L K N -

661 tgggaaccttgatcgctgcctgggtcagaacacaggcgacactttccctaattgcttcttc 720
a W E P C D R A W S E H R R H F P N C F F -

```

FIG. 1 (PAGE 2 OF 7)

# HUMAN xiap

```

721  gttttgggccaatcttaatatcgaagtgaatctgatgctgtgagttctgataggaat 780
a      V L G R N L N I R S E S D A V S S D R N -

781  ttcccaattcaacaaatctccaagaaatccatccatggcagattatgaagcacggatc 840
a      F P N S T N L P R N P S M A D Y E A R I -

841  tttacttttgggacatggatatactcagttaacaaggagcagcttgcaagagctggatttt 900
a      F T F G T W I Y S V N K E Q L A R A G F -

901  tatgctttagggtgaaggatgaagtaagtgctttcactgtggaggaggtaactgat 960
a      Y A L G E G D K V K C F H C G G G L T D -

961  tggaagcccagtgaaagacccttgggaacaacatgctaataatgggtatccagggtgcaaatat 1020
a      W K P S E D P W E Q H A K W Y P G C K Y -

1021 ctgttagaacagaagggaagaatatataaacaatatcatttaactcattcacttgag 1080
a      L L E Q K G Q E Y I N N I H L T H S L E -

```

FIG. 1 (PAGE 3 OF 7)

# HUMAN xiap

```

1081 gagtggtctggtgaagaactactgagaaaacaccatcactaactagaagaattgatgatacc 1140
      E C L V R T T E K T P S L T R R I D D T -
1141 atctccaaaatcctatggtacaagaagctatacgaatggggttcagtttcaaggacatt 1200
      I F Q N P M V Q E A I R M G F S F K D I -
1201 aagaaaataatggaggaaaaattcagatatctgggagcaactataaatcacttgagggtt 1260
      K K I M E E K I Q I S G S N Y K S L E V -
1261 ctggttcagatctagtgaatgctcagaaagacagtatgcaagatgagtcacagtcagact 1320
      L V A D L V N A Q K D S M Q D E S S Q T -
1321 tcattacagaaagagattagtactgaagagcagctaaggcgccctgcaagaggagaagctt 1380
      S L Q K E I S T E E Q L R R L Q E E K L -
1381 tgcaaaaatctgtatggatagaaaatatgctatcgtttttgttccttgtggacatctagtc 1440

```

FIG. 1 (PAGE 4 OF 7)

HUMAN xiap

a C K I C M D R N I A I V F V P C G H L V -  
acttgtaacaatgtgctgaagcagttgacaagtgctcccatgtgctacacagtcattact 1500  
1441 -----+-----+-----+-----+-----+-----+-----+  
a T C K Q C A E A V D K C P M C Y T V I T -  
ttcaagcaaaaattttatgtctttaactctaactctatagtaggcattgttatgtgttctt 1560  
1501 -----+-----+-----+-----+-----+-----+-----+  
a F K Q K I F M S \* -  
tattaccctgattgaatgtgtgatgtgaactgactttaagtaatcaggattgaattccat 1620  
1561 -----+-----+-----+-----+-----+-----+-----+  
a tagcatttgctaccaagtaggaaaaaaatgtacatggcagtgtttttagttgggcaatata 1680  
1621 -----+-----+-----+-----+-----+-----+-----+  
a atctttgaatttcttgatttttcagggtatttagctgtattatccatttttttactgtta 1740  
1681 -----+-----+-----+-----+-----+-----+-----+  
a tttaattgaaaccatagactaagaataagaagcatcataactataactgaacacaatgtgt 1800  
1741 -----+-----+-----+-----+-----+-----+-----+  
a -

FIG. 1 (PAGE 5 OF 7)











# HUMAN hiap-1

721	C	CATGGCCATTGACTTTTCTGTCGCCAACAGATCTGGCACGAGCAGGCTTTACTACATAG	780
		W P L T F L S P T D L A R A G F Y Y I G -	
781	C	GACCTGGAGACAGAGTGGCTTGCTTTGCCCTGTGGTGGAAATTTGAGCAATTGGGAACCGA	840
		P G D R V A C F A C G G K L S N W E P K -	
841	C	AGGATAATGCTATGTCAGAACACCTGAGACATTTTCCCAAATGCCCATTTATAGAAATC	900
		D N A M S E H L R H F P K C P F I E N Q -	
901	C	AGCTTCAAGACACTTCAAGATACACAGTTTCTAATCTGAGCATGCAGACACATGCAGCCCC	960
		L Q D T S R Y T V S N L S M Q T H A A R -	
961	C	GCTTTAAACATTCTTAACTGGCCCTCTAGTGTCTAGTTAATCCTGAGCAGCCTTGCAA	1020
		F K T F F N W P S S V L V N P E Q L A S -	
1021	C	GTGCGGGTTTATTATGTGGGTAACAGTGATGATGTCAAAATGCTTTTGCTGTGATGGTG	1080
		A G F Y Y V G N S D D V K C F C C D G G -	

FIG. 2 (PAGE 3 OF 8)







# HUMAN hiap-1

2161 TGAACATATATTTTAGAACTAAGAGAAATGATAGGCTTTTGTCTTATGAACGAAAA 2220

U

GAGGTAGCACTACAAACACAAATATTC AATCCAAATTTCAGCATTTATTGAAATTGTAAGTG  
2221 -----+-----+-----+-----+-----+-----+-----+ 2280

U

2281 AAGTAAACTTAAGATATTGAGTTAACCTTTAAGAAATTTTAAATATTTGGCATTTGTAC 2340

0

TAATACCGGAACATGAAGCCAGGTGTGGTGGTATGTACCTGTAGTCCCAGGCTGAGGCA  
2341 -----+-----+-----+-----+-----+-----+-----+ 2400

U

2401 AGAGAA T TACTTGAGCC CAGGAGTTTGAATCCATCCTGGGCAGCATACTGAGACCCCTGCC  
-----+-----+-----+-----+-----+-----+-----+ 2460

U

TTTAAACXACAGXACCAAXCCAACACAGGACACATTCTCTGCTTTTGTGAT  
 2461 -----+-----+-----+-----+-----+-----+ 2520

U

**FIG. 2 (PAGE 7 OF 8)**



1. 1990年12月31日	1990年12月31日
2. 1991年1月1日	1991年1月1日
3. 1991年1月2日	1991年1月2日
4. 1991年1月3日	1991年1月3日
5. 1991年1月4日	1991年1月4日
6. 1991年1月5日	1991年1月5日
7. 1991年1月6日	1991年1月6日
8. 1991年1月7日	1991年1月7日
9. 1991年1月8日	1991年1月8日
10. 1991年1月9日	1991年1月9日
11. 1991年1月10日	1991年1月10日
12. 1991年1月11日	1991年1月11日
13. 1991年1月12日	1991年1月12日
14. 1991年1月13日	1991年1月13日
15. 1991年1月14日	1991年1月14日
16. 1991年1月15日	1991年1月15日
17. 1991年1月16日	1991年1月16日
18. 1991年1月17日	1991年1月17日
19. 1991年1月18日	1991年1月18日
20. 1991年1月19日	1991年1月19日
21. 1991年1月20日	1991年1月20日
22. 1991年1月21日	1991年1月21日
23. 1991年1月22日	1991年1月22日
24. 1991年1月23日	1991年1月23日
25. 1991年1月24日	1991年1月24日
26. 1991年1月25日	1991年1月25日
27. 1991年1月26日	1991年1月26日
28. 1991年1月27日	1991年1月27日
29. 1991年1月28日	1991年1月28日
30. 1991年1月29日	1991年1月29日
31. 1991年1月30日	1991年1月30日
32. 1991年1月31日	1991年1月31日
33. 1991年2月1日	1991年2月1日
34. 1991年2月2日	1991年2月2日
35. 1991年2月3日	1991年2月3日
36. 1991年2月4日	1991年2月4日
37. 1991年2月5日	1991年2月5日
38. 1991年2月6日	1991年2月6日
39. 1991年2月7日	1991年2月7日
40. 1991年2月8日	1991年2月8日
41. 1991年2月9日	1991年2月9日
42. 1991年2月10日	1991年2月10日
43. 1991年2月11日	1991年2月11日
44. 1991年2月12日	1991年2月12日
45. 1991年2月13日	1991年2月13日
46. 1991年2月14日	1991年2月14日
47. 1991年2月15日	1991年2月15日
48. 1991年2月16日	1991年2月16日
49. 1991年2月17日	1991年2月17日
50. 1991年2月18日	1991年2月18日
51. 1991年2月19日	1991年2月19日
52. 1991年2月20日	1991年2月20日
53. 1991年2月21日	1991年2月21日
54. 1991年2月22日	1991年2月22日
55. 1991年2月23日	1991年2月23日
56. 1991年2月24日	1991年2月24日
57. 1991年2月25日	1991年2月25日
58. 1991年2月26日	1991年2月26日
59. 1991年2月27日	1991年2月27日
60. 1991年2月28日	1991年2月28日
61. 1991年2月29日	1991年2月29日
62. 1991年3月1日	1991年3月1日
63. 1991年3月2日	1991年3月2日
64. 1991年3月3日	1991年3月3日
65. 1991年3月4日	1991年3月4日
66. 1991年3月5日	1991年3月5日
67. 1991年3月6日	1991年3月6日
68. 1991年3月7日	1991年3月7日
69. 1991年3月8日	1991年3月8日
70. 1991年3月9日	1991年3月9日
71. 1991年3月10日	1991年3月10日
72. 1991年3月11日	1991年3月11日
73. 1991年3月12日	1991年3月12日
74. 1991年3月13日	1991年3月13日
75. 1991年3月14日	1991年3月14日
76. 1991年3月15日	1991年3月15日
77. 1991年3月16日	1991年3月16日
78. 1991年3月17日	1991年3月17日
79. 1991年3月18日	1991年3月18日
80. 1991年3月19日	1991年3月19日
81. 1991年3月20日	1991年3月20日
82. 1991年3月21日	1991年3月21日
83. 1991年3月22日	1991年3月22日
84. 1991年3月23日	1991年3月23日
85. 1991年3月24日	1991年3月24日
86. 1991年3月25日	1991年3月25日
87. 1991年3月26日	1991年3月26日
88. 1991年3月27日	1991年3月27日
89. 1991年3月28日	1991年3月28日
90. 1991年3月29日	1991年3月29日
91. 1991年3月30日	1991年3月30日
92. 1991年3月31日	1991年3月31日
93. 1991年4月1日	1991年4月1日
94. 1991年4月2日	1991年4月2日
95. 1991年4月3日	1991年4月3日
96. 1991年4月4日	1991年4月4日
97. 1991年4月5日	1991年4月5日
98. 1991年4月6日	1991年4月6日
99. 1991年4月7日	1991年4月7日
100. 1991年4月8日	1991年4月8日
101. 1991年4月9日	1991年4月9日
102. 1991年4月10日	1991年4月10日
103. 1991年4月11日	1991年4月11日
104. 1991年4月12日	1991年4月12日
105. 1991年4月13日	1991年4月13日
106. 1991年4月14日	1991年4月14日
107. 1991年4月15日	1991

# HUMAN hiap-1

2521 CAGTGTCCTATACATCGAAGGTGTCATATATGTTGAATCACATTTAGGGACATGGTGT 2580

U

三

2581  
TTTATAAGAAATTCGTGAGXAAAATTAAATAAGCAACCCXAAATTACTCTTAAAAA  
-----+-----+-----+-----+-----+-----+-----+ 2640

U

1

[illegible]

U

⋮

**FIG. 2 (PAGE 8 OF 8)**

# HUMAN hiap-2

SEQ ID NO: 7

TTAGGTTACCTGAAAGAGTTACTACAACCCCAAGAGTTGTGTTCTAAGTAGTATCTTGG  
1-----+-----+-----+-----+-----+-----+-----+ 60

၈

TAATTCAGAGATACTCATCCTACCTGAATATAAATCCAGTAAAGAAAG  
61 -----+-----+-----+-----+-----+-----+ 120

॥

TGTAGTAAATTCTACATAAGAGCTCATTCATTCTTTTGTGGTGGAAATCTTAGTT  
121 -----+-----+-----+-----+-----+-----+-----+ 180

၈၆

181 CATGTGAAGAAATTTCATGTGAATGTTTAGCTATCAACAGTACTGTACCTACTCATG 240

၁၀

 $\Sigma$ 

CACAAACTGCCCTCCCAAGACTTTTCCCAAGTCCCTCGTATCAAAACATTAAGAGTATA  
241 -----+-----+-----+-----+-----+-----+ 300

SEQ ID NO:8 a

H K T A S Q R L F P G P S Y Q N I K S I -  
ATGGAAGATAGCACGATCTTGTCTCAGATTGGACAACAGCAACAACAAATGAAGTAT  
301 -----+-----+-----+-----+-----+-----+ 360



M E D S T I L S D W T N S N K Q K M K Y

**FIG. 3 (PAGE 1 OF 7)**

## HUMAN hiap-2

```

361  GACTTTTCCTGTGAACCTACAGAAATGTCTACATATTCAACTTCCCCCGGGTGCCT 420
      D F S C E L Y R M S T Y S T F P A G V P -
421  GTCTCAGAAAGGAGTCTTGCTCGTCTGGTTTATATTAATACTGGTGAATGACAAGGTC 480
      V S E R S L A R A G F Y Y T G V N D K V -
481  AAATGCTTCTGTGTGGCCGTGATGCTGGATAACTGGAAGTGGAGACAGTCCTATTCAA 540
      K C F C C G L M L D N W K L G D S P I Q -
541  AAGCATAAACAGCTATATCCTAGCTGTAGCTTTATTCAGAACTGTTTCAGCTAGTCTG 600
      K H K Q L Y P S C S F I Q N L V S A S L -
601  GGATCCACCTCTAAGAAATACGTCTCCAATGAGAAACAGTTTTCACATTCATTATCTCCC 660
      G S T S K N T S P M R N S F A H S L S P -
661  ACCTTGGAACATAGTCTTGTTTCAGTGGTCTTACTCCAGCCTTCCTCAAACCTCTT 720
      T L E H S S L F S G S Y S S L P P N P L -

```

**FIG. 3 (PAGE 2 OF 7)**





HUMAN hiap-2

1441	ATGGGCTTTAATAGAGACCTGGTGAAACAACAGTTCTAAGTAAATCCTGACAACTGGA	1500
a	M G F N R D L V K Q T V L S K I L T T G	-
1501	GAGAACTATAAACAGTTAATGATATTGTGTCAGCACTTCTTAATGCTGAAGATGAAAAA	1560
a	E N Y K T V N D I V S A L L N A E D E K	-
1561	AGAGAAGAGAGAAGGAAAAACAAGCTGAAGAATGGCATCAGATGATTGTGTCATTAATT	1620
a	R E E E K E K Q A E E M A S D D L S L I	-
1621	CGGAAGAACAAGATGGCTCTCTTTCAACAATTGACATGTGTGCTTCCTATCCTGGATAAT	1680
a	R K N R M A L F Q Q L T C V L P I L D N	-
1681	CTTTAAAGGCCCAATGTAATTAAACAGGAACATGATATTATTAAACAAAAACACAG	1740
a	L L K A N V I N K Q E H D I I K Q K T Q	-
1741	ATACCTTTACAAGCGAGAGAACTGATTGATACCATTTGGGTTAAGGAAATGCTGCGGCC	1800
a	I P L Q A R E L I D T I W V K G N A A A	-

FIG. 3 (PAGE 5 OF 7)

## HUMAN hiap-2

1801 AACATCTTCAAACTGTCTAAAGAAATTGACTCTACATTGTATAAGAACTTATTGTG 1860  
-----+-----+-----+-----+-----+-----+-----+  
a N I F K N C L K E I D S T L Y K N L F V -  
  
1861 GATAAGAAATGAAGTATATCCACAGAAGATGTTTCAGGCTGTCACTGGAAGAACAA 1920  
-----+-----+-----+-----+-----+-----+-----+  
a D K N M K Y I P T E D V S G L S L E E Q -  
  
1921 TTGAGGAGGTTGCAAGAAGAACGAACTTGTAAGTGATGGACAAAGAAAGTTTCTGTT 1980  
-----+-----+-----+-----+-----+-----+-----+  
a L R R L Q E E R T C K V C M D K E V S V -  
  
1981 GTATTATTCCTTGTGGTCATCTGGTAGTATGCCAGGAATGTGCCCCCTTCTCTAAGAAAA 2040  
-----+-----+-----+-----+-----+-----+-----+  
a V F I P C G H L V V C Q E C A P S L R K -  
  
2041 TGCCCTATTGCAGGGGTATAATCAAGGGTACTGTTCGTACATTCTCTCTTAAAGAAAA 2100  
-----+-----+-----+-----+-----+-----+-----+  
a C P I C R G I I K G T V R T F L S \* -  
  
2101 ATAGTCTATATTTAACCTGCATAAAAGGTCTTTAAATAATGTTGAACACTTGAAGCC 2160  
-----+-----+-----+-----+-----+-----+-----+  
a -

FIG. 3 (PAGE 6 OF 7)





# MOUSE xiap

SEQ ID NO:9

1 GAACTCTGCTGGCGCGCGCCCTCCTCCGGACCTCCCTCGGGAACCGTCGCCC  
-----+-----+-----+-----+-----+ 60

a

-

61 GCGGCGCTTAGTACTGGAGTGCTTGCGCGGAAAGTGGACAAGTCTATTTCCTCA  
-----+-----+-----+-----+-----+ 120

a

-

121 GAGAAGATGACTTTTAACAGTTTGAAGGAAGTCTTGTACTTGCAGACCAAT  
-----+-----+-----+-----+-----+ 180

SEQ ID NO:10 a

M T F N S F E G T R T F V L A D T N

-

181 AAGGATGAAGAATTGTAGAAGAGTTTAATAGATTAAACAATTTGCTAACTTCCCAAGT  
-----+-----+-----+-----+-----+ 240

a

K D E E F V E E F N R L K T F A N F P S

-

241 AGTAGTCCTGTTTCAGCATCAACATTGGCGCGAGCTGGGTTCTTTATACCGTGAAGGA  
-----+-----+-----+-----+-----+ 300

a

S S P V S A S T L A R A G F L Y T G E G

-

301 GACACCGTGCAATGTTTCAGTTGTCATGCGGCAATAGATAGATGGAGACTCA  
-----+-----+-----+-----+-----+ 360

a

D T V Q C F S C H A A I D R W Q Y G D S

-

FIG. 4 (PAGE 1 OF 6)

# MOUSE xiap

```

361  GCTGTTGGAAGACACAGGAGAAATATCCCCAAATGCAGATTATCAATGGTTTATTTT 420
      A V G R H R I S P N C R F I N G F Y F -
421  GAAAATGGTGCTGCACAGTCTACAAATCCTGGTATCCAAATGGCCAGTACAAATCTGAA 480
      E N G A A Q S T N P G I Q N G Q Y K S E -
481  AACTGTGTGGGAAATAGAAATCCTTTTGCCCTGACAGGCCACCTGAGACTCATGCTGAT 540
      N C V G N R N P F A P D R P P E T H A D -
541  TATCTCTGAGAACTGGACAGGTTGTAGATATTCAGACACCATATACCCGAGGAACCT 600
      Y L L R T G Q V V D I S D T I Y P R N P -
601  GCCATGTGTAGTGAAGAAGCCAGATTGAAGTCATTTCAGAACTGGCCGGACTATGCTCAT 660
      A M C S E E A R L K S F Q N W P D Y A H -
661  TTAACCCCGAGAGTTAGCTAGTGCTGGCCTCTACTACAGGGGCTGATGATCAAGTG 720
      L T P R E L A S A G L Y Y T G A D D Q V -

```

FIG. 4 (PAGE 2 OF 6)



# MOUSE xiap

1081	CATGCTAAGTGCTACCCAGGTGCAATACCTATTGGATGAGAAGGGCAAGAAATATATA	1140
a	H A K C Y P G C K Y L L D E K G Q E Y I	-
1141	AAATAATTCAATTAAACCCATCCACTTGAGGAATCTTTGGGAAGAACTGCTGAAAAACA	1200
a	N N I H L T H P L E E S L G R T A E K T	-
1201	CCACCGCTAACTAAAAATCGATGATACCATCTTCCAGAATCCTATGGTGCAAGAAGCT	1260
a	P P L T K K I D D T I F Q N P M V Q E A	-
1261	ATACGAATGGGATTAGCTTCAAGGACCTTAAGAAAAACAATCGAAGAAAAATCCAAACA	1320
a	I R M G F S F K D L K K T M E E K I Q T	-
1321	TCCGGGAGCAGCTATCTACTTGAGGTCCCTGATTCAGATCTTGTGAGTGCTCAGAAA	1380
a	S G S S Y L S L E V L I A D L V S A Q K	-
1381	GATAATACGGAGGATGAGTCAAGTCAAACTTCATTGCAGAAAGACATTAGTACTGAAGAG	1440
a	D N T E D E S S Q T S L Q K D I S T E E	-

FIG. 4 (PAGE 4 OF 6)

# MOUSE xiap

1441	CAGCTAAGCGCCTACAAGAGAGAGCTTCCAAATCTGTATGGATAGAAATATTGCT	1500
a	Q L R R L Q E E K L S K I C M D R N I A	-
1501	ATCGTTTTTTTCCCTTGTGGACATCTGGCCACTTGTAACAGTGTGCAGAACGAGTTGAC	1560
a	I V F F P C G H L A T C K Q C A E A V D	-
1561	AAATGTCCCATGTGCTACACCGTCAATACGTTCAACCAAAATTTTATGTCTTAGTGG	1620
a	K C P M C Y T V I T F N Q K I F M S *	-
1621	GGCACCATGTATGTTCTTCTTGCTCTAATTGAATGTGTAATGGAGCGAACTTTAAG	1680
a		-
1681	TAACTCCTGCATTTGCATTCATCCTAGCATCCTGCTGTTTCCAAATGGAGACCAATGCTAAC	1740
a		-
1741	AGCACTGTTTCCGTCTAAACATTCAATTTCTGGATCTTTCGAGTTATCAGCTGTATCATT	1800
a		-

FIG. 4 (PAGE 5 OF 6)

MOUSE xiap

1801	TAGCCAGTGTTTACTCGATTGAAACCTTAGACAGAGAAGCATTTATAGCTTTTCACAT	1860
a	-	-
1861	GTATATTGGTAGTACACTGACTTGATTCTATATGTAAAGTGAATTCATCACCTGCATGTT	1920
a	-	-
1921	TCATGCCCTTTTGCAATAAGCTTAACAAATGGAGTGTTCTGTATAAGCATGGAGATGTGATG	1980
a	-	-
1981	GAATCTGCCCCAATGACTTTAATTGGCTTATTGTAAACACGGAAGAACTGCCCCACGCTG	2040
a	-	-
2041	CTGGGAGGATAAAGATTGTTTATAGATGCTCACTTCTGTGTTTAGGATTCTGCCCATTTA	2100

FIG. 4 (PAGE 6 OF 6)

## M-hiap-1

```

SEQ ID NO:39      GAATTCGGGAGACCTACACCCCGAGATCAGAGGTCAATTGCTGGCGTTCAGAGCCCTAG
1  -----+-----+-----+-----+-----+-----+-----+-----+ 60
   GAAGTGGGCTGCGGTATCAGCCTAGCAGTAACAACCGACCAGAGCCATGCACAAAACCTAC
61  -----+-----+-----+-----+-----+-----+-----+-----+ 120
   ATCCCAGAGAAAGACTTGTCCTTCCCCCTCCCTGTCTCATCTCACCATGAACATGGTTCAA
121 -----+-----+-----+-----+-----+-----+-----+-----+ 180
                               M N M V Q -
SEQ ID NO:40

GACAGCGCCTTTCTAGCCAAGCTGATGAAGAGTGCTGACACCTTTGAGTTGAAGTATGAC
181 -----+-----+-----+-----+-----+-----+-----+-----+ 240
   D S A F L A K L M K S A D T F E L K Y D -

TTTTCCTGTGAGCTGTACCGATTGTCCACGTATTCAGCTTTTCCCAGGGAGTTCCTGTG
241 -----+-----+-----+-----+-----+-----+-----+-----+ 300
   F S C E L Y R L S T Y S A F P R G V P V -

TCAGAAAGGAGTCTGGCTCGTGTGCTGCTTTTACTACACTGGTGCCAATGACAAGGTCAAG
301 -----+-----+-----+-----+-----+-----+-----+-----+ 360
   S E R S L A R A G F Y Y T G A N D K V K -

TGCTTCTGTGTGGCCTGATGCTAGACAACCTGGAAACAAGGGACAGTCCCATGGAGAAG
361 -----+-----+-----+-----+-----+-----+-----+-----+ 420
   C F C C G L M L D N W K Q G D S P M E K -

```

**FIG. 5 (PAGE 1 OF 6)**

## M-hiap-1

```

CACAGAAAGTTGTACCCAGCTGCAACTTTGTACAGACTTTGAATCCAGCCAACAGCTCTG
421 -----+-----+-----+-----+-----+-----+ 480
      H R K L Y P S C N F V Q T L N P A N S L -
      GAAGCTAGTCCTCGGCCTTCTCTTCCACGGCGATGAGCACCATGCCCTTTGAGCTTT
481 -----+-----+-----+-----+-----+-----+ 540
      E A S P R P S L P S T A M S T M P L S F -
      GCAAGTTCTGAGAATACTGGCTATTTCAAGTGGCTCTTACTCGAGCTTCCCTCAGACCCT
541 -----+-----+-----+-----+-----+-----+ 600
      A S S E N T G Y F S G S Y S S F P S D P -
      GTGAACTTCCGAGCAATCAAGATTGTCTGCTTTGAGCACAAGTCCCTACCATTGCA
601 -----+-----+-----+-----+-----+-----+ 660
      V N F R A N Q D C P A L S T S P Y H F A -
      ATGAACACAGAGAAGGCCAGATTACTCACCTATGAACATGGCCATTGTCTTTCTGTCA
661 -----+-----+-----+-----+-----+-----+ 720
      M N T E K A R L L T Y E T W P L S F L S -
      CCAGCAAAGCTGGCCAAAGCAGGCTTCTACTACATAGGACCTGGAGATAGAGTGGCCTGC
721 -----+-----+-----+-----+-----+-----+ 780
      P A K L A K A G F Y Y I G P G D R V A C -

```

**FIG. 5 (PAGE 2 OF 6)**



# M-hiap-1

```

781 TTTGCGTGCATGGGAAACTGAGCAACTGGGAACGTAAGATGATGCTATGTCAGAGCAC
    F A C D G K L S N W E R K D D A M S E H - 840
841 CAGAGGCATTTCCCCAGCTGTCGTTCTTAAAGACTTGGGTGAGTCTGCTTCGAGATAC
    Q R H F P S C P F L K D L G Q S A S R Y - 900
901 ACTGTCTTAACCTGAGCATGCAGACACGAGCCCGTATTAGAACATTCTCTAACTGG
    T V S N L S M Q T H A A R I R T F S N W - 960
961 CCTTCTAGTGCAGTTCATTCAGGAACTTGCAAGTGGGGCTTTTATTATACAGGA
    P S S A L V H S Q E L A S A G F Y Y T G - 1020
1021 CACAGTGATGATCAAGTGTTTATGCTGTGATGGTGGCTGAGGTGCTGGGAATCTGGA
    H S D D V K C L C C D G G L R C W E S G - 1080
1081 GATGACCCCTGGGTGGAACATGCCAAGTGGTTTCCAAGGTGAGTACTTGCTCAGAATC
    D D P W V E H A K W F P R C E Y L L R I - 1140
1141 AAAGGCCAAGAATTGTGAGCCCAAGTTCAAGCTGGCTATCCTCATCTACTTGAGCAGCTA
    K G Q E F V S Q V Q A G Y P H L L E Q L - 1200

```

**FIG. 5 (PAGE 3 OF 6)**

## M-hiap-1

```

1201 TTATCTACGTCACTCCCAGAAGATGAGAAATGCAGACGCAGCAATCGTGCAATTTGGC
    L S T S D S P E D E N A D A A I V H F G - 1260

1261 CCTGGAGAAAGTTCGGAAGATGTCGTCAATGATGAGCACGCCCTGTGGTTAAAGCAGCCTTG
    P G E S S E D V V M M S T P V V K A A L - 1320

1321 GAAATGGGCTTCAGTAGGAGCCTGGTGAGACAGACGGTTCAGTGGCAGATCCTGGCCACT
    E M G F S R S L V R Q T V Q W Q I L A T - 1380

1381 GGTGAGAACTACAGACCGTCAGTGACCTCGTTATAGGCTTACTCGATGCAGAAGACGAG
    G E N Y R T V S D L V I G L L D A E D E - 1440

1441 ATGAGAGAGGAGCAGATGGAGCAGCGCGCCGAGGAGGAGTCAATGATCTAGCACTA
    M R E E Q M E Q A A E E E S D D L A L - 1500

1501 ATCCGGAAGAACAAATGGTGCTTTTCCAAACATTTGACGTGTGTGACACCAATGCTGTAT
    I R K N K M V L F Q H L T C V T P M L Y - 1560

```

**FIG. 5 (PAGE 4 OF 6)**

## M-hiap-1

TGCCTCCTAAGTGCAAGGCCATCACTGAACAGGAGTGCAATGCTGTGAAACAGAAACCA  
 1561 - - - - - + - - - - - + - - - - - + - - - - - + - - - - - + - - - - - + 1620  
 C L L S A R A I T E Q E C N A V K Q K P -  
  
 CACACCTTACAAGCACACTGATTGATACTGTGTAGCAAAAGGAAACACTGCAGCA  
 1621 - - - - - + - - - - - + - - - - - + - - - - - + - - - - - + 1680  
 H T L Q A S T L I D T V L A K G N T A A -  
  
 ACCTCATTCAGAAACTCCCTTCGGGAAATTGACCCCTGCCGTTATACAGAGATATATTGTG  
 1681 - - - - - + - - - - - + - - - - - + - - - - - + - - - - - + 1740  
 T S F R N S L R E I D P A L Y R D I F V -  
  
 CAACAGGACATTAGGAGTCTTCCACAGATGACATTGCAGCTCTACCAATGGAAGAACAG  
 1741 - - - - - + - - - - - + - - - - - + - - - - - + - - - - - + 1800  
 Q Q D I R S L P T D D I A A L P M E E Q -  
  
 TTGCGGCCCCCTCCGGAGGACAGAAATGTGTAAAGTGTATGGACCGAGAGGTATCCATC  
 1801 - - - - - + - - - - - + - - - - - + - - - - - + - - - - - + 1860  
 L R P L P E D R M C K V C M D R E V S I -  
  
 GTGTTCAATCCCTGTGGCCATCTGGTCGTGTGCAAAAGACTGCGCTCCCTCTCTGAGGAAG  
 1861 - - - - - + - - - - - + - - - - - + - - - - - + - - - - - + 1920  
 V F I P C G H L V V C K D C A P S L R K -

**FIG. 5 (PAGE 5 OF 6)**

# M-hiap-1

```

1921 TGTCCTCATCTGTAGAGGACCATCAAGGCACAGTGGGCACATTTCTCTCCTGAACAAGA 1980
    C P I C R G T I K G T V R T F L S *
1981 CTAATGGTCCATGGCTGCAACTTCAGCCAGGAGGAAGTTCACCTGTCACTCCCAGTTCCAT 2040
    TCGGAACTTGAGGCCAGCCTGGATAGCACGAGACCCGCCAACACACAATAATAAACAT
2041 GAAAAACTTTGTCTGAAGTCAAGAATGAATGAATTAATAATAATAATTGTT 2100
    GAAAACTTTGTCTGAAGTCAAGAATGAATGAATTAATAATAATAATTGTT
2101 TTCCCTTAAAAGTGCTATTGTTCCCAACTCAGAAAATTGTTTCTGTAAACATATTACA 2160
    TACTACCTGCATCTAAAGTATTATATATATTCATATATTCAGATGTCAATGAGAGAGGTTT
2161 TGTTCCTTGTCCGAAAGCTGTTTATCATCTGATCAGCATATATACTGCGCAACGGCAG 2220
    GGCTAGAATCCATGAACCAAGCTGCAAGATCTCACGCTAAATAAGCGGAAAGATTGG
2281 AGAAACGAAAGGAAATTCTTTCCCTGTCCAATGTATACTCTTCAGACTAATGACCTCTTCC 2340
    TATCAAGCCTTCTA
2401 TATCAAGCCTTCTA 2460
    TATCAAGCCTTCTA
2461 TATCAAGCCTTCTA 2474

```

FIG. 5 (PAGE 6 OF 6)

## M-hiap-2

```

SEQ ID NO:41  CTGTGGTGAGATCTATTGTCCAAGTGGTGAGAAACTTCATCTGGAAGTTTAAGCGGTCA
1  -----+-----+-----+-----+-----+-----+-----+ 60
   GAAATACTATTACTACTCATGGACAAAACTGTCTCCAGAGACTCGCCCAAGGTACCTTA
61  -----+-----+-----+-----+-----+-----+-----+ 120
   CACCCAAAACCTTAAACGTATAATGGAGAAGAGCACAAATCTTGTCAAATGGACAAAGGA
121 -----+-----+-----+-----+-----+-----+-----+ 180
   M E K S T I L S N W T K E -
SEQ ID NO:42

GAGCGAAGAAAAATGAAGTTTGACTTTTCGTGTGAACCTCTACCGAATGTCTACATATTC
181 -----+-----+-----+-----+-----+-----+-----+ 240
   S E E K M K F D F S C E L Y R M S T Y S -

AGCTTTTCCAGGGAGTTCCTGTCTCAGAGAGGAGTCTGGCTCGTGGCTTTTATTA
241 -----+-----+-----+-----+-----+-----+-----+ 300
   A F P R G V P V S E R S L A R A G F Y Y -

TACAGGTGTGAATGACAAAGTCAAGTGCTTCTGTGTGGCCTGATGTTGGATAACTGGAA
301 -----+-----+-----+-----+-----+-----+-----+ 360
   T G V N D K V K C F C C G L M L D N W K -

ACAAGGGACAGTCCTGTGTGAAAGCACAGACAGTTCTATCCAGCTGCAGCTTTGTACA
361 -----+-----+-----+-----+-----+-----+-----+ 420
   Q G D S P V E K H R Q F Y P S C S F V Q -

```

**FIG. 6 (PAGE 1 OF 6)**

## M-hiap-2

```

GACTCTGCTTTCAGCCAGTCTGCAGTCTCCATCTAAGAATATGTCCTGTGAAAAGTAG
421 -----+-----+-----+-----+-----+-----+ 480
      T L L S A S L Q S P S K N M S P V K S R -

ATTGCAATTCGTACCTCTGGAACGAGGTGGCATTCACTCCAACCTGTGCTCTAGCCC
481 -----+-----+-----+-----+-----+-----+ 540
      F A H S S P L E R G G I H S N L C S S P -

TCTTAATTCTAGAGCAGTGAAGACTTCTCATCAAGATGGATCCCTGCAGCTATGCCAT
541 -----+-----+-----+-----+-----+-----+ 600
      L N S R A V E D F S S R M D P C S Y A M -

GAGTACAGAAGGCCAGATTCTTACTTACAGTATGTGGCCTTTAAGTTTCTGTCACC
601 -----+-----+-----+-----+-----+-----+ 660
      S T E E A R F L T Y S M W P L S F L S P -

AGCAGAGCTGGCCAGAGCTGGCTTCTATTACATAGGCCCTGGAGACAGGGTGGCCTGTTT
661 -----+-----+-----+-----+-----+-----+ 720
      A E L A R A G F Y Y I G P G D R V A C F -

TGCCTGTGTGGAAACTGAGCAACTGGGAACCAAGGATTATGCTATGTCAGAGCACCG
721 -----+-----+-----+-----+-----+-----+ 780
      A C G G K L S N W E P K D Y A M S E H R -

```

**FIG. 6 (PAGE 2 OF 6)**

## M-hiap-2

```

781 CAGACATTTCCCACTGTCCATTCTGGAAAATACTTCAGAAACACAGAGGTTTAGTAT
    R H F P H C P F L E N T S E T Q R F S I - 840

841 ATCAAATCTAAGTATGCAGACACACTCTGCTCGATTGAGGACATTTCTGTACTGGCCACC
    S N L S M Q T H S A R L R T F L Y W P P - 900

901 TAGTGTTCCTGTTCAGCCCGAGCAGCTTGCAAGTGCTGGATTCTATTACGTGGATCGCAA
    S V P V Q P E Q L A S A G F Y Y V D R N - 960

961 TGATGATGTCAAGTGCCTTTGTTGTGATGGTGGCTTGAGATGTTGGGAACCTGGAGATGA
    D D V K C L C C D G G L R C W E P G D D - 1020

1021 CCCCTGGATAGAACACGCCAAATGGTTCCAAAGTGTGAGTCTTGATACGGATGAAGGG
    P W I E H A K W F P R C E F L I R M K G - 1080

1081 TCAGGAGTTTGTGATGAGATTCAAGCTAGATATCCTCATCTTCTTGAGCAGCTGTTGTC
    Q E F V D E I Q A R Y P H L L E Q L L S - 1140

```

**FIG. 6 (PAGE 3 OF 6)**





## M-hiap-2

```

1501 TAATCTTCTTGAGGCCAGTGTAATTACAAACAGGAACATGATATTATTAGACAGAAAAC
      N L L E A S V I T K Q E H D I I R Q K T - 1560
1561 ACAGATACCCTTACAAGCAAGAGAGCCTTATTGACACCGTTTTAGTCAAGGGAATGCTGC
      Q I P L Q A R E L I D T V L V K G N A A - 1620
1621 AGCCAACATCTTCAAAACTCTCTGAAGGGAATTGACTCCACGTTATATGAAAACCTATT
      A N I F K N S L K G I D S T L Y E N L F - 1680
      -
1681 TGTGGAAGAAATATGAAGTATATCCACAGAGACGTTTCAGGCTTGTCATTGGAAGA
      V E K N M K Y I P T E D V S G L S L E E - 1740
1741 GCAGTTGCGGAGATTACAAGAAGAACGAACTTGCAAGTGTTGATGGACAGAGAGGTTTC
      Q L R R L Q E E R T C K V C M D R E V S - 1800
1801 TATTGTGTTCAATCCGTGTGTCATCTAGTAGTCTGCCAGGAATGTGCCCCCTTCTCTAAG
      I V F I P C G H L V V C Q E C A P S L R - 1860

```

**FIG. 6 (PAGE 5 OF 6)**

# M-hiap-2

```

1861 GAAGTGCCCATCTGCAGGGGACAAATCAAGGGACTGTGCGCACATTTCTCTCATGAGT 1920
      K C P I C R G T I K G T V R T F L S *
1921 GAAGAAATGGTCTGAAAGTATTGTTGGACATCAGAAAGCTGTCAGAAACAAAGAAATGAACCTAC 1980
      TGATTTCAGCTCTTCAGCAGCACATTCTACTCTCTTCAAGATTAGTAATCTTGCTTTAT
1981 GAAGGGTAGCATTGATATTAAAGCTTAGTCTGTTGCAAGGGAAGGCTATGCTGTTGAG 2040
      CTACAGGACTGTGTCTGTTCCAGAGCAGGAGTTGGATGCTTGCTGTATGTCCTTCAGGA
2041 CTTCTTGGGATTTGGGAATTGCGGAAAGCTTTGGAATCCAGTGATGTGAGCTCAGAAA 2100
      TCCTGGAACCACTGCTGCTGCTAGATAGGTACCTGTACTTCTTGGTGCTTT
2161 TCCAGTCTGGGAAATAAGGAGGAATCTGCTGCTGGTAAATAATTGCTGGATGTGAGAAAT 2220
      AGATGAAAGTGTTTCGGGTGGGGCGTGTCATCAGTGCTGTCAGGGATGTATGCAG
2281 GCGAAACACTGTGTAG 2340
      GCGAAACACTGTGTAG 2400
      GCGAAACACTGTGTAG 2416

```

FIG. 6 (PAGE 6 OF 6)

## Alignment of BIR (Baculoviral IAP Repeats) Domains

<b>Baculovirus</b>		
Cp_iap		Cydia pomonella
Op_iap		Orgyia pseudotsugata
<b>Human</b>		
xiap		IAP on X chromosome
hiap1, hiap2		two different human IAP genes
<b>Mouse</b>		
m-xiap		mouse homologue of human xiap gene
<b>Insect</b>		
diap		Drosophila IAP gene, not clearly a homologue of xiap or hiap

## FIG. 7

**note on consensus:** The consensus line represents amino acids or very similar amino acids which are present in 14 of the 19 BIR sequences at each position.  
Capitalized residues are those that are in the consensus sequence.

SEQ ID NO:11	Op_iap-1	1	kaarLgTYtn	WPvqf.l	eps	rMAasGFYYI	GrgDeVrCaf	CkveitnWvr	gDpelDhkr	waPqCpFV	68
SEQ ID NO:14	Cp_iap-1		eevRLnTFek	WPvsf.l	spe	tMAknGFYYI	GrsDeVrCaf	CkveImrWke	gEdpaadHkk	waPqCpFV	
SEQ ID NO:15	diap-2		eanRLvTFkd	WPnbn.il	pq	aLAKAGFYI	nrldhVkcVw	CngvIakWek	nDnafeeHkr	ffPqCpFV	
SEQ ID NO:16	m-xiap-1		efnRLkTFan	FPssspvsas		tLArAGFLYt	GegDtVqCfs	ChaaIdrWqy	gDsavgrHrr	IsPnCrFI	
SEQ ID NO:17	xiap-1		efnRLkTFan	FPsgspvsas		tLArAGFLYt	GegDtVrCfs	ChaaVdrWqy	gDsavgrHrk	vsPnCrFI	
SEQ ID NO:18	hiap1-1		elyRMstYst	FPagvpvser		sLArAGFYt	GvndkVkcFc	CglmldnWkr	gDsptekHkk	lyPsCsFI	
SEQ ID NO:19	hiap2-1		elyRMstYst	FPagvpvser		sLArAGFYt	GvndkVkcFc	CglmldnWkl	gDspiqkHkq	lyPsCsFI	
SEQ ID NO:20	m-xiap-2		eeARLksFqn	WPdyahltpr		eLAsAGLYt	GaddqVqCfc	CggklknWep	cDrawseHrr	hfpnCfFV	
SEQ ID NO:21	xiap-2		eeARLksFqn	WPdyahltpr		eLAsAGLYt	GigDqVqCfc	CggklknWep	cDrawseHrr	hfpnCfFV	
SEQ ID NO:22	hiap1-2		enaRLlTFqt	WP.llflspt		dLArAGFYt	GpgDrVaCfa	CggklknWep	kDnamseHlr	hfpnCpFI	
SEQ ID NO:23	hiap2-2		eeARFlTYbm	WP.llflsps		eLArAGFYt	GpgDrVaCfa	CggklknWep	kDdamseHrr	hfpnCpFI	
SEQ ID NO:24	m-xiap-3		yeARlvtFgt	Wlysv..nke		qLArAGFYal	GegDkVkcFh	CgggltdWkp	sEdpwdqHak	cyPgCkYl	
SEQ ID NO:25	xiap-3		yeARlvtFgt	Wlysv..nke		qLArAGFYal	GegDkVkcFh	CgggltdWkp	sEdpwdqHak	wyPgCkYl	
SEQ ID NO:26	hiap1-3		haARFlTFfn	WPssvlnpe		qLAsAGFYt	GnsDdVkcFc	Cdggllrcwes	gDdpwvqHak	wfPrCeYl	
SEQ ID NO:27	hiap2-3		haARFlTFmy	WPssvvpqpe		qLAsAGFYt	GnsDdVkcFg	Cdggllrcwes	gDdpwvqHak	wfPrCeYl	
SEQ ID NO:28	Op_iap-2		eaARLrTFae	WPrglkqrpe		eLaeAGFFYt	GqgDkttrCfc	CdggllkdWep	dDapwqHak	wydrCeYv	
SEQ ID NO:29	Cp_iap-2		eaARvksFhn	WPrcmkqrpe		qMAdAGFFYt	GygDntkCFy	CdggllkdWep	eDvpweqHvr	widrCaYv	
SEQ ID NO:30	diap-3		vdARLrTFtd	WPisniqpas		aLqAGLYt	kigDqVrCfh	CniglrsWqk	eDepwieHak	wsPkCqFV	
SEQ ID NO:31	diap-1		eevRLaTFge	WPlnapvsae		dIvanGFF..	GtwmeaeCdf	ChvtridrWey	gDlvaerHrr	ssPiCsmV	
SEQ ID NO:2	Consensus		---RL-TF--	WP-----		-LA-AGFY-	G--D-V-CF-	C-----W--	-D-----H--	--P-C-FV	

1 30

SEQ ID NO:12	cp-lap	.....	.....	.....	.....	.....
SEQ ID NO:13	dlap	.....	mtelgMeLEs	vRLaTFgeWP	lnaPVSaedL	
SEQ ID NO:10	m-xlap	...mtfnsfe	gttrtfvladt	nkdeEFveEF	nRLkTFanFP	sssPVsastL
SEQ ID NO:4	xlap	...mtfnsfe	gsktcvpadl	nkeeEFveEF	nRLkTFanFP	sgsPVsastL
SEQ ID NO:6	hiap1	mnivensifl	snlmksantf	elkyDLscEL	yRMstYstFP	agvPVsersL
SEQ ID NO:8	hiap2	...medstil	sdwtns.nkq	knkyDFscEL	yRMstYstFP	agvPVsersL
SEQ ID NO:44	consensus	-----	-----	-----F--E-	-RL-TF--FP	---FVS---L

BIR 1

	51					100
cp-lap	.....	.....	.....	.....	.....	.....
dlap	vanGFFaTGk	wleaeChfCh	vriDrWeyGD	qvaerHrrss	PiCsmVla..	
m-xlap	ARAGFLYTGe	gDtVqCFsCh	aaIdrWqyGD	SavgrHrris	PnCrfIngFy	
xlap	ARAGFLYTGe	gDtVrCFsCh	aaVDrWqyGD	SavgrHrkvs	PnCrfIngFy	
hiap1	ARAGFYITGv	nDkVkcFcCg	lmlDnWkrGD	SptekHkkly	PsCrfVqsLn	
hiap2	ARAGFYITGv	nDkVkcFcCg	lmlDnWklGD	SpigkHkqly	PsCsFIqnLv	
consensus	ARAGF-YTG-	-D-V-CF-C-	---D-W--GD	S----H----	P-C-FI----	

	101					150
cp-lap	.....	.....	.....	.....	.....	.....
dlap	.....	.....	.....	.....	p nhcgnvprsq	
m-xlap	.....	.....feng	aaqStnpgiq	ngqyksenCv	gnrnpfapdR	
xlap	.....	.....lens	atqStnsgiq	ngqykvenYl	gsrdhfaldR	
hiap1	svnnleatsq	ptfpssvths	.thSlIpgte	nsgyfrgsYs	nspsnpvnsR	
hiap2	s.aslgstsk	nt..spmns	fahSlsptle	hsslfsqsYs	slppnplnsR	
consensus	-----	-----	---S-----	-----Y-	-----R	

	151					200
cp-lap	.....	.....mSD	lrl.....	..EEvRLnTF	ekWPv.sfls	
dlap	esDnegnsvv	dspescscpD	lll.....	..EanRLvTF	kdWPn.pnit	
m-xlap	ppEthadyll	rtgqvVDiSD	tiyprnp.am	cSEEARLksF	qnWPdyahLt	
xlap	psEthadyll	rtgqvVDiSD	tiyprnp.am	ycSEEARLksF	qnWPdyahLt	
hiap1	anq.....	.....EfSa	lmrssypcpM	nnEnARLlTF	qtWP.ltfls	
hiap2	avE.....	.....DiSs	srtnpysyaM	stEEARFlTY	hmWP.ltfls	
consensus	--E-----	-----D-SD	-----M	EEARL-TF	--WP----L-	

BIR 2

	201					250
cp-lap	PetMAknGFY	YlGrSDeVrC	afCkveimrW	keqEdpaADH	kkwaPqCPEV	
dlap	PqaLAKAGFY	YlnrlDhVkc	vwCnGviakW	EknDnAfeEH	KRfFPqCPrV	
m-xlap	PrELAsAGLY	YtGadDqVqC	FcCGGKLkNW	EPcDrAwSEH	rRHFPnCfFV	
xlap	PrELAsAGLY	YtGigDqVqC	FcCGGKLkNW	EPcDrAwSEH	rRHFPnCfFV	
hiap1	PtDLArAGFY	YiGpgDrVaC	FaCGGKLsNW	EPkDnAmSEH	lRHFPkCPFI	
hiap2	PsELArAGFY	YiGpgDrVaC	FaCGGKLsNW	EPkDdAmSEH	rRHFPnCPEF1	
consensus	P-ELA-AGFY	Y-G--D-V-C	F-CGGKL-NW	EP-D-A-SEH	-RHFP-CPEV	

BIR 3

	251					300
cp-lap	kgidvcgsiv	ttnniqnttt	hdtiigPahP	kyAheaARvk	sFhnWPrcmk	
dlap	qmgplie.fa	tgknldelgi	qpttl.PlrP	kyAcvdARlr	TftdWPiSni	
m-xlap	lgrnvnrse	s.gvssdrnF	pnStnsPrNP	amAeyeARlv	TFgtWiyS..	
xlap	lgrnlmrse	sdavssdrnF	pnStnlPrNP	sMAeyeARlf	TFgtWiyS..	
hiap1	.....	enqlqdtzry	tvS.....Nl	sMqthaARfk	TFfnWPsSvl	
hiap2	...FF.....	ensl.etlrf	sis.....Nl	sMqthaARmr	TFmyWPsSvp	
consensus	-----	-----F	--S---P-NP	-MA--AR--	TF--WP-S--	

Fig. 8 (page 1 of 3)



Ring Zinc Finger

	551				600
cp-lap	...tkl...	.....	.....	Ekep q veDskLCKIC	yveEciVcFV
dlap	snlskitdei	qkmsvstpnq	nlsLEEenRq	LkDarLCKVC	LDeEVgVVFL
m-xiap	.....	.....	k distEEQLRR	LqSEkLsKIC	MDrnIaIVFf
xiap	.....	.....	k elstEEQLRR	LqSEkLCKIC	MDrnIaIVFV
hiap1	lyehlfvccq	ikyiptedvs	dlpvEEQLRR	LpEErtCKVC	MDkEVsIVFI
hiap2	lyknlfvdkn	mkyiptedvs	glslEEQLRR	LqEErtCKVC	MDkEVsVVFI
consensus	-----	-----	--S-EEQLRR	L-EE-LCK-C	MD-EV--VF-

	601				635
cp-lap	PCGHvVaCak	CALSVdKCPM	CRkIVtsvlk	vyFS.	
dlap	PCGHLatCnq	CAPSVanCPM	CRadIkgtvr	tFLS*	
m-xiap	PCGHLatCkq	CAeaVdKCPM	CytVItfnck	LFMS*	
xiap	PCGHLVtCkq	CAeaVdKCPM	CytVItfkqk	LFMS*	
hiap1	PCGHLVvCkd	CAPslrKCPi	CRstIkgtvr	tFLS*	
hiap2	PCGHLVvCqe	CAPslrKCPi	CRgIIkgtvr	tFLS.	
consensus	PCGHLV-C--	CA-SV-KCPM	CR--I-----	-FLS-	

Fig. 8 (page 3 of 3)

Alignment of RZF (Ring Zinc Finger) Domains

<b>Baculovirus</b>		Cydia pomonella
Cp_iap		Orgyia pseudotsugata
<b>Human</b>		IAP on X chromosome
xiap		two different human IAP genes
<b>Mouse</b>		mouse homologue of human xiap gene
m-xiap		
<b>Insect</b>		Drosophila IAP gene, not clearly a homologue of xiap or hiap
diap		

FIG. 9

**note on consensus:** The consensus line represents amino acids or very similar amino acids which are present in 6 of the 7 RZF sequences at each position. Capitalized residues are those that are in the consensus sequence.

SEQ ID NO: 32	hiap2	1	EqlrrlqEer	tCKVCMdkev	sVvFiPCGH1	vVCqeCApel	rkCPiC	46
SEQ ID NO: 33	hiap1		EqltrlpEer	tCKVCMdkev	sIVFiPCGH1	w CkdCApsl	rkCPiC	
SEQ ID NO: 34	m-xiap		EqltrlqEek	lSKICMdrni	aIVFFPCGH1	atCkqCAeav	dkCPmC	
SEQ ID NO: 35	xiap		EqltrlqEek	lCKICMdrni	aIVFvPCGH1	vtCkqCAeav	dkCPmC	
SEQ ID NO: 36	diap		EenrglkDar	lCKVCLdeev	gVvFLPCGH1	atCnqCApev	anCPmC	
SEQ ID NO: 37	Cp_iap		Ekepqqvedsk	lCKICyveec	iVcFvPCGHv	vaCakCALsv	dkCPmC	
SEQ ID NO: 38	Op_iap		aveaevaDdr	lCKICLgack	tVcFvPCGHv	vaCgkCAagv	ttCPvC	
SEQ ID NO: 1	Consensus		E-----E--	-CKICM----	-V-F-PCGH-	--C--CA----	--CP-C	




FIG. 10



007050 " 2445950




FIG. 11

*xia*<sub>pr</sub>

 $\beta$ -actin

A

Heart
Brain
Placenta
Lung
Liver
Sk. Muscle
Kidney
Pancreas

B

Spleen  
Thymus  
Prostate  
Testis  
Ovary  
Sm. Intestine  
Colon  
P.B. Leukocyte

C

F. Brain  
F. Lung  
F. Liver  
F. Kidney

9.0

FIG. 12

13A



13B




Fig. 13A and 13B



COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled MAMMALIAN LAP GENE FAMILY, PRIMERS, PROBES AND DETECTIONS METHODS, the specification of which

☐ is attached hereto.

☒ was filed on December 22, 1995 as Application Serial No. 08/576,956 and was amended on \_\_\_\_\_

☐ was described and claimed in PCT International Application No. \_\_\_\_\_  
filed on \_\_\_\_\_ and as amended under PCT Article 19 on \_\_\_\_\_.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose all information I know to be material to patentability in accordance with Title 37, Code of Federal Regulations, §1.56(a).

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose all information I know to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56(a) which became available between the filing date of the prior application and the national or PCT international filing date of this application:

U.S. SERIAL NO.	FILING DATE	STATUS
<u>08/511,485</u>	<u>August 4, 1995</u>	<input checked="" type="checkbox"/> Pending <input type="checkbox"/> Issued <input type="checkbox"/> Abandoned

I hereby appoint the following attorneys and/or agents to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: Paul T. Clark, Reg. No. 30,162 and Kristina Bieker-Brady, Reg. No. 39,109, William E. Booth, Reg. No. 28,933; Barry E. Bretschneider, Reg. No. 28,055; John W. Freeman, Reg. No. 29,066; Timothy A. French, Reg. No. 30,175; Alan H. Gordon, Reg. No. 26,168; John F. Land, Reg. No. 29,554; John B. Pegram, Reg. No. 25,198; Rene D. Tegtmeyer, Reg. No. 33,567; Hans R. Troesch, Reg. No. 36,950; Dorothy P. Whelan, Reg. No. 33,814; Charles C. Winchester, Reg. No. 21,040.

Address all telephone calls to Kristina Bieker-Brady at telephone number 617/542-5070.

Address all correspondence to Kristina Bieker-Brady, Fish & Richardson P.C., 225 Franklin Street, Boston, MA 02110-2804.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patents issued thereon.

COMBINED DECLARATION AND POWER OF ATTORNEY CONTINUED

Full Name of Inventor: Robert G. Korneluk

Inventor's Signature: [Signature] Date: Mar. 18/96

Residence Address: Ottawa, Ontario, Canada

Citizen of: Canada

Post Office Address: 1901 Tweed Ave., Ottawa, Ontario, Canada K1G 2L8

Full Name of Inventor: Alexander E. MacKenzie

Inventor's Signature: [Signature] Date: March 18, 96

Residence Address: Ottawa, Ontario, Canada

Citizen of: Canada

Post Office Address: 35 Rockliffe Way, Ottawa, Ontario, Canada K1M 1A3

Full Name of Inventor: Stephen Baird

Inventor's Signature: [Signature] Date: Mar 18/96

Residence Address: Ottawa, Ontario, Canada

Citizen of: Canada

Post Office Address: 20 Julian Ave., Ottawa, Ontario, Canada K1Y 0S5

167882.B11

# SEQUENCE LISTING

<110> Korneluk, Robert G.  
Mackenzie, Alexander E.  
Baird, Stephen  
Liston, Peter

<120> MAMMALIAN IAP GENE FAMILY, PRIMERS,  
PROBES, AND DETECTION METHODS

<130> 07891/003005

<150> 08/576,956

<151> 1995-12-22

<150> 08/511,485

<151> 1995-08-04

<160> 92

<170> FastSEQ for Windows Version 4.0

<210> 1

<211> 46

<212> PRT

<213> artificial sequence based on Homo sapiens, Mus musculus, Cydia pomonella, Orgyia pseudotsugata, and Drosophila melanogaster.

<220>

<221> VARIANT

<222> 8

<223> Glu or Asp

<221> VARIANT

<222> 14,22

<223> Val or Ile

<221> VARIANT

<222> (1)...(46)

<223> Xaa = Any Amino Acid

<400> 1

Glu	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Cys	Lys	Xaa	Cys	Met
1				5					10						15	
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Phe	Xaa	Pro	Cys	Gly	His	Xaa	Xaa	Xaa	
			20					25					30			
Cys	Xaa	Xaa	Cys	Ala	Xaa	Xaa	Xaa	Xaa	Xaa	Cys	Pro	Xaa	Cys			
		35					40					45				

<210> 2  
 <211> 68  
 <212> PRT  
 <213> artificial sequence based on Homo sapiens, Mus musculus, Cydia pomonella, Orgyia pseudotsugata, and Drosophila melanogaster.

<220>  
 <221> VARIANT  
 <222> 13,16,17  
 <223> any amino acid or absent

<221> VARIANT  
 <222> (1)...(68)  
 <223> Xaa = Any Amino Acid

<400> 2  
 Xaa Xaa Xaa Arg Leu Xaa Thr Phe Xaa Xaa Trp Pro Xaa Xaa Xaa Xaa  
 1 5 10 15  
 Xaa Xaa Xaa Xaa Xaa Leu Ala Xaa Ala Gly Phe Tyr Tyr Xaa Gly Xaa  
 20 25 30  
 Xaa Asp Xaa Val Xaa Cys Phe Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Trp  
 35 40 45  
 Xaa Xaa Xaa Asp Xaa Xaa Xaa Xaa Xaa His Xaa Xaa Xaa Xaa Pro Xaa  
 50 55 60  
 Cys Xaa Phe Val  
 65

<210> 3  
 <211> 2540  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <222> (1)...(2540)  
 <223> n = A,T,C, or G

<400> 3  
 gaaaagggtgg acaagtccta ttttcaagag aagatgactt ttaacagttt tgaaggatct 60  
 aaaacttggtg tacctgcaga catcaataag gaagaagaat ttgtagaaga gtttaataga 120  
 ttaaaaactt ttgctaattt tccaagtggg agtcctgttt cagcatcaac actggcacga 180  
 gcagggtttc ttataactgg tgaaggagat accgtgcggt gcttttagttg tcatgcagct 240  
 gtagatagat ggcaatatgg agactcagca gttggaagac acaggaaagt atccccaat 300  
 tgcagattta tcaacggctt ttatcttgaa aatagtcca cgcagtctac aaattctggt 360  
 atccagaatg gtcagtacaa agttgaaaac tatctgggaa gcagagatca ttttgcctta 420  
 gacaggccat ctgagacaca tgcagactat cttttgagaa ctgggcaggt tgtagatata 480  
 tcagacacca tatacccgag gaaccctgcc atgtattgtg aagaagctag attaaagtcc 540  
 tttcagaact ggccagacta tgctcaccta accccaagag agttagcaag tgctggactc 600  
 tactacacag gtattggtga ccaagtgcag tgcttttgtt gtggtggaaa actgaaaaat 660  
 tgggaacctt gtgatcgtgc ctggtcagaa cacaggcgac actttcctaa ttgcttcttt 720  
 gttttgggcc ggaatcttaa tattcgaagt gaatctgatg ctgtgagttc tgataggaat 780  
 ttcccaaatt caacaaatct tccaagaaat ccatccatgg cagattatga agcacggatc 840



```

tttacttttg ggacatggat atactcagtt aacaaggagc agcttgcaag agctggattt 900
tatgcttttag gtgaaggtga taaagtaaag tgctttcact gtggaggagg gctaactgat 960
tggaagccca gtgaagaccc ttgggaacaa catgctaaat ggtatccagg gtgcaaatat 1020
ctgttagaac agaagggaca agaatatata aacaatatc atttaactca ttcacttgag 1080
gagtgtctgg taagaactac tgagaaaaca ccatcactaa ctagaagaat tgatgatacc 1140
atctttccaaa atcctatggg acaagaagct atacgaatgg gggttcagttt caaggacatt 1200
aagaaaataa tggaggaaaa aattcagata tctgggagca actataaatc acttgagggt 1260
ctgggttgag atctagtga tgctcagaaa gacagtatgc aagatgagtc aagtcagact 1320
tcattacaga aagagattag tactgaagag cagctaaggc gcctgcaaga ggagaagctt 1380
tgcaaaatct gtatggatag aaatatgtct atcggttttg ttccttggtg acatctagtc 1440
acttgtaaac aatgtgctga agcagttgac aagtgtccca tgtgctacac agtcattact 1500
ttcaagcaaa aaatttttat gtcttaatat aactctatag taggcatgtt atgttggttct 1560
tattaccctg attgaatgtg tgatgtgaac tgactttaag taatcaggat tgaattccat 1620
tagcatttgc taccaagtag gaaaaaaaaat gtacatggca gtgttttagt tggcaatata 1680
atctttgaat ttcttgattt ttcaggggat tagctgtatt atccattttt tttactgtta 1740
tttaattgaa accatagact aagaataaga agcatcatac tataactgaa cacaatgtgt 1800
attcatagta tactgattta atttctaagt gtaagtgaat taatcatctg gattttttat 1860
tctttttcaga taggcttaac aaatggagct ttctgtatat aaatgtggag attagagtta 1920
atctccccaa tcacataatt tgttttgtgt gaaaaaggaa taaattgttc catgctggtg 1980
gaaagataga gattgttttt agaggttggg tgttggtgtt taggattctg tccattttct 2040
tgtaaaggga taaacacgga cgtgtgcgaa atatgtttgt aaagtgtttt gccattgttg 2100
aaagcgtatt taatgataga atactatcga gccaacatgt actgacatgg aaagatgtca 2160
gagatatgtt aagtgtaaaa tgcaagtggc gggacactat gtatagtctg agccagatca 2220
aagtatgtat gttgttaata tgcatagaac gagagatttg gaaagatata caccaaactg 2280
ttaaatgtgg tttctcttcg gggagggggg gattggggga ggggccccag aggggtttta 2340
gaggggcctt ttcacttttc acttttttca ttttggttctg ttcggatttt ttataagtat 2400
gtagaccccg aagggtttta tgggaactaa catcagtaac ctaacccccc tgactatcct 2460
gtgctcttcc tagggagctg tggtgtttcc caccaccac cttccctct gaacaaatgc 2520
ctgagtgtctg gggcactttn 2540

```

<210> 4

<211> 497

<212> PRT

<213> Homo sapiens

<400> 4

```

Met Thr Phe Asn Ser Phe Glu Gly Ser Lys Thr Cys Val Pro Ala Asp
 1          5          10          15
Ile Asn Lys Glu Glu Glu Phe Val Glu Glu Phe Asn Arg Leu Lys Thr
          20          25          30
Phe Ala Asn Phe Pro Ser Gly Ser Pro Val Ser Ala Ser Thr Leu Ala
          35          40          45
Arg Ala Gly Phe Leu Tyr Thr Gly Glu Gly Asp Thr Val Arg Cys Phe
          50          55          60
Ser Cys His Ala Ala Val Asp Arg Trp Gln Tyr Gly Asp Ser Ala Val
          65          70          75          80
Gly Arg His Arg Lys Val Ser Pro Asn Cys Arg Phe Ile Asn Gly Phe
          85          90          95
Tyr Leu Glu Asn Ser Ala Thr Gln Ser Thr Asn Ser Gly Ile Gln Asn
          100          105          110
Gly Gln Tyr Lys Val Glu Asn Tyr Leu Gly Ser Arg Asp His Phe Ala
          115          120          125
Leu Asp Arg Pro Ser Glu Thr His Ala Asp Tyr Leu Leu Arg Thr Gly
          130          135          140

```



<220>

<221> Variant

<222> (1)...(2676)

<223> n = A,T,C,or G

<400> 5

tccttgagat gtatcagtat aggatttagg atctccatgt tggaactcta aatgcataga 60  
aatggaaata atggaaatth ttcatthttgg cthtttcagcc tagtattaaa actgataaaa 120  
gcaaagccat gcacaaaact acctccctag agaaaggcta gtccctthttc thcccccattc 180  
atthtcattat gaacatagta gaaaacagca tathcttata aaathttgatg aaaagcgcca 240  
acacgtthtga actgaaatac gacttgatcat gtgaactgta ccgaatgtct acgtattcca 300  
ctthttcctgc tggggthtct gtctcagaaa ggagtcttgc tcgtgctggg thctattaca 360  
ctgggtgtgaa tgacaagggtc aaatgtctct gttgtggcct gatgctggat aactggaaaa 420  
gaggagacag tcctactgaa aagcataaaa agttgtatcc tagctgcaga thcgttcaga 480  
gtctaaatth cgthtaacaac ttggaagcta cctctcagcc tactthttcct thttcagtaa 540  
cacattccac acactcatta cthccgggta cagaaaacag tggatathttc cgtggctctt 600  
atthcaaactc thcatcaaat cctgtaaact ccagagcaaa tcaagaatth thtgcttga 660  
tgagaagthc thacccctgt ccaatgaata acgaaaatgc cagathactt actthttcaga 720  
catggccatt gactthttctg thgccaacag atctggcacg agcaggctth tactacatag 780  
gacctggaga cagagtgggt thgctthtgcct gtgggtggaaa attgagcaat tgggaaccga 840  
aggataatgc tatgtcagaa cacctgagac atthttcccaa atgcccattt atagaaaatc 900  
agctthcaaga cactthcaaga tacacagtht ctaatctgag catgcagaca catgcagccc 960  
gctthtaaaac atthctthtaac thggccctcta gtgttctagt taatcctgag cagcttgcaa 1020  
gtgcgggtht thattatgtg ggtaacagtg atgatgtcaa atgctthttgc thgtatgggtg 1080  
gactcaggtg thgggaatct ggagatgac catgggthtca acatgccaag tggthttcaa 1140  
gggtgtgagta cthgataaga attaaaggac aggagthtcat ccgtcaagth caagccagth 1200  
acctcatct acttgaaacag ctgctatcca catcagacag cccaggagat gaaaatgcag 1260  
agthcatcaat thaccattthg gaacctggag aagaccattc agaagatgca atcatgatga 1320  
atactcctgt gattaatgct gccgtggaaa thgggctthtag tagaagcctg gtaaaacaga 1380  
cagthtcagag aaaaatccta gcaactggag agaattatag actagtcaat gatcttgtgt 1440  
tagactthact caatgcagaa gatgaaataa gggaagagga gagagaaaga gcaactgagg 1500  
aaaaagaatc aaatgattth thattaatcc ggaagaatag aatggcactt thtcaacatt 1560  
tgactthgtg aathccaatc thggatagth tactaactgc cggaaattatt aatgaacaag 1620  
aacatgatgt thattaacag aagacacaga cgtctthtaca agcaagagaa ctgattgata 1680  
cgaththtagt aaaaggaaat atthgcagcca ctgtattcag aaactctctg caagaagctg 1740  
aagctgtgtt atatgagcat thattthgtgc aacaggacat aaaatatatt cccacagaag 1800  
atgthttcaga thtaccagtg gaagaacaat thgaggagact accagaagaa agaacatgta 1860  
aagthgtgtat ggacaaagaa gtgtccatag thgtthattcc thgtgggtcat ctagtagtat 1920  
gcaaagathg thgtccttht ttaagaaagt thcttaththg taggagtaca atcaagggtg 1980  
cagthtcgtac atthctthtca thgaagaagaa ccaaaacatc gtctaaactt tagaattaat 2040  
thattaaatg thattataact thaaacttht thctaatthg gthttcctthaa aaththttatt 2100  
thatttacaac thaaaaaaca thgtthttgt thaacatath atathatgtat thaaaccata 2160  
thgaacatata ththththtagaa actaagagaa thgataggct thgtthctthat gaacgaaaaa 2220  
gagthtagcac thacaaacaca ataththcaat caaththtcag cattaththgaa atthgtaagtg 2280  
aagthaaaact thagatathth gagththaacct thtaagaathth thaaataththth ggcattgtac 2340  
thaataccggg aacatgaagc caggtgtgggt ggtatgtacc thgtagtcca ggctgaggca 2400  
agagaaththac ththgagcccag gagthththgaa ccatcctggg cagcatactg agaccctgcc 2460  
ththaaaaacn aacagnacca aanccaaaca ccagggacac atthtctctgt cththththgat 2520  
cagthgtccta thacatcgaag gtgtgcatat atgtthgaatc acathththtagg gacatgggtg 2580  
ththtataaag aaththctgtg gnaaaaathth aataaagcaa ccaaththact cththaaaaaa 2640  
aaaaaaaaaa aaaaaactcg aggggcccgt accaat 2676

<210> 6  
 <211> 604  
 <212> PRT  
 <213> Homo sapiens

<400> 6

Met	Asn	Ile	Val	Glu	Asn	Ser	Ile	Phe	Leu	Ser	Asn	Leu	Met	Lys	Ser
1				5					10					15	
Ala	Asn	Thr	Phe	Glu	Leu	Lys	Tyr	Asp	Leu	Ser	Cys	Glu	Leu	Tyr	Arg
			20					25					30		
Met	Ser	Thr	Tyr	Ser	Thr	Phe	Pro	Ala	Gly	Val	Pro	Val	Ser	Glu	Arg
		35					40					45			
Ser	Leu	Ala	Arg	Ala	Gly	Phe	Tyr	Tyr	Thr	Gly	Val	Asn	Asp	Lys	Val
	50					55					60				
Lys	Cys	Phe	Cys	Cys	Gly	Leu	Met	Leu	Asp	Asn	Trp	Lys	Arg	Gly	Asp
65					70					75				80	
Ser	Pro	Thr	Glu	Lys	His	Lys	Lys	Leu	Tyr	Pro	Ser	Cys	Arg	Phe	Val
				85					90					95	
Gln	Ser	Leu	Asn	Ser	Val	Asn	Asn	Leu	Glu	Ala	Thr	Ser	Gln	Pro	Thr
			100					105					110		
Phe	Pro	Ser	Ser	Val	Thr	His	Ser	Thr	His	Ser	Leu	Leu	Pro	Gly	Thr
		115					120					125			
Glu	Asn	Ser	Gly	Tyr	Phe	Arg	Gly	Ser	Tyr	Ser	Asn	Ser	Pro	Ser	Asn
	130					135					140				
Pro	Val	Asn	Ser	Arg	Ala	Asn	Gln	Glu	Phe	Ser	Ala	Leu	Met	Arg	Ser
145					150					155				160	
Ser	Tyr	Pro	Cys	Pro	Met	Asn	Asn	Glu	Asn	Ala	Arg	Leu	Leu	Thr	Phe
				165					170					175	
Gln	Thr	Trp	Pro	Leu	Thr	Phe	Leu	Ser	Pro	Thr	Asp	Leu	Ala	Arg	Ala
			180					185					190		
Gly	Phe	Tyr	Tyr	Ile	Gly	Pro	Gly	Asp	Arg	Val	Ala	Cys	Phe	Ala	Cys
		195					200					205			
Gly	Gly	Lys	Leu	Ser	Asn	Trp	Glu	Pro	Lys	Asp	Asn	Ala	Met	Ser	Glu
	210					215					220				
His	Leu	Arg	His	Phe	Pro	Lys	Cys	Pro	Phe	Ile	Glu	Asn	Gln	Leu	Gln
225					230					235				240	
Asp	Thr	Ser	Arg	Tyr	Thr	Val	Ser	Asn	Leu	Ser	Met	Gln	Thr	His	Ala
				245					250					255	
Ala	Arg	Phe	Lys	Thr	Phe	Phe	Asn	Trp	Pro	Ser	Ser	Val	Leu	Val	Asn
			260					265					270		
Pro	Glu	Gln	Leu	Ala	Ser	Ala	Gly	Phe	Tyr	Tyr	Val	Gly	Asn	Ser	Asp
	275						280					285			
Asp	Val	Lys	Cys	Phe	Cys	Cys	Asp	Gly	Gly	Leu	Arg	Cys	Trp	Glu	Ser
	290					295					300				
Gly	Asp	Asp	Pro	Trp	Val	Gln	His	Ala	Lys	Trp	Phe	Pro	Arg	Cys	Glu
305					310					315				320	
Tyr	Leu	Ile	Arg	Ile	Lys	Gly	Gln	Glu	Phe	Ile	Arg	Gln	Val	Gln	Ala
				325					330					335	
Ser	Tyr	Pro	His	Leu	Leu	Glu	Gln	Leu	Leu	Ser	Thr	Ser	Asp	Ser	Pro
			340					345					350		
Gly	Asp	Glu	Asn	Ala	Glu	Ser	Ser	Ile	Ile	His	Leu	Glu	Pro	Gly	Glu
		355					360					365			







Met	Lys	Tyr	Ile	Pro	Thr	Glu	Asp	Val	Ser	Gly	Leu	Ser	Leu	Glu	Glu
545					550					555					560
Gln	Leu	Arg	Arg	Leu	Gln	Glu	Glu	Arg	Thr	Cys	Lys	Val	Cys	Met	Asp
				565					570						575
Lys	Glu	Val	Ser	Val	Val	Phe	Ile	Pro	Cys	Gly	His	Leu	Val	Val	Cys
			580					585					590		
Gln	Glu	Cys	Ala	Pro	Ser	Leu	Arg	Lys	Cys	Pro	Ile	Cys	Arg	Gly	Ile
		595					600					605			
Ile	Lys	Gly	Thr	Val	Arg	Thr	Phe	Leu	Ser						
	610					615									

<210> 9

<211> 2100

<212> DNA

<213> Mus musculus

<400> 9

gacactctgc	tgggcggcgg	gccgcctcc	tccgggacct	cccctcggga	accgtcgccc	60
gcggcgctta	gtaggactg	gagtgccttg	cgcgaaaagg	tggacaagtc	ctattttcca	120
gagaagatga	cttttaacag	ttttgaagga	actagaactt	ttgtacttgc	agacaccaat	180
aaggatgaag	aatttgtaga	agagtttaat	agattaaaaa	catttgctaa	cttccaagt	240
agtagtcctg	tttcagcatc	aacattggcg	cgagctgggt	ttctttatac	cggatgaagga	300
gacaccgtgc	aatgtttcag	ttgtcatgcg	gcaatagata	gatggcagta	tggagactca	360
gctgttgga	gacacaggag	aatatcccca	aattgcagat	ttatcaatgg	tttttatttt	420
gaaaatggtg	ctgcacagtc	tacaaatcct	ggtatccaaa	atggccagta	caaactctgaa	480
aactgtgtgg	gaaatagaaa	tccttttgcc	cctgacaggc	cacctgagac	tcatgctgat	540
tatctcttga	gaactggaca	ggttgtagat	atttcagaca	ccatataccc	gaggaaccct	600
gccatgtgta	gtgaagaagc	cagattgaag	tcatttcaga	actggccgga	ctatgctcat	660
ttaaccccca	gagagttagc	tagtgctggc	ctctactaca	caggggctga	tgatcaagtg	720
caatgctttt	gttggtgggg	aaaactgaaa	aattgggaac	cctgtgatcg	tgcctggtca	780
gaacacagga	gacactttcc	caattgcttt	tttggttttg	gccggaacgt	taatgttcga	840
agtgaatctg	gtgtgagttc	tgataggaat	ttcccaaatt	caacaaactc	tccaagaaat	900
ccagccatgg	cagaatatga	agcacggatc	gttacttttg	gaacatggat	atactcagtt	960
aacaaggagc	agcttgcaag	agctggattt	tatgcttttag	gtgaaggcga	taaagtgaag	1020
tgcttccact	gtggaggagg	gctcacggat	tggaagccaa	gtgaagaccc	ctgggaccag	1080
catgctaagt	gctacccagg	gtgcaaatac	ctattggatg	agaaggggca	agaatatata	1140
aataatatcc	atttaaccca	tccacttgag	gaatcttttg	gaagaactgc	tgaaaaaaca	1200
ccaccgctaa	ctaaaaaaat	cgatgatacc	atcttccaga	atcctatggt	gcaagaagct	1260
atacgaatgg	gatttagctt	caaggacctt	aagaaaacaa	tgggaagaaa	aatccaaaca	1320
tccgggagca	gctatctatc	acttgaggtc	ctgattgcag	atcttgtgag	tgctcagaaa	1380
gataatacgg	aggatgagtc	aagtcaaact	tcattgcaga	aagacattag	tactgaagag	1440
cagctaaggc	gcctacaaga	ggagaagctt	tccaaaatct	gtatggatag	aatatttgct	1500
atcgtttttt	ttccttgtgg	acatctggcc	acttgtaaac	agtgtgcaga	agcagttgac	1560
aatgtccca	tgtgctacac	cgtcattacg	ttcaacccaa	aaatttttat	gtcttagtgg	1620
ggcaccacat	gttatgttct	tcttgctcta	attgaatgtg	taatgggagc	gaactttaag	1680
taatcctgca	tttgcatctc	attagcatcc	tgctgtttcc	aatgggagac	caatgctaac	1740
agcactgttt	ccgtctaaac	attcaatttc	tggatctttc	gagttatcag	ctgtatcatt	1800
tagccagtgt	tttactcgat	tgaaacctta	gacagagaag	catttttatag	cttttcacat	1860
gtatattggt	agtacactga	cttgatttct	atatgtaagt	gaattcatca	cctgcatgtt	1920
tcatgccttt	tgcataagct	taacaaatgg	agtgttctgt	ataagcatgg	agatgtgatg	1980
gaatctgccc	aatgacttta	attggcttat	tgtaaacacg	gaaagaactg	ccccacgctg	2040
ctgggaggat	aaagattggt	ttagatgctc	acttctgtgt	tttaggattc	tgcccattta	2100



<210> 10  
 <211> 496  
 <212> PRT  
 <213> Homo sapiens

<400> 10

Met	Thr	Phe	Asn	Ser	Phe	Glu	Gly	Thr	Arg	Thr	Phe	Val	Leu	Ala	Asp
1				5					10					15	
Thr	Asn	Lys	Asp	Glu	Glu	Phe	Val	Glu	Glu	Phe	Asn	Arg	Leu	Lys	Thr
			20					25					30		
Phe	Ala	Asn	Phe	Pro	Ser	Ser	Ser	Pro	Val	Ser	Ala	Ser	Thr	Leu	Ala
		35					40					45			
Arg	Ala	Gly	Phe	Leu	Tyr	Thr	Gly	Glu	Gly	Asp	Thr	Val	Gln	Cys	Phe
	50					55					60				
Ser	Cys	His	Ala	Ala	Ile	Asp	Arg	Trp	Gln	Tyr	Gly	Asp	Ser	Ala	Val
65					70					75					80
Gly	Arg	His	Arg	Arg	Ile	Ser	Pro	Asn	Cys	Arg	Phe	Ile	Asn	Gly	Phe
			85						90					95	
Tyr	Phe	Glu	Asn	Gly	Ala	Ala	Gln	Ser	Thr	Asn	Pro	Gly	Ile	Gln	Asn
			100					105					110		
Gly	Gln	Tyr	Lys	Ser	Glu	Asn	Cys	Val	Gly	Asn	Arg	Asn	Pro	Phe	Ala
		115					120					125			
Pro	Asp	Arg	Pro	Pro	Glu	Thr	His	Ala	Asp	Tyr	Leu	Leu	Arg	Thr	Gly
	130					135					140				
Gln	Val	Val	Asp	Ile	Ser	Asp	Thr	Ile	Tyr	Pro	Arg	Asn	Pro	Ala	Met
145					150					155					160
Cys	Ser	Glu	Glu	Ala	Arg	Leu	Lys	Ser	Phe	Gln	Asn	Trp	Pro	Asp	Tyr
				165					170					175	
Ala	His	Leu	Thr	Pro	Arg	Glu	Leu	Ala	Ser	Ala	Gly	Leu	Tyr	Tyr	Thr
			180					185					190		
Gly	Ala	Asp	Asp	Gln	Val	Gln	Cys	Phe	Cys	Cys	Gly	Gly	Lys	Leu	Lys
		195					200					205			
Asn	Trp	Glu	Pro	Cys	Asp	Arg	Ala	Trp	Ser	Glu	His	Arg	Arg	His	Phe
	210					215					220				
Pro	Asn	Cys	Phe	Phe	Val	Leu	Gly	Arg	Asn	Val	Asn	Val	Arg	Ser	Glu
225					230					235					240
Ser	Gly	Val	Ser	Ser	Asp	Arg	Asn	Phe	Pro	Asn	Ser	Thr	Asn	Ser	Pro
				245					250					255	
Arg	Asn	Pro	Ala	Met	Ala	Glu	Tyr	Glu	Ala	Arg	Ile	Val	Thr	Phe	Gly
			260					265					270		
Thr	Trp	Ile	Tyr	Ser	Val	Asn	Lys	Glu	Gln	Leu	Ala	Arg	Ala	Gly	Phe
		275					280						285		
Tyr	Ala	Leu	Gly	Glu	Gly	Asp	Lys	Val	Lys	Cys	Phe	His	Cys	Gly	Gly
	290					295					300				
Gly	Leu	Thr	Asp	Trp	Lys	Pro	Ser	Glu	Asp	Pro	Trp	Asp	Gln	His	Ala
305					310					315					320
Lys	Cys	Tyr	Pro	Gly	Cys	Lys	Tyr	Leu	Leu	Asp	Glu	Lys	Gly	Gln	Glu
				325					330					335	
Tyr	Ile	Asn	Asn	Ile	His	Leu	Thr	His	Pro	Leu	Glu	Glu	Ser	Leu	Gly
			340					345					350		
Arg	Thr	Ala	Glu	Lys	Thr	Pro	Pro	Leu	Thr	Lys	Lys	Ile	Asp	Asp	Thr
		355					360					365			
Ile	Phe	Gln	Asn	Pro	Met	Val	Gln	Glu	Ala	Ile	Arg	Met	Gly	Phe	Ser
	370					375					380				

Phe	Lys	Asp	Leu	Lys	Lys	Thr	Met	Glu	Glu	Lys	Ile	Gln	Thr	Ser	Gly
385					390					395					400
Ser	Ser	Tyr	Leu	Ser	Leu	Glu	Val	Leu	Ile	Ala	Asp	Leu	Val	Ser	Ala
				405					410					415	
Gln	Lys	Asp	Asn	Thr	Glu	Asp	Glu	Ser	Ser	Gln	Thr	Ser	Leu	Gln	Lys
			420					425					430		
Asp	Ile	Ser	Thr	Glu	Glu	Gln	Leu	Arg	Arg	Leu	Gln	Glu	Glu	Lys	Leu
		435					440					445			
Ser	Lys	Ile	Cys	Met	Asp	Arg	Asn	Ile	Ala	Ile	Val	Phe	Phe	Pro	Cys
	450					455					460				
Gly	His	Leu	Ala	Thr	Cys	Lys	Gln	Cys	Ala	Glu	Ala	Val	Asp	Lys	Cys
465					470					475					480
Pro	Met	Cys	Tyr	Thr	Val	Ile	Thr	Phe	Asn	Gln	Lys	Ile	Phe	Met	Ser
				485					490					495	

<210> 11  
 <211> 67  
 <212> PRT  
 <213> Orgyia pseudotsugata

Lys	Ala	Ala	Arg	Leu	Gly	Thr	Tyr	Thr	Asn	Trp	Pro	Val	Gln	Phe	Leu
1				5					10					15	
Glu	Pro	Ser	Arg	Met	Ala	Ala	Ser	Gly	Phe	Tyr	Tyr	Leu	Gly	Arg	Gly
			20					25					30		
Asp	Glu	Val	Arg	Cys	Ala	Phe	Cys	Lys	Val	Glu	Ile	Thr	Asn	Trp	Val
		35					40					45			
Arg	Gly	Asp	Asp	Pro	Glu	Thr	Asp	His	Lys	Arg	Trp	Ala	Pro	Gln	Cys
	50					55					60				
Pro	Phe	Val													
65															

<210> 12  
 <211> 275  
 <212> PRT  
 <213> Cydia pomonella

Met	Ser	Asp	Leu	Arg	Leu	Glu	Glu	Val	Arg	Leu	Asn	Thr	Phe	Glu	Lys
1				5					10					15	
Trp	Pro	Val	Ser	Phe	Leu	Ser	Pro	Glu	Thr	Met	Ala	Lys	Asn	Gly	Phe
			20					25					30		
Tyr	Tyr	Leu	Gly	Arg	Ser	Asp	Glu	Val	Arg	Cys	Ala	Phe	Cys	Lys	Val
		35					40					45			
Glu	Ile	Met	Arg	Trp	Lys	Glu	Gly	Glu	Asp	Pro	Ala	Ala	Asp	His	Lys
	50					55				60					
Lys	Trp	Ala	Pro	Gln	Cys	Pro	Phe	Val	Lys	Gly	Ile	Asp	Val	Cys	Gly
65				70					75					80	
Ser	Ile	Val	Thr	Thr	Asn	Asn	Ile	Gln	Asn	Thr	Thr	Thr	His	Asp	Thr
			85					90					95		
Ile	Ile	Gly	Pro	Ala	His	Pro	Lys	Tyr	Ala	His	Glu	Ala	Ala	Arg	Val
			100					105					110		

Lys	Ser	Phe	His	Asn	Trp	Pro	Arg	Cys	Met	Lys	Gln	Arg	Pro	Glu	Gln		
		115					120					125					
Met	Ala	Asp	Ala	Gly	Phe	Phe	Tyr	Thr	Gly	Tyr	Gly	Asp	Asn	Thr	Lys		
	130					135					140						
Cys	Phe	Tyr	Cys	Asp	Gly	Gly	Leu	Lys	Asp	Trp	Glu	Pro	Glu	Asp	Val		
145				150					155						160		
Pro	Trp	Glu	Gln	His	Val	Arg	Trp	Phe	Asp	Arg	Cys	Ala	Tyr	Val	Gln		
			165					170						175			
Leu	Val	Lys	Gly	Arg	Asp	Tyr	Val	Gln	Lys	Val	Ile	Thr	Glu	Ala	Cys		
			180					185					190				
Val	Leu	Pro	Gly	Glu	Asn	Thr	Thr	Val	Ser	Thr	Ala	Ala	Pro	Val	Ser		
	195					200					205						
Glu	Pro	Ile	Pro	Glu	Thr	Lys	Ile	Glu	Lys	Glu	Pro	Gln	Val	Glu	Asp		
	210					215					220						
Ser	Lys	Leu	Cys	Lys	Ile	Cys	Tyr	Val	Glu	Glu	Cys	Ile	Val	Cys	Phe		
225				230					235						240		
Val	Pro	Cys	Gly	His	Val	Val	Ala	Cys	Ala	Lys	Cys	Ala	Leu	Ser	Val		
			245				250							255			
Asp	Lys	Cys	Pro	Met	Cys	Arg	Lys	Ile	Val	Thr	Ser	Val	Leu	Lys	Val		
		260					265						270				
Tyr	Phe	Ser															
	275																

<210> 13  
 <211> 498  
 <212> PRT  
 <213> Drosophila melanogaster

<400> 13																	
Met	Thr	Glu	Leu	Gly	Met	Glu	Leu	Glu	Ser	Val	Arg	Leu	Ala	Thr	Phe		
1				5				10						15			
Gly	Glu	Trp	Pro	Leu	Asn	Ala	Pro	Val	Ser	Ala	Glu	Asp	Leu	Val	Ala		
			20					25					30				
Asn	Gly	Phe	Phe	Ala	Thr	Gly	Lys	Trp	Leu	Glu	Ala	Glu	Cys	His	Phe		
	35					40						45					
Cys	His	Val	Arg	Ile	Asp	Arg	Trp	Glu	Tyr	Gly	Asp	Gln	Val	Ala	Glu		
	50				55						60						
Arg	His	Arg	Arg	Ser	Ser	Pro	Ile	Cys	Ser	Met	Val	Leu	Ala	Pro	Asn		
65				70					75						80		
His	Cys	Gly	Asn	Val	Pro	Arg	Ser	Gln	Glu	Ser	Asp	Asn	Glu	Gly	Asn		
			85					90						95			
Ser	Val	Val	Asp	Ser	Pro	Glu	Ser	Cys	Ser	Cys	Pro	Asp	Leu	Leu	Leu		
			100					105					110				
Glu	Ala	Asn	Arg	Leu	Val	Thr	Phe	Lys	Asp	Trp	Pro	Asn	Pro	Asn	Ile		
	115						120					125					
Thr	Pro	Gln	Ala	Leu	Ala	Lys	Ala	Gly	Phe	Tyr	Tyr	Leu	Asn	Arg	Leu		
	130					135					140						
Asp	His	Val	Lys	Cys	Val	Trp	Cys	Asn	Gly	Val	Ile	Ala	Lys	Trp	Glu		
145				150					155						160		
Lys	Asn	Asp	Asn	Ala	Phe	Glu	Glu	His	Lys	Arg	Phe	Phe	Pro	Gln	Cys		
			165					170						175			
Pro	Arg	Val	Gln	Met	Gly	Pro	Leu	Ile	Glu	Phe	Ala	Thr	Gly	Lys	Asn		
			180					185						190			

Leu	Asp	Glu	Leu	Gly	Ile	Gln	Pro	Thr	Thr	Leu	Pro	Leu	Arg	Pro	Lys
		195					200					205			
Tyr	Ala	Cys	Val	Asp	Ala	Arg	Leu	Arg	Thr	Phe	Thr	Asp	Trp	Pro	Ile
	210					215					220				
Ser	Asn	Ile	Gln	Pro	Ala	Ser	Ala	Leu	Ala	Gln	Ala	Gly	Leu	Tyr	Tyr
225					230					235					240
Gln	Lys	Ile	Gly	Asp	Gln	Val	Arg	Cys	Phe	His	Cys	Asn	Ile	Gly	Leu
			245						250					255	
Arg	Ser	Trp	Gln	Lys	Glu	Asp	Glu	Pro	Trp	Phe	Glu	His	Ala	Lys	Trp
			260					265					270		
Ser	Pro	Lys	Cys	Gln	Phe	Val	Leu	Leu	Ala	Lys	Gly	Pro	Ala	Tyr	Val
	275						280					285			
Ser	Glu	Val	Leu	Ala	Thr	Thr	Ala	Ala	Asn	Ala	Ser	Ser	Gln	Pro	Ala
	290					295						300			
Thr	Ala	Pro	Ala	Pro	Thr	Leu	Gln	Ala	Asp	Val	Leu	Met	Asp	Glu	Ala
305					310					315					320
Pro	Ala	Lys	Glu	Ala	Leu	Thr	Leu	Gly	Ile	Asp	Gly	Gly	Val	Val	Arg
			325						330					335	
Asn	Ala	Ile	Gln	Arg	Lys	Leu	Leu	Ser	Ser	Gly	Cys	Ala	Phe	Ser	Thr
		340						345					350		
Leu	Asp	Glu	Leu	Leu	His	Asp	Ile	Phe	Asp	Asp	Ala	Gly	Ala	Gly	Ala
		355					360					365			
Ala	Leu	Glu	Val	Arg	Glu	Pro	Pro	Glu	Pro	Ser	Ala	Pro	Phe	Ile	Glu
	370					375					380				
Pro	Cys	Gln	Ala	Thr	Thr	Ser	Lys	Ala	Ala	Ser	Val	Pro	Ile	Pro	Val
385					390					395					400
Ala	Asp	Ser	Ile	Pro	Ala	Lys	Pro	Gln	Ala	Ala	Glu	Ala	Val	Ser	Asn
			405						410					415	
Ile	Ser	Lys	Ile	Thr	Asp	Glu	Ile	Gln	Lys	Met	Ser	Val	Ser	Thr	Pro
		420						425					430		
Asn	Gly	Asn	Leu	Ser	Leu	Glu	Glu	Glu	Asn	Arg	Gln	Leu	Lys	Asp	Ala
	435					440						445			
Arg	Leu	Cys	Lys	Val	Cys	Leu	Asp	Glu	Glu	Val	Gly	Val	Val	Phe	Leu
	450					455					460				
Pro	Cys	Gly	His	Leu	Ala	Thr	Cys	Asn	Gln	Cys	Ala	Pro	Ser	Val	Ala
465					470					475					480
Asn	Cys	Pro	Met	Cys	Arg	Ala	Asp	Ile	Lys	Gly	Phe	Val	Arg	Thr	Phe
			485						490					495	
Leu	Ser														

<210> 14  
 <211> 67  
 <212> PRT  
 <213> Cydia pomonella

<400> 14  
 Glu Glu Val Arg Leu Asn Thr Phe Glu Lys Trp Pro Val Ser Phe Leu  
 1 5 10 15  
 Ser Pro Glu Thr Met Ala Lys Asn Gly Phe Tyr Tyr Leu Gly Arg Ser  
 20 25 30  
 Asp Glu Val Arg Cys Ala Phe Cys Lys Val Glu Ile Met Arg Trp Lys  
 35 40 45

Glu Gly Glu Asp Pro Ala Ala Asp His Lys Lys Trp Ala Pro Gln Cys  
 50 55 60  
 Pro Phe Val  
 65

<210> 15  
 <211> 67  
 <212> PRT  
 <213> Homo sapiens

<400> 15  
 Glu Ala Asn Arg Leu Val Thr Phe Lys Asp Trp Pro Asn Pro Asn Ile  
 1 5 10 15  
 Thr Pro Gln Ala Leu Ala Lys Ala Gly Phe Tyr Tyr Leu Asn Arg Leu  
 20 25 30  
 Asp His Val Lys Cys Val Trp Cys Asn Gly Val Ile Ala Lys Trp Glu  
 35 40 45  
 Lys Asn Asp Asn Ala Phe Glu Glu His Lys Arg Phe Phe Pro Gln Cys  
 50 55 60  
 Pro Arg Val  
 65

<210> 16  
 <211> 68  
 <212> PRT  
 <213> Mus musculus

<400> 16  
 Glu Phe Asn Arg Leu Lys Thr Phe Ala Asn Phe Pro Ser Ser Ser Pro  
 1 5 10 15  
 Val Ser Ala Ser Thr Leu Ala Arg Ala Gly Phe Leu Tyr Thr Gly Glu  
 20 25 30  
 Gly Asp Thr Val Gln Cys Phe Ser Cys His Ala Ala Ile Asp Arg Trp  
 35 40 45  
 Gln Tyr Gly Asp Ser Ala Val Gly Arg His Arg Arg Ile Ser Pro Asn  
 50 55 60  
 Cys Arg Phe Ile  
 65

<210> 17  
 <211> 68  
 <212> PRT  
 <213> Homo sapiens

<400> 17  
 Glu Phe Asn Arg Leu Lys Thr Phe Ala Asn Phe Pro Ser Gly Ser Pro  
 1 5 10 15  
 Val Ser Ala Ser Thr Leu Ala Arg Ala Gly Phe Leu Tyr Thr Gly Glu  
 20 25 30  
 Gly Asp Thr Val Arg Cys Phe Ser Cys His Ala Ala Val Asp Arg Trp  
 35 40 45

Gln Tyr Gly Asp Ser Ala Val Gly Arg His Arg Lys Val Ser Pro Asn  
 50 55 60  
 Cys Arg Phe Ile  
 65

<210> 18  
 <211> 68  
 <212> PRT  
 <213> Homo sapiens

<400> 18  
 Glu Leu Tyr Arg Met Ser Thr Tyr Ser Thr Phe Pro Ala Gly Val Pro  
 1 5 10 15  
 Val Ser Glu Arg Ser Leu Ala Arg Ala Gly Phe Tyr Tyr Thr Gly Val  
 20 25 30  
 Asn Asp Lys Val Lys Cys Phe Cys Cys Gly Leu Met Leu Asp Asn Trp  
 35 40 45  
 Lys Arg Gly Asp Ser Pro Thr Glu Lys His Lys Lys Leu Tyr Pro Ser  
 50 55 60  
 Cys Arg Phe Val  
 65

<210> 19  
 <211> 68  
 <212> PRT  
 <213> Homo sapiens

<400> 19  
 Glu Leu Tyr Arg Met Ser Thr Tyr Ser Thr Phe Pro Ala Gly Val Pro  
 1 5 10 15  
 Val Ser Glu Arg Ser Leu Ala Arg Ala Gly Phe Tyr Tyr Thr Gly Val  
 20 25 30  
 Asn Asp Lys Val Lys Cys Phe Cys Cys Gly Leu Met Leu Asp Asn Trp  
 35 40 45  
 Lys Leu Gly Asp Ser Pro Ile Gln Lys His Lys Gln Leu Tyr Pro Ser  
 50 55 60  
 Cys Ser Phe Ile  
 65

<210> 20  
 <211> 68  
 <212> PRT  
 <213> Mus musculus

<400> 20  
 Glu Glu Ala Arg Leu Lys Ser Phe Gln Asn Trp Pro Asp Tyr Ala His  
 1 5 10 15  
 Leu Thr Pro Arg Glu Leu Ala Ser Ala Gly Leu Tyr Tyr Thr Gly Ala  
 20 25 30  
 Asp Asp Gln Val Gln Cys Phe Cys Cys Gly Gly Lys Leu Lys Asn Trp  
 35 40 45

Glu Pro Cys Asp Arg Ala Trp Ser Glu His Arg Arg His Phe Pro Asn  
 50 55 60  
 Cys Phe Phe Val  
 65

<210> 21  
 <211> 68  
 <212> PRT  
 <213> Homo sapiens

<400> 21  
 Glu Glu Ala Arg Leu Lys Ser Phe Gln Asn Trp Pro Asp Tyr Ala His  
 1 5 10 15  
 Leu Thr Pro Arg Glu Leu Ala Ser Ala Gly Leu Tyr Tyr Thr Gly Ile  
 20 25 30  
 Gly Asp Gln Val Gln Cys Phe Cys Cys Gly Gly Lys Leu Lys Asn Trp  
 35 40 45  
 Glu Pro Cys Asp Arg Ala Trp Ser Glu His Arg Arg His Phe Pro Asn  
 50 55 60  
 Cys Phe Phe Val  
 65

<210> 22  
 <211> 67  
 <212> PRT  
 <213> Homo sapiens

<400> 22  
 Glu Asn Ala Arg Leu Leu Thr Phe Gln Thr Trp Pro Leu Thr Phe Leu  
 1 5 10 15  
 Ser Pro Thr Asp Leu Ala Arg Ala Gly Phe Tyr Tyr Ile Gly Pro Gly  
 20 25 30  
 Asp Arg Val Ala Cys Phe Ala Cys Gly Gly Lys Leu Ser Asn Trp Glu  
 35 40 45  
 Pro Lys Asp Asn Ala Met Ser Glu His Leu Arg His Phe Pro Lys Cys  
 50 55 60  
 Pro Phe Ile  
 65

<210> 23  
 <211> 67  
 <212> PRT  
 <213> Homo sapiens

<400> 23  
 Glu Glu Ala Arg Phe Leu Thr Tyr His Met Trp Pro Leu Thr Phe Leu  
 1 5 10 15  
 Ser Pro Ser Glu Leu Ala Arg Ala Gly Phe Tyr Tyr Ile Gly Pro Gly  
 20 25 30  
 Asp Arg Val Ala Cys Phe Ala Cys Gly Gly Lys Leu Ser Asn Trp Glu  
 35 40 45

Pro Lys Asp Asp Ala Met Ser Glu His Arg Arg His Phe Pro Asn Cys  
 50 55 60  
 Pro Phe Leu  
 65

<210> 24  
 <211> 66  
 <212> PRT  
 <213> Mus musculus

<400> 24  
 Tyr Glu Ala Arg Ile Val Thr Phe Gly Thr Trp Ile Tyr Ser Val Asn  
 1 5 10 15  
 Lys Glu Gln Leu Ala Arg Ala Gly Phe Tyr Ala Leu Gly Glu Gly Asp  
 20 25 30  
 Lys Val Lys Cys Phe His Cys Gly Gly Gly Leu Thr Asp Trp Lys Pro  
 35 40 45  
 Ser Glu Asp Pro Trp Asp Gln His Ala Lys Cys Tyr Pro Gly Cys Lys  
 50 55 60  
 Tyr Leu  
 65

<210> 25  
 <211> 66  
 <212> PRT  
 <213> Homo sapiens

<400> 25  
 Tyr Glu Ala Arg Ile Phe Thr Phe Gly Thr Trp Ile Tyr Ser Val Asn  
 1 5 10 15  
 Lys Glu Gln Leu Ala Arg Ala Gly Phe Tyr Ala Leu Gly Glu Gly Asp  
 20 25 30  
 Lys Val Lys Cys Phe His Cys Gly Gly Gly Leu Thr Asp Trp Lys Pro  
 35 40 45  
 Ser Glu Asp Pro Trp Glu Gln His Ala Lys Trp Tyr Pro Gly Cys Lys  
 50 55 60  
 Tyr Leu  
 65

<210> 26  
 <211> 68  
 <212> PRT  
 <213> Homo sapiens

<400> 26  
 His Ala Ala Arg Phe Lys Thr Phe Phe Asn Trp Pro Ser Ser Val Leu  
 1 5 10 15  
 Val Asn Pro Glu Gln Leu Ala Ser Ala Gly Phe Tyr Tyr Val Gly Asn  
 20 25 30  
 Ser Asp Asp Val Lys Cys Phe Cys Cys Asp Gly Gly Leu Arg Cys Trp  
 35 40 45



Glu Ser Gly Asp Asp Pro Trp Val Gln His Ala Lys Trp Phe Pro Arg  
 50 55 60  
 Cys Glu Tyr Leu  
 65

<210> 27  
 <211> 68  
 <212> PRT  
 <213> Homo sapiens

<400> 27  
 His Ala Ala Arg Met Arg Thr Phe Met Tyr Trp Pro Ser Ser Val Pro  
 1 5 10 15  
 Val Gln Pro Glu Gln Leu Ala Ser Ala Gly Phe Tyr Tyr Val Gly Arg  
 20 25 30  
 Asn Asp Asp Val Lys Cys Phe Gly Cys Asp Gly Gly Leu Arg Cys Trp  
 35 40 45  
 Glu Ser Gly Asp Asp Pro Trp Val Glu His Ala Lys Trp Phe Pro Arg  
 50 55 60  
 Cys Glu Phe Leu  
 65

<210> 28  
 <211> 68  
 <212> PRT  
 <213> Orgyia pseudotsugata

<400> 28  
 Glu Ala Ala Arg Leu Arg Thr Phe Ala Glu Trp Pro Arg Gly Leu Lys  
 1 5 10 15  
 Gln Arg Pro Glu Glu Leu Ala Glu Ala Gly Phe Phe Tyr Thr Gly Gln  
 20 25 30  
 Gly Asp Lys Thr Arg Cys Phe Cys Cys Asp Gly Gly Leu Lys Asp Trp  
 35 40 45  
 Glu Pro Asp Asp Ala Pro Trp Gln Gln His Ala Arg Trp Tyr Asp Arg  
 50 55 60  
 Cys Glu Tyr Val  
 65

<210> 29  
 <211> 68  
 <212> PRT  
 <213> Cydia pomonella

<400> 29  
 Glu Ala Ala Arg Val Lys Ser Phe His Asn Trp Pro Arg Cys Met Lys  
 1 5 10 15  
 Gln Arg Pro Glu Gln Met Ala Asp Ala Gly Phe Phe Tyr Thr Gly Tyr  
 20 25 30  
 Gly Asp Asn Thr Lys Cys Phe Tyr Cys Asp Gly Gly Leu Lys Asp Trp  
 35 40 45

Glu Pro Glu Asp Val Pro Trp Glu Gln His Val Arg Trp Phe Asp Arg  
 50 55 60  
 Cys Ala Tyr Val  
 65

<210> 30  
 <211> 68  
 <212> PRT  
 <213> Drosophila melanogaster

<400> 30  
 Val Asp Ala Arg Leu Arg Thr Phe Thr Asp Trp Pro Ile Ser Asn Ile  
 1 5 10 15  
 Gln Pro Ala Ser Ala Leu Ala Gln Ala Gly Leu Tyr Tyr Gln Lys Ile  
 20 25 30  
 Gly Asp Gln Val Arg Cys Phe His Cys Asn Ile Gly Leu Arg Ser Trp  
 35 40 45  
 Gln Lys Glu Asp Glu Pro Trp Phe Glu His Ala Lys Trp Ser Pro Lys  
 50 55 60  
 Cys Gln Phe Val  
 65

<210> 31  
 <211> 66  
 <212> PRT  
 <213> Drosophila melanogaster

<400> 31  
 Glu Ser Val Arg Leu Ala Thr Phe Gly Glu Trp Pro Leu Asn Ala Pro  
 1 5 10 15  
 Val Ser Ala Glu Asp Leu Val Ala Asn Gly Phe Phe Gly Thr Trp Met  
 20 25 30  
 Glu Ala Glu Cys Asp Phe Cys His Val Arg Ile Asp Arg Trp Glu Tyr  
 35 40 45  
 Gly Asp Leu Val Ala Glu Arg His Arg Arg Ser Ser Pro Ile Cys Ser  
 50 55 60  
 Met Val  
 65

<210> 32  
 <211> 46  
 <212> PRT  
 <213> Homo sapiens

<400> 32

Glu	Gln	Leu	Arg	Arg	Leu	Gln	Glu	Glu	Arg	Thr	Cys	Lys	Val	Cys	Met
1				5					10					15	
Asp	Lys	Glu	Val	Ser	Val	Val	Phe	Ile	Pro	Cys	Gly	His	Leu	Val	Val
			20					25					30		
Cys	Gln	Glu	Cys	Ala	Pro	Ser	Leu	Arg	Lys	Cys	Pro	Ile	Cys		
		35					40					45			

<210> 33

<211> 46

<212> PRT

<213> Homo sapiens

<400> 33

Glu	Gln	Leu	Arg	Arg	Leu	Pro	Glu	Glu	Arg	Thr	Cys	Lys	Val	Cys	Met
1				5					10					15	
Asp	Lys	Glu	Val	Ser	Ile	Val	Phe	Ile	Pro	Cys	Gly	His	Leu	Val	Val
			20					25					30		
Cys	Lys	Asp	Cys	Ala	Pro	Ser	Leu	Arg	Lys	Cys	Pro	Ile	Cys		
		35					40					45			

<210> 34

<211> 46

<212> PRT

<213> Homo sapiens

<400> 34

Glu	Gln	Leu	Arg	Arg	Leu	Gln	Glu	Glu	Lys	Leu	Ser	Lys	Ile	Cys	Met
1				5					10					15	
Asp	Arg	Asn	Ile	Ala	Ile	Val	Phe	Phe	Pro	Cys	Gly	His	Leu	Ala	Thr
			20					25					30		
Cys	Lys	Gln	Cys	Ala	Glu	Ala	Val	Asp	Lys	Cys	Pro	Met	Cys		
		35					40					45			

<210> 35

<211> 46

<212> PRT

<213> Homo sapiens

<400> 35

Glu	Gln	Leu	Arg	Arg	Leu	Gln	Glu	Glu	Lys	Leu	Cys	Lys	Ile	Cys	Met
1				5					10					15	
Asp	Arg	Asn	Ile	Ala	Ile	Val	Phe	Val	Pro	Cys	Gly	His	Leu	Val	Thr
			20					25					30		
Cys	Lys	Gln	Cys	Ala	Glu	Ala	Val	Asp	Lys	Cys	Pro	Met	Cys		
		35					40					45			

<210> 36  
 <211> 46  
 <212> PRT  
 <213> *Drosophila melanogaster*

<400> 36  
 Glu Glu Asn Arg Gln Leu Lys Asp Ala Arg Leu Cys Lys Val Cys Leu  
 1 5 10 15  
 Asp Glu Glu Val Gly Val Val Phe Leu Pro Cys Gly His Leu Ala Thr  
 20 25 30  
 Cys Asn Gln Cys Ala Pro Ser Val Ala Asn Cys Pro Met Cys  
 35 40 45

<210> 37  
 <211> 46  
 <212> PRT  
 <213> *Cydia pomonella*

<400> 37  
 Glu Lys Glu Pro Gln Val Glu Asp Ser Lys Leu Cys Lys Ile Cys Tyr  
 1 5 10 15  
 Val Glu Glu Cys Ile Val Cys Phe Val Pro Cys Gly His Val Val Ala  
 20 25 30  
 Cys Ala Lys Cys Ala Leu Ser Val Asp Lys Cys Pro Met Cys  
 35 40 45

<210> 38  
 <211> 46  
 <212> PRT  
 <213> *Orgyia pseudotsugata*

<400> 38  
 Ala Val Glu Ala Glu Val Ala Asp Asp Arg Leu Cys Lys Ile Cys Leu  
 1 5 10 15  
 Gly Ala Glu Lys Thr Val Cys Phe Val Pro Cys Gly His Val Val Ala  
 20 25 30  
 Cys Gly Lys Cys Ala Ala Gly Val Thr Thr Cys Pro Val Cys  
 35 40 45

<210> 39  
 <211> 2474  
 <212> DNA  
 <213> *Mus musculus*

<400> 39  
 gaattccggg agacctacac ccccggagat cagaggtcat tgctggcggt cagagcctag 60  
 gaagtgggct gcggtatcag cctagcagta aaaccgacca gaagccatgc acaaaactac 120  
 atccccagag aaagacttgt cccttcccct ccctgtcatc tcaccatgaa catgggttcaa 180  
 gacagcgcct ttctagccaa gctgatgaag agtgctgaca cctttgagtt gaagtatgac 240  
 ttttcctgtg agctgtaccg attgtccacg tattcagctt ttcccagggg agttcctgtg 300

```

tcagaaagga gtctggctcg tgctggcttt tactacactg gtgccaatga caaggtcaag 360
tgcttctgct gtggcctgat gctagacaac tggaaacaag gggacagtcc catggagaag 420
cacagaaagt tgtacccag ctgcaacttt gtacagactt tgaatccagc caacagtctg 480
gaagctagtc ctgggccttc tcttccttcc acggcgatga gcaccatgcc tttgagcttt 540
gcaagttctg agaatactgg ctatttcagt ggctcttact cgagctttcc ctcagaccct 600
gtgaacttcc gagcaaatca agattgtcct gctttgagca caagtcccta ccactttgca 660
atgaacacag agaaggccag attactcacc tatgaaacat ggccattgtc ttttctgtca 720
ccagcaaagc tggccaaagc aggcttctac tacataggac ctggagatag agtggcctgc 780
tttgctgctg atgggaaact gagcaactgg gaacgtaagg atgatgctat gtcagagcac 840
cagaggcatt tccccagctg tccgttctta aaagacttgg gtcagtctgc ttcgagatac 900
actgtctcta acctgagcat gcagacacac gcagcccgtg ttagaacatt ctctaactgg 960
ccttctagtg cactagttca tccccaggaa cttgcaagtg cgggctttta ttatacagga 1020
cacagtgatg atgtcaagtg tttatgctgt gatggtgggc tgaggtgctg ggaatctgga 1080
gatgacccct ggggtggaaca tgccaagtgg tttccaaggt gtgagtactt gctcagaatc 1140
aaaggccaag aatttgtcag ccaagttcaa gctggctatc ctcatctact tgagcagcta 1200
ttatctacgt cagactcccc agaagatgag aatgcagacg cagcaatcgt gcattttggc 1260
cctggagaaa gttcggaaga tgtcgtcatg atgagcacgc ctgtggttaa agcagccttg 1320
gaaatgggct tcagtaggag cctggtgaga cagacggttc agtggcagat cctggccact 1380
ggtgagaact acaggaccgt cagtgcctc gttataggct tactcgatgc agaagacgag 1440
atgagagagg agcagatgga gcaggcggcc gaggaggagg agtcagatga tctagcacta 1500
atccggaaga acaaaatggg gcttttccaa catttgacgt gtgtgacacc aatgctgtat 1560
tgcttcctaa gtgcaagggc catcactgaa caggagtgca atgctgtgaa acagaaacca 1620
cacaccttac aagcaagcac actgattgat actgtgttag caaaaggaaa cactgcagca 1680
acctcattca gaaactccct tcgggaaatt gaccctgctg tatacagaga tatatttgtg 1740
caacaggaca ttaggagtct tcccacagat gacattgcag ctctaccaat ggaagaacag 1800
ttgcgggccc tcccggagga cagaatgtgt aaagtgtgta tggaccgaga ggtatccatc 1860
gtgttcattc cctgtggcca tctggtcgtg tgcaaagact gcgctccctc tctgaggaag 1920
tgtcccatct gtagagggac catcaagggc acagtgcgca catttctctc ctgaacaaga 1980
ctaattggtcc atggctgcaa cttcagccag gaggaagttc actgtcactc ccagttccat 2040
tcggaacttg aggccagcct ggatagcacg agacaccgcc aaacacacaa atataaacat 2100
gaaaaacttt tgtctgaagt caagaatgaa tgaattactt atataataat tttaattggg 2160
ttccttaaaa gtgctatttg tttccaactc agaaaattgt tttctgtaaa catatttaca 2220
tactacctgc atctaaagta ttcatatatt catatatcca gatgtcatga gagagggttt 2280
tgttcttggt cctgaaaagc tgggttatca tctgatcagc atatactgcg caacggggcag 2340
ggctagaatc catgaaccaa gctgcaaaga tctcacgcta aataaggcgg aaagatttgg 2400
agaaacgaaa ggaaattctt tctgtccaa tgtatactct tcagactaat gacctcttcc 2460
tatcaagcct tcta 2474

```

<210> 40  
 <211> 602  
 <212> PRT  
 <213> Mus musculus

<400> 40  
 Met Asn Met Val Gln Asp Ser Ala Phe Leu Ala Lys Leu Met Lys Ser  
 1 5 10 15  
 Ala Asp Thr Phe Glu Leu Lys Tyr Asp Phe Ser Cys Glu Leu Tyr Arg  
 20 25 30  
 Leu Ser Thr Tyr Ser Ala Phe Pro Arg Gly Val Pro Val Ser Glu Arg  
 35 40 45  
 Ser Leu Ala Arg Ala Gly Phe Tyr Tyr Thr Gly Ala Asn Asp Lys Val  
 50 55 60  
 Lys Cys Phe Cys Cys Gly Leu Met Leu Asp Asn Trp Lys Gln Gly Asp  
 65 70 75 80

Ser	Pro	Met	Glu	Lys	His	Arg	Lys	Leu	Tyr	Pro	Ser	Cys	Asn	Phe	Val	
				85					90					95		
Gln	Thr	Leu	Asn	Pro	Ala	Asn	Ser	Leu	Glu	Ala	Ser	Pro	Arg	Pro	Ser	
			100					105					110			
Leu	Pro	Ser	Thr	Ala	Met	Ser	Thr	Met	Pro	Leu	Ser	Phe	Ala	Ser	Ser	
		115					120					125				
Glu	Asn	Thr	Gly	Tyr	Phe	Ser	Gly	Ser	Tyr	Ser	Ser	Phe	Pro	Ser	Asp	
	130					135					140					
Pro	Val	Asn	Phe	Arg	Ala	Asn	Gln	Asp	Cys	Pro	Ala	Leu	Ser	Thr	Ser	
145					150					155					160	
Pro	Tyr	His	Phe	Ala	Met	Asn	Thr	Glu	Lys	Ala	Arg	Leu	Leu	Thr	Tyr	
			165						170					175		
Glu	Thr	Trp	Pro	Leu	Ser	Phe	Leu	Ser	Pro	Ala	Lys	Leu	Ala	Lys	Ala	
			180					185					190			
Gly	Phe	Tyr	Tyr	Ile	Gly	Pro	Gly	Asp	Arg	Val	Ala	Cys	Phe	Ala	Cys	
	195					200						205				
Asp	Gly	Lys	Leu	Ser	Asn	Trp	Glu	Arg	Lys	Asp	Asp	Ala	Met	Ser	Glu	
	210					215					220					
His	Gln	Arg	His	Phe	Pro	Ser	Cys	Pro	Phe	Leu	Lys	Asp	Leu	Gly	Gln	
225					230					235					240	
Ser	Ala	Ser	Arg	Tyr	Thr	Val	Ser	Asn	Leu	Ser	Met	Gln	Thr	His	Ala	
			245						250					255		
Ala	Arg	Ile	Arg	Thr	Phe	Ser	Asn	Trp	Pro	Ser	Ser	Ala	Leu	Val	His	
		260						265					270			
Ser	Gln	Glu	Leu	Ala	Ser	Ala	Gly	Phe	Tyr	Tyr	Thr	Gly	His	Ser	Asp	
	275						280					285				
Asp	Val	Lys	Cys	Leu	Cys	Cys	Asp	Gly	Gly	Leu	Arg	Cys	Trp	Glu	Ser	
	290					295					300					
Gly	Asp	Asp	Pro	Trp	Val	Glu	His	Ala	Lys	Trp	Phe	Pro	Arg	Cys	Glu	
305					310					315					320	
Tyr	Leu	Leu	Arg	Ile	Lys	Gly	Gln	Glu	Phe	Val	Ser	Gln	Val	Gln	Ala	
			325						330					335		
Gly	Tyr	Pro	His	Leu	Leu	Glu	Gln	Leu	Leu	Ser	Thr	Ser	Asp	Ser	Pro	
		340						345					350			
Glu	Asp	Glu	Asn	Ala	Asp	Ala	Ala	Ile	Val	His	Phe	Gly	Pro	Gly	Glu	
	355						360					365				
Ser	Ser	Glu	Asp	Val	Val	Met	Met	Ser	Thr	Pro	Val	Val	Lys	Ala	Ala	
	370					375					380					
Leu	Glu	Met	Gly	Phe	Ser	Arg	Ser	Leu	Val	Arg	Gln	Thr	Val	Gln	Trp	
385					390					395					400	
Gln	Ile	Leu	Ala	Thr	Gly	Glu	Asn	Tyr	Arg	Thr	Val	Ser	Asp	Leu	Val	
			405						410					415		
Ile	Gly	Leu	Leu	Asp	Ala	Glu	Asp	Glu	Met	Arg	Glu	Glu	Gln	Met	Glu	
		420						425					430			
Gln	Ala	Ala	Glu	Glu	Glu	Glu	Ser	Asp	Asp	Leu	Ala	Leu	Ile	Arg	Lys	
	435						440					445				
Asn	Lys	Met	Val	Leu	Phe	Gln	His	Leu	Thr	Cys	Val	Thr	Pro	Met	Leu	
	450					455					460					
Tyr	Cys	Leu	Leu	Ser	Ala	Arg	Ala	Ile	Thr	Glu	Gln	Glu	Cys	Asn	Ala	
465					470				475						480	
Val	Lys	Gln	Lys	Pro	His	Thr	Leu	Gln	Ala	Ser	Thr	Leu	Ile	Asp	Thr	
			485						490					495		
Val	Leu	Ala	Lys	Gly	Asn	Thr	Ala	Ala	Thr	Ser	Phe	Arg	Asn	Ser	Leu	
			500					505					510			

Arg	Glu	Ile	Asp	Pro	Ala	Leu	Tyr	Arg	Asp	Ile	Phe	Val	Gln	Gln	Asp
515				520				525							
Ile	Arg	Ser	Leu	Pro	Thr	Asp	Asp	Ile	Ala	Ala	Leu	Pro	Met	Glu	Glu
530				535				540							
Gln	Leu	Arg	Pro	Leu	Pro	Glu	Asp	Arg	Met	Cys	Lys	Val	Cys	Met	Asp
545				550				555				560			
Arg	Glu	Val	Ser	Ile	Val	Phe	Ile	Pro	Cys	Gly	His	Leu	Val	Val	Cys
565				570				575							
Lys	Asp	Cys	Ala	Pro	Ser	Leu	Arg	Lys	Cys	Pro	Ile	Cys	Arg	Gly	Thr
580				585				590							
Ile	Lys	Gly	Thr	Val	Arg	Thr	Phe	Leu	Ser						
595				600											

<210> 41  
 <211> 2416  
 <212> DNA  
 <213> Mus musculus

<400> 41

ctgtggtgga	gatctattgt	ccaagtgggtg	agaaacttca	tctggaagtt	taagcgggtca	60
gaaatactat	tactactcat	ggacaaaact	gtctcccaga	gactcgccca	aggtacctta	120
cacccaaaaa	cttaaactga	taatggagaa	gagcacaatc	ttgtcaaatt	ggacaaagga	180
gagcgaagaa	aaaatgaagt	ttgacttttc	gtgtgaactc	taccgaatgt	ctacatatcc	240
agcttttccc	aggggagttc	ctgtctcaga	gaggagtctg	gctcgtgctg	gcttttatta	300
tacaggtgtg	aatgacaaag	tcaagtgcct	ctgctgtggc	ctgatgttgg	ataactggaa	360
acaaggggac	agtcctgttg	aaaagcacag	acagttctat	cccagctgca	gctttgtaca	420
gactctgctt	tcagccagtc	tgcagtctcc	atctaagaat	atgtctcctg	tgaaaagtag	480
atttgcacat	tcgtcacctc	tggaaacgagg	tggcattcac	tccaacctgt	gctctagccc	540
tcttaattct	agagcagtg	aagactttct	atcaaggatg	gatccctgca	gctatgccat	600
gagtacagaa	gaggccagat	ttcttactta	cagtatgtgg	cctttaagtt	ttctgtcacc	660
agcagagctg	gccagagctg	gcttctatta	catagggcct	ggagacaggg	tggcctgttt	720
tgcctgtggt	gggaaactga	gcaactggga	accaaaggat	tatgctatgt	cagagcaccg	780
cagacatttt	cccactgtc	catttctgga	aaatacttca	gaaacacaga	ggtttagtat	840
atcaaatact	agtatgcaga	cacactctgc	tcgattgagg	acatttctgt	actggccacc	900
tagtggttct	gttcagcccc	agcagcttgc	aagtgtctga	ttctattacg	tggatcgcaa	960
tgatgatgtc	aagtgccttt	gttgatgatg	tggcctgaga	tgttgggaac	ctggagatga	1020
cccctggata	gaacacgcca	aatgggtttc	aagggtgtgag	ttcttgatac	ggatgaaggg	1080
tcaggagttt	gttgatgaga	ttcaagctag	atatacctcat	cttcttgagc	agctgttgtc	1140
cacttcagac	acccagggag	aagaaaatgc	tgaccctaca	gagacagtgg	tgcatttttg	1200
ccctggagaa	agttcgaaag	atgtcgtcat	gatgagcacg	cctgtgggta	aagcagcctt	1260
ggaaatgggc	ttcagtagga	gcctgggtgag	acagacgggt	cagcggcaga	tcctggccac	1320
tggtgagaac	tacaggaccg	tcaatgatat	tgtctcagta	cttttgaatg	ctgaagatga	1380
gagaagagaa	gaggagaagg	aaagacagac	tgaagagatg	gcatcagggt	acttatcact	1440
gattcggaag	aatagaatgg	ccctctttca	acagttgaca	catgtccttc	ctatcctgga	1500
taatcttctt	gaggccagtg	taattacaaa	acaggaacat	gatattatta	gacagaaaac	1560
acagataccc	ttacaagcaa	gagagcttat	tgacaccggt	ttagtcaagg	gaaatgctgc	1620
agccaacatc	ttcaaaaact	ctctgaaggg	aattgactcc	acgttatatg	aaaacttatt	1680
tgtggaaaag	aatatgaagt	atattccaac	agaagacggt	tcaggcttgt	cattggaaga	1740
gcagttgcgg	agattacaag	aagaacgaac	ttgcaaagtg	tgtatggaca	gagaggtttc	1800
tattgtgttc	attccgtgtg	gtcatctagt	agtctgccag	gaatgtgccc	cttctctaag	1860
gaagtgcccc	atctgcaggg	ggacaatcaa	ggggactgtg	cgcacatttc	tctcatgagt	1920
gaagaatggt	ctgaaagtat	tggttgacat	cagaagctgt	cagaacaaag	aatgaactac	1980
tgatttcagc	tcttcagcag	gacattctac	tctctttcaa	gattagtaat	cttgctttat	2040





Gln	Ala	Arg	Tyr	Pro	His	Leu	Leu	Glu	Gln	Leu	Leu	Ser	Thr	Ser	Asp	
				325					330					335		
Thr	Pro	Gly	Glu	Glu	Asn	Ala	Asp	Pro	Thr	Glu	Thr	Val	Val	His	Phe	
			340					345						350		
Gly	Pro	Gly	Glu	Ser	Ser	Lys	Asp	Val	Val	Met	Met	Ser	Thr	Pro	Val	
		355					360						365			
Val	Lys	Ala	Ala	Leu	Glu	Met	Gly	Phe	Ser	Arg	Ser	Leu	Val	Arg	Gln	
	370					375					380					
Thr	Val	Gln	Arg	Gln	Ile	Leu	Ala	Thr	Gly	Glu	Asn	Tyr	Arg	Thr	Val	
385					390					395					400	
Asn	Asp	Ile	Val	Ser	Val	Leu	Leu	Asn	Ala	Glu	Asp	Glu	Arg	Arg	Glu	
			405					410						415		
Glu	Glu	Lys	Glu	Arg	Gln	Thr	Glu	Glu	Met	Ala	Ser	Gly	Asp	Leu	Ser	
			420				425						430			
Leu	Ile	Arg	Lys	Asn	Arg	Met	Ala	Leu	Phe	Gln	Gln	Leu	Thr	His	Val	
		435				440						445				
Leu	Pro	Ile	Leu	Asp	Asn	Leu	Leu	Glu	Ala	Ser	Val	Ile	Thr	Lys	Gln	
	450				455						460					
Glu	His	Asp	Ile	Ile	Arg	Gln	Lys	Thr	Gln	Ile	Pro	Leu	Gln	Ala	Arg	
465					470					475					480	
Glu	Leu	Ile	Asp	Thr	Val	Leu	Val	Lys	Gly	Asn	Ala	Ala	Ala	Asn	Ile	
			485						490					495		
Phe	Lys	Asn	Ser	Leu	Lys	Gly	Ile	Asp	Ser	Thr	Leu	Tyr	Glu	Asn	Leu	
		500						505					510			
Phe	Val	Glu	Lys	Asn	Met	Lys	Tyr	Ile	Pro	Thr	Glu	Asp	Val	Ser	Gly	
	515					520						525				
Leu	Ser	Leu	Glu	Glu	Gln	Leu	Arg	Arg	Leu	Gln	Glu	Glu	Arg	Thr	Cys	
	530				535						540					
Lys	Val	Cys	Met	Asp	Arg	Glu	Val	Ser	Ile	Val	Phe	Ile	Pro	Cys	Gly	
545					550					555					560	
His	Leu	Val	Val	Cys	Gln	Glu	Cys	Ala	Pro	Ser	Leu	Arg	Lys	Cys	Pro	
			565					570						575		
Ile	Cys	Arg	Gly	Thr	Ile	Lys	Gly	Thr	Val	Arg	Thr	Phe	Leu	Ser		
		580						585					590			

<210> 43  
 <211> 11  
 <212> PRT  
 <213> artificial sequence based on Homo sapiens

<400> 43  
 Met Glu Gln Lys Leu Ile Ser Glu Glu Asp Leu  
 1 5 10

<210> 44  
 <211> 635  
 <212> PRT  
 <213> artificial sequence based on Homo sapiens, Mus musculus, Cydia pomonella, and Drosophila melanogaster

<220>  
 <221> VARIANT  
 <222> 1,2,3,635  
 <223> any amino acid or may be absent

<221> VARIANT  
 <222> (1)...(635)  
 <223> Xaa = Any Amino Acid

<400> 44

Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa
1				5					10					15		
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Phe	Xaa	Xaa	Glu	Xaa	Xaa	Arg	
			20					25					30			
Leu	Xaa	Thr	Phe	Xaa	Xaa	Phe	Pro	Xaa	Xaa	Xaa	Pro	Val	Ser	Xaa	Xaa	
		35				40						45				
Xaa	Leu	Ala	Arg	Ala	Gly	Phe	Xaa	Tyr	Thr	Gly	Xaa	Xaa	Asp	Xaa	Val	
	50				55					60						
Xaa	Cys	Phe	Xaa	Cys	Xaa	Xaa	Xaa	Asp	Xaa	Trp	Xaa	Xaa	Gly	Asp		
65				70				75					80			
Ser	Xaa	Xaa	Xaa	Xaa	His	Xaa	Xaa	Xaa	Xaa	Pro	Xaa	Cys	Xaa	Phe	Ile	
				85				90					95			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	
			100					105					110			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Ser	Xaa	Xaa	Xaa	Xaa	
			115					120					125			
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Tyr	Xaa	Xaa	Xaa	Xaa	Xaa	
	130					135				140						
Xaa	Xaa	Xaa	Xaa	Xaa	Arg	Xaa	Xaa	Glu	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	
145					150					155						
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Asp	Xaa	Ser	Asp	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	
				165				170							175	
Xaa	Xaa	Xaa	Met	Xaa	Xaa	Glu	Glu	Ala	Arg	Leu	Xaa	Thr	Phe	Xaa	Xaa	
			180					185					190			
Trp	Pro	Xaa	Xaa	Xaa	Xaa	Leu	Xaa	Pro	Xaa	Glu	Leu	Ala	Xaa	Ala	Gly	
		195				200						205				
Phe	Tyr	Tyr	Xaa	Gly	Xaa	Xaa	Asp	Xaa	Val	Xaa	Cys	Phe	Xaa	Cys	Gly	
	210					215					220					
Gly	Lys	Leu	Xaa	Asn	Trp	Glu	Pro	Xaa	Asp	Xaa	Ala	Xaa	Ser	Glu	His	
225					230					235					240	
Xaa	Arg	His	Phe	Pro	Xaa	Cys	Pro	Phe	Val	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	
				245					250						255	
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Phe	Xaa	Xaa	
			260					265					270			
Ser	Xaa	Xaa	Xaa	Pro	Xaa	Asn	Pro	Xaa	Met	Ala	Xaa	Xaa	Xaa	Ala	Arg	
			275					280					285			
Xaa	Xaa	Thr	Phe	Xaa	Xaa	Trp	Pro	Xaa	Ser	Xaa	Xaa	Val	Xaa	Xaa	Glu	
	290					295						300				
Gln	Leu	Ala	Xaa	Ala	Gly	Phe	Tyr	Tyr	Xaa	Gly	Xaa	Gly	Asp	Xaa	Val	
305					310					315					320	
Lys	Cys	Phe	Xaa	Cys	Xaa	Gly	Gly	Leu	Xaa	Xaa	Trp	Xaa	Xaa	Xaa	Asp	
				325					330						335	
Asp	Pro	Trp	Xaa	Gln	His	Ala	Lys	Trp	Phe	Pro	Xaa	Cys	Xaa	Tyr	Leu	
			340					345						350		



<400> 46  
gaagaagcta gattaaagtc ctttcagaac tggccagact atgctcacct aaccccaaga 60  
gagttagcaa gtgctggact ctactacaca ggtattgggtg accaagtgca gtgcttttgt 120  
tgtggtggaa aactgaaaaa ttgggaacct tgtgatcgtg cctggtcaga acacaggcga 180  
cactttccta attgcttctt tggt 204

<210> 47  
<211> 198  
<212> DNA  
<213> Homo sapiens

<400> 47  
tatgaagcac ggatctttac ttttgggaca tggatatact cagttaacaa ggagcagctt 60  
gcaagagctg gattttatgc ttttaggtgaa ggtgataaag taaagtgcct tcactgtgga 120  
ggagggctaa ctgattggaa gccagtgaa gacccttggg aacaacatgc taaatgggtat 180  
ccagggtgca aatatctg 198

<210> 48  
<211> 138  
<212> DNA  
<213> Homo sapiens

<400> 48  
gagcagctaa ggcgcctgca agaggagaag ctttgcaaaa tctgtatgga tagaaatatt 60  
gctatcgttt ttgttccttg tggacatcta gtcacttgta aacaatgtgc tgaagcagtt 120  
gacaagtgtc ccatgtgc 138

<210> 49  
<211> 204  
<212> DNA  
<213> Mus musculus

<400> 49  
gagtttaata gattaaaaac atttgctaac ttcccaagta gtagtcctgt ttcagcatca 60  
acattggcgc gagctggggt tctttatacc ggtgaaggag acaccgtgca atgtttcagt 120  
tgtcatgcgg caatagatag atggcagtat ggagactcag ctgttggaag acacaggaga 180  
atatcccaa attgcagatt tatc 204

<210> 50  
<211> 204  
<212> DNA  
<213> Mus musculus

<400> 50  
gaagaagcca gattgaagtc atttcagaac tggccggact atgctcattt aacccccaga 60  
gagttagcta gtgctggcct ctactacaca ggggctgatg atcaagtgca atgcttttgt 120  
tgtgggggaa aactgaaaaa ttgggaaccc tgtgatcgtg cctggtcaga acacaggaga 180  
cactttccca attgcttttt tggt 204

<210> 51  
<211> 198  
<212> DNA  
<213> Mus musculus

<400> 51  
 tatgaagcac ggatcggttac ttttggaaca tggatatact cagttaacaa ggagcagctt 60  
 gcaagagctg gattttatgc tttaggtgaa ggcgataaag tgaagtgcctt ccactgtgga 120  
 ggagggctca cggattggaa gccaaagtga gaccctggg accagcatgc taagtgcctac 180  
 ccaggggtgca aataccta 198

<210> 52  
 <211> 138  
 <212> DNA  
 <213> Mus musculus

<400> 52  
 gagcagctaa ggcgcctaca agaggagaag ctttccaaaa tctgtatgga tagaaatatt 60  
 gctatcgttt tttttccttg tggacatctg gccacttgta aacagtgtgc agaagcagtt 120  
 gacaaatgtc ccatgtgc 138

<210> 53  
 <211> 204  
 <212> DNA  
 <213> Homo sapiens

<400> 53  
 gaactgtacc gaatgtctac gtattccact tttcctgctg gggttcctgt ctcagaaagg 60  
 agtcttgctc gtgctgggtt ctattacact ggtgtgaatg acaagggtcaa atgcttctgt 120  
 tgtggcctga tgctggataa ctggaaaaga ggagacagtc ctactgaaaa gcataaaaag 180  
 ttgtatccta gctgcagatt cggt 204

<210> 54  
 <211> 201  
 <212> DNA  
 <213> Homo sapiens

<400> 54  
 gaaaatgccca gattacttac ttttcagaca tggccattga cttttctgtc gccaacagat 60  
 ctggcacgag caggctttta ctacatagga cctggagaca gagggtgctt ctttgccctgt 120  
 ggtggaaaat tgagcaattg ggaaccgaag gataatgcta tgtcagaaca cctgagacat 180  
 tttcccaaat gccatttat a 201

<210> 55  
 <211> 204  
 <212> DNA  
 <213> Homo sapiens

<400> 55  
 catgcagccc gcttttaaaac attctttaac tggccctcta gtgttctagt taatcctgag 60  
 cagcttgcaa gtgcgggttt ttattatgtg ggtaacagtg atgatgtcaa atgcttttgc 120  
 tgtgatggtg gactcaggtg ttgggaatct ggagatgatc catgggttca acatgccaaag 180  
 tggtttccaa ggtgtgagta cttg 204

<210> 56  
 <211> 138  
 <212> DNA  
 <213> Homo sapiens

<400> 56  
gaacaattgc ggagactacc agaagaaaga acatgtaaag tgtgtatgga caaagaagtg 60  
tccatagtgt ttattccttg tggatcatcta gtagtatgca aagattgtgc tccttcttta 120  
agaaagtgtc ctatttgt 138

<210> 57  
<211> 203  
<212> DNA  
<213> Mus musculus

<400> 57  
agctgtaccg attgtccacg tattcagctt ttcccagggg agttcctgtg tcagaaagga 60  
gtctggctcg tgctggcttt tactacactg gtgccaatga caaggtcaag tgcttctgct 120  
gtggcctgat gctagacaac tggaaacaag gggacagtcc catggagaag cacagaaagt 180  
tgtacccag ctgcaacttt gta 203

<210> 58  
<211> 201  
<212> DNA  
<213> Mus musculus

<400> 58  
gagaaggcca gattactcac ctatgaaaca tggccattgt cttttctgtc accagcaaag 60  
ctggccaaag caggcttcta ctacatagga cctggagata gagtggcctg ctttgctgtc 120  
gatgggaaac tgagcaactg ggaacgtaag gatgatgcta tgtcagagca ccagaggcat 180  
ttccccagct gtccgttctt a 201

<210> 59  
<211> 204  
<212> DNA  
<213> Mus musculus

<400> 59  
cacgcagccc gtattagaac attctctaac tggccttcta gtgcactagt tcattcccag 60  
gaacttgcaa gtgcgggctt ttattataca ggacacagtg atgatgtcaa gtgtttatgc 120  
tgtgatggtg ggctgaggtg ctgggaatct ggagatgacc cctgggtgga acatgccaaag 180  
tggtttccaa ggtgtgagta cttg 204

<210> 60  
<211> 138  
<212> DNA  
<213> Mus musculus

<400> 60  
gaacagttgc ggcccctccc ggaggacaga atgtgtaaag tgtgtatgga ccgagaggta 60  
tccatcgtgt tcattccctg tggccatctg gtcgtgtgca aagactgcgc tccctctctg 120  
aggaagtgtc ccactctgt 138

<210> 61  
<211> 204  
<212> DNA  
<213> Homo sapiens

<400> 61  
gaactctaca gaatgtctac atattcaact ttccccgccc gggtagcctgt ctcagaaagg 60  
agtcttgctc gtgctgggtt ttattatact ggtgtgaatg acaagggtcaa atgcttctgt 120  
tgtggcctga tgctggataa ctggaaacta ggagacagtc ctattcaaaa gcataaacag 180  
ctatataccta gctgtagctt tatt 204

<210> 62  
<211> 201  
<212> DNA  
<213> Homo sapiens

<400> 62  
gaagaagcca gatttcttac ctaccatatg tggccattaa cttttttgtc accatcagaa 60  
ttggcaagag ctggttttta ttatatagga cctggagata gggtagcctg ctttgcctgt 120  
ggtagggaagc tcagtaactg ggaaccaaag gatgatgcta tgtcagaaca ccggaggcat 180  
tttcccaact gtccattttt g 201

<210> 63  
<211> 204  
<212> DNA  
<213> Homo sapiens

<400> 63  
catgcagctc gaatgagaac atttatgtac tggccatcta gtgttccagt tcagcctgag 60  
cagcttgcaa gtgctgggtt ttattatgtg ggtcgcaatg atgatgtcaa atgcttttgt 120  
tgtgatgggtg gcttgagggt ttgggaatct ggagatgatc catgggtaga acatgccaag 180  
tggtttccaa ggtgtgagtt cttg 204

<210> 64  
<211> 138  
<212> DNA  
<213> Mus musculus

<400> 64  
gaacaattga ggaggttgca agaagaacga acttgtaaag tgtgtatgga caaagaagtt 60  
tctgttgat ttattccttg tggatcatct gtagtatgcc aggaatgtgc cccttctcta 120  
agaaaatgcc ctatttgc 138

<210> 65  
<211> 204  
<212> DNA  
<213> Mus musculus

<400> 65  
gaactctacc gaatgtctac atattcagct tttcccaggg gagttcctgt ctcagagagg 60  
agtctggctc gtgctggctt ttattataca ggtgtgaatg acaaagtcaa gtgcttctgc 120  
tgtggcctga tggtggataa ctggaaacaa ggggacagtc ctgttgaaaa gcacagacag 180  
ttctatccca gctgcagctt tgta 204

<210> 66  
<211> 201  
<212> DNA  
<213> Mus musculus

<400> 66  
gaagaggcca gatttcttac ttacagtatg tggcctttaa gttttctgtc accagcagag 60  
ctggccagag ctggcttcta ttacataggg cctggagaca gggcggcctg ttttgcctgt 120  
ggtgggaaac tgagcaactg ggaaccaaag gattatgcta tgtcagagca ccgcagacat 180  
tttccccact gtccatttct g 201

<210> 67  
<211> 204  
<212> DNA  
<213> Mus musculus

<400> 67  
cactctgctc gattgaggac atttctgtac tggccaccta gtgttcctgt tcagcccag 60  
cagcttgcaa gtgctggatt ctattacgtg gatcgcaatg atgatgtcaa gtgcctttgt 120  
tgtgatggtg gcttgagatg ttgggaacct ggagatgacc cctggataga acacgccaaa 180  
tggtttccaa ggtgtgagtt cttg 204

<210> 68  
<211> 114  
<212> DNA  
<213> Mus musculus

<400> 68  
gaacgaactt gcaaagtgtg tatggacaga gaggtttcta ttgtgttcat tccgtgtggt 60  
catctagtag tctgccagga atgtgccctt tctctaagga agtgcccat ctgc 114

<210> 69  
<211> 68  
<212> PRT  
<213> Homo sapiens

<400> 69  
Glu Phe Asn Arg Leu Lys Thr Phe Ala Asn Phe Pro Ser Gly Ser Pro  
1 5 10 15  
Val Ser Ala Ser Thr Leu Ala Arg Ala Gly Phe Leu Tyr Thr Gly Glu  
20 25 30  
Gly Asp Thr Val Arg Cys Phe Ser Cys His Ala Ala Val Asp Arg Trp  
35 40 45  
Gln Tyr Gly Asp Ser Ala Val Gly Arg His Arg Lys Val Ser Pro Asn  
50 55 60  
Cys Arg Phe Ile  
65

<210> 70  
<211> 68  
<212> PRT  
<213> Homo sapiens

<400> 70  
Glu Glu Ala Arg Leu Lys Ser Phe Gln Asn Trp Pro Asp Tyr Ala His  
1 5 10 15  
Leu Thr Pro Arg Glu Leu Ala Ser Ala Gly Leu Tyr Tyr Thr Gly Ile  
20 25 30



Gly Asp Gln Val Gln Cys Phe Cys Cys Gly Gly Lys Leu Lys Asn Trp  
35 40 45  
Glu Pro Cys Asp Arg Ala Trp Ser Glu His Arg Arg His Phe Pro Asn  
50 55 60  
Cys Phe Phe Val  
65

<210> 71  
<211> 66  
<212> PRT  
<213> Homo sapiens

<400> 71  
Tyr Glu Ala Arg Ile Phe Thr Phe Gly Thr Trp Ile Tyr Ser Val Asn  
1 5 10 15  
Lys Glu Gln Leu Ala Arg Ala Gly Phe Tyr Ala Leu Gly Glu Gly Asp  
20 25 30  
Lys Val Lys Cys Phe His Cys Gly Gly Gly Leu Thr Asp Trp Lys Pro  
35 40 45  
Ser Glu Asp Pro Trp Glu Gln His Ala Lys Trp Tyr Pro Gly Cys Lys  
50 55 60  
Tyr Leu  
65

<210> 72  
<211> 46  
<212> PRT  
213> Homo sapiens

<400> 72  
Glu Gln Leu Arg Arg Leu Gln Glu Glu Lys Leu Cys Lys Ile Cys Met  
1 5 10 15  
Asp Arg Asn Ile Ala Ile Val Phe Val Pro Cys Gly His Leu Val Thr  
20 25 30  
Cys Lys Gln Cys Ala Glu Ala Val Asp Lys Cys Pro Met Cys  
35 40 45

<210> 73  
<211> 68  
<212> PRT  
<213> Mus musculus

<400> 73  
Glu Phe Asn Arg Leu Lys Thr Phe Ala Asn Phe Pro Ser Ser Ser Pro  
1 5 10 15  
Val Ser Ala Ser Thr Leu Ala Arg Ala Gly Phe Leu Tyr Thr Gly Glu  
20 25 30  
Gly Asp Thr Val Gln Cys Phe Ser Cys His Ala Ala Ile Asp Arg Trp  
35 40 45

Gln Tyr Gly Asp Ser Ala Val Gly Arg His Arg Arg Ile Ser Pro Asn  
 50 55 60  
 Cys Arg Phe Ile  
 65

<210> 74  
 <211> 68  
 <212> PRT  
 <213> Mus musculus

<400> 74  
 Glu Glu Ala Arg Leu Lys Ser Phe Gln Asn Trp Pro Asp Tyr Ala His  
 1 5 10 15  
 Leu Thr Pro Arg Glu Leu Ala Ser Ala Gly Leu Tyr Tyr Thr Gly Ala  
 20 25 30  
 Asp Asp Gln Val Gln Cys Phe Cys Cys Gly Gly Lys Leu Lys Asn Trp  
 35 40 45  
 Glu Pro Cys Asp Arg Ala Trp Ser Glu His Arg Arg His Phe Pro Asn  
 50 55 60  
 Cys Phe Phe Val  
 65

<210> 75  
 <211> 66  
 <212> PRT  
 <213> Mus musculus

<400> 75  
 Tyr Glu Ala Arg Ile Val Thr Phe Gly Thr Trp Ile Tyr Ser Val Asn  
 1 5 10 15  
 Lys Glu Gln Leu Ala Arg Ala Gly Phe Tyr Ala Leu Gly Glu Gly Asp  
 20 25 30  
 Lys Val Lys Cys Phe His Cys Gly Gly Gly Leu Thr Asp Trp Lys Pro  
 35 40 45  
 Ser Glu Asp Pro Trp Asp Gln His Ala Lys Cys Tyr Pro Gly Cys Lys  
 50 55 60  
 Tyr Leu  
 65

<210> 76  
 <211> 46  
 <212> PRT  
 <213> Mus musculus

<400> 76  
 Glu Gln Leu Arg Arg Leu Gln Glu Glu Lys Leu Ser Lys Ile Cys Met  
 1 5 10 15  
 Asp Arg Asn Ile Ala Ile Val Phe Phe Pro Cys Gly His Leu Ala Thr  
 20 25 30  
 Cys Lys Gln Cys Ala Glu Ala Val Asp Lys Cys Pro Met Cys  
 35 40 45

<210> 77  
 <211> 68  
 <212> PRT  
 <213> Homo sapiens

<400> 77  
 Glu Leu Tyr Arg Met Ser Thr Tyr Ser Thr Phe Pro Ala Gly Val Pro  
 1 5 10 15  
 Val Ser Glu Arg Ser Leu Ala Arg Ala Gly Phe Tyr Tyr Thr Gly Val  
 20 25 30  
 Asn Asp Lys Val Lys Cys Phe Cys Cys Gly Leu Met Leu Asp Asn Trp  
 35 40 45  
 Lys Arg Gly Asp Ser Pro Thr Glu Lys His Lys Lys Leu Tyr Pro Ser  
 50 55 60  
 Cys Arg Phe Val  
 65

<210> 78  
 <211> 67  
 <212> PRT  
 <213> Homo sapiens

<400> 78  
 Glu Asn Ala Arg Leu Leu Thr Phe Gln Thr Trp Pro Leu Thr Phe Leu  
 1 5 10 15  
 Ser Pro Thr Asp Leu Ala Arg Ala Gly Phe Tyr Tyr Ile Gly Pro Gly  
 20 25 30  
 Asp Arg Val Ala Cys Phe Ala Cys Gly Gly Lys Leu Ser Asn Trp Glu  
 35 40 45  
 Pro Lys Asp Asn Ala Met Ser Glu His Leu Arg His Phe Pro Lys Cys  
 50 55 60  
 Pro Phe Ile  
 65

<210> 79  
 <211> 68  
 <212> PRT  
 <213> Homo sapiens

<400> 79  
 His Ala Ala Arg Phe Lys Thr Phe Phe Asn Trp Pro Ser Ser Val Leu  
 1 5 10 15  
 Val Asn Pro Glu Gln Leu Ala Ser Ala Gly Phe Tyr Tyr Val Gly Asn  
 20 25 30  
 Ser Asp Asp Val Lys Cys Phe Cys Cys Asp Gly Gly Leu Arg Cys Trp  
 35 40 45  
 Glu Ser Gly Asp Asp Pro Trp Val Gln His Ala Lys Trp Phe Pro Arg  
 50 55 60  
 Cys Glu Tyr Leu  
 65

<210> 80  
 <211> 46  
 <212> PRT  
 <213> Homo sapiens

<400> 80  
 Glu Gln Leu Arg Arg Leu Pro Glu Glu Arg Thr Cys Lys Val Cys Met  
 1 5 10 15  
 Asp Lys Glu Val Ser Ile Val Phe Ile Pro Cys Gly His Leu Val Val  
 20 25 30  
 Cys Lys Asp Cys Ala Pro Ser Leu Arg Lys Cys Pro Ile Cys  
 35 40 45

<210> 81  
 <211> 68  
 <212> PRT  
 <213> Mus musculus

<400> 81  
 Glu Leu Tyr Arg Leu Ser Thr Tyr Ser Ala Phe Pro Arg Gly Val Pro  
 1 5 10 15  
 Val Ser Glu Arg Ser Leu Ala Arg Ala Gly Phe Tyr Tyr Thr Gly Ala  
 20 25 30  
 Asn Asp Lys Val Lys Cys Phe Cys Cys Gly Leu Met Leu Asp Asn Trp  
 35 40 45  
 Lys Gln Gly Asp Ser Pro Met Glu Lys His Arg Lys Leu Tyr Pro Ser  
 50 55 60  
 Cys Asn Phe Val  
 65

<210> 82  
 <211> 67  
 <212> PRT  
 <213> Mus musculus

<400> 82  
 Glu Lys Ala Arg Leu Leu Thr Tyr Glu Thr Trp Pro Leu Ser Phe Leu  
 1 5 10 15  
 Ser Pro Ala Lys Leu Ala Lys Ala Gly Phe Tyr Tyr Ile Gly Pro Gly  
 20 25 30  
 Asp Arg Val Ala Cys Phe Ala Cys Asp Gly Lys Leu Ser Asn Trp Glu  
 35 40 45  
 Arg Lys Asp Asp Ala Met Ser Glu His Gln Arg His Phe Pro Ser Cys  
 50 55 60  
 Pro Phe Leu  
 65

<210> 83  
 <211> 68  
 <212> PRT  
 <213> Mus musculus

<400> 83  
 His Ala Ala Arg Ile Arg Thr Phe Ser Asn Trp Pro Ser Ser Ala Leu  
 1 5 10 15  
 Val His Ser Gln Glu Leu Ala Ser Ala Gly Phe Tyr Tyr Thr Gly His  
 20 25 30  
 Ser Asp Asp Val Lys Cys Leu Cys Cys Asp Gly Gly Leu Arg Cys Trp  
 35 40 45  
 Glu Ser Gly Asp Asp Pro Trp Val Glu His Ala Lys Trp Phe Pro Arg  
 50 55 60  
 Cys Glu Tyr Leu  
 65

<210> 84  
 <211> 46  
 <212> PRT  
 <213> Mus musculus

<400> 84  
 Glu Gln Leu Arg Pro Leu Pro Glu Asp Arg Met Cys Lys Val Cys Met  
 1 5 10 15  
 Asp Arg Glu Val Ser Ile Val Phe Ile Pro Cys Gly His Leu Val Val  
 20 25 30  
 Cys Lys Asp Cys Ala Pro Ser Leu Arg Lys Cys Pro Ile Cys  
 35 40 45

<210> 85  
 <211> 68  
 <212> PRT  
 <213> Homo sapiens

<400> 85  
 Glu Leu Tyr Arg Met Ser Thr Tyr Ser Thr Phe Pro Ala Gly Val Pro  
 1 5 10 15  
 Val Ser Glu Arg Ser Leu Ala Arg Ala Gly Phe Tyr Tyr Thr Gly Val  
 20 25 30  
 Asn Asp Lys Val Lys Cys Phe Cys Cys Gly Leu Met Leu Asp Asn Trp  
 35 40 45  
 Lys Leu Gly Asp Ser Pro Ile Gln Lys His Lys Gln Leu Tyr Pro Ser  
 50 55 60  
 Cys Ser Phe Ile  
 65

<210> 86  
 <211> 67  
 <212> PRT  
 <213> Homo sapiens

<400> 86

Glu Glu Ala Arg Phe Leu Thr Tyr His Met Trp Pro Leu Thr Phe Leu  
1 5 10 15  
Ser Pro Ser Glu Leu Ala Arg Ala Gly Phe Tyr Tyr Ile Gly Pro Gly  
20 25 30  
Asp Arg Val Ala Cys Phe Ala Cys Gly Gly Lys Leu Ser Asn Trp Glu  
35 40 45  
Pro Lys Asp Asp Ala Met Ser Glu His Arg Arg His Phe Pro Asn Cys  
50 55 60  
Pro Phe Leu  
65

<210> 87

<211> 68

<212> PRT

<213> Homo sapiens

<400> 87

His Ala Ala Arg Met Arg Thr Phe Met Tyr Trp Pro Ser Ser Val Pro  
1 5 10 15  
Val Gln Pro Glu Gln Leu Ala Ser Ala Gly Phe Tyr Tyr Val Gly Arg  
20 25 30  
Asn Asp Asp Val Lys Cys Phe Gly Cys Asp Gly Gly Leu Arg Cys Trp  
35 40 45  
Glu Ser Gly Asp Asp Pro Trp Val Glu His Ala Lys Trp Phe Pro Arg  
50 55 60  
Cys Glu Phe Leu  
65

<210> 88

<211> 46

<212> PRT

<213> Homo sapiens

<400> 88

Glu Gln Leu Arg Arg Leu Gln Glu Glu Arg Thr Cys Lys Val Cys Met  
1 5 10 15  
Asp Lys Glu Val Ser Val Val Phe Ile Pro Cys Gly His Leu Val Val  
20 25 30  
Cys Gln Glu Cys Ala Pro Ser Leu Arg Lys Cys Pro Ile Cys  
35 40 45

<210> 89

<211> 68

<212> PRT

<213> Mus musculus

<400> 89

Glu Leu Tyr Arg Met Ser Thr Tyr Ser Ala Phe Pro Arg Gly Val Pro  
1 5 10 15  
Val Ser Glu Arg Ser Leu Ala Arg Ala Gly Phe Tyr Tyr Thr Gly Val  
20 25 30  
Asn Asp Lys Val Lys Cys Phe Cys Cys Gly Leu Met Leu Asp Asn Trp  
35 40 45  
Lys Gln Gly Asp Ser Pro Val Glu Lys His Arg Gln Phe Tyr Pro Ser  
50 55 60  
Cys Ser Phe Val  
65

<210> 90

<211> 67

<212> PRT

<213> Mus musculus

<400> 90

Glu Glu Ala Arg Phe Leu Thr Tyr Ser Met Trp Pro Leu Ser Phe Leu  
1 5 10 15  
Ser Pro Ala Glu Leu Ala Arg Ala Gly Phe Tyr Tyr Ile Gly Pro Gly  
20 25 30  
Asp Arg Val Ala Cys Phe Ala Cys Gly Gly Lys Leu Ser Asn Trp Glu  
35 40 45  
Pro Lys Asp Tyr Ala Met Ser Glu His Arg Arg His Phe Pro His Cys  
50 55 60  
Pro Phe Leu  
65

<210> 91

<211> 68

<212> PRT

<213> Mus musculus

<400> 91

His Ser Ala Arg Leu Arg Thr Phe Leu Tyr Trp Pro Pro Ser Val Pro  
1 5 10 15  
Val Gln Pro Glu Gln Leu Ala Ser Ala Gly Phe Tyr Tyr Val Asp Arg  
20 25 30  
Asn Asp Asp Val Lys Cys Leu Cys Cys Asp Gly Gly Leu Arg Cys Trp  
35 40 45  
Glu Pro Gly Asp Asp Pro Trp Ile Glu His Ala Lys Trp Phe Pro Arg  
50 55 60  
Cys Glu Phe Leu  
65

<210> 92

<211> 38

<212> PRT

<213> Mus musculus

<400> 92

Glu	Arg	Thr	Cys	Lys	Val	Cys	Met	Asp	Arg	Glu	Val	Ser	Ile	Val	Phe
1				5					10					15	
Ile	Pro	Cys	Gly	His	Leu	Val	Val	Cys	Gln	Glu	Cys	Ala	Pro	Ser	Leu
			20					25						30	
Arg	Lys	Cys	Pro	Ile	Cys										
		35													



SEQUENCE LISTING

(1) GENERAL INFORMATION:

- (i) APPLICANT: Korneluk, Robert G.  
Mackenzie, Alexander E.  
Baird, Stephen
- (ii) TITLE OF INVENTION: MAMMALIAN IAP GENE FAMILY, PRIMERS,  
PROBES, AND DETECTION METHODS
- (iii) NUMBER OF SEQUENCES: 42
- (iv) CORRESPONDENCE ADDRESS:  
(A) ADDRESSEE: Fish & Richardson P.C.  
(B) STREET: 225 Franklin Street  
(C) CITY: Boston  
(D) STATE: MA  
(E) COUNTRY: USA  
(F) ZIP: 02110-2804
- (v) COMPUTER READABLE FORM:  
(A) MEDIUM TYPE: Floppy disk  
(B) COMPUTER: IBM PC compatible  
(C) OPERATING SYSTEM: PC-DOS/MS-DOS  
(D) SOFTWARE: PatentIn Release #1.0, Version #1.30
- (vi) CURRENT APPLICATION DATA:  
(A) APPLICATION NUMBER:  
(B) FILING DATE:  
(C) CLASSIFICATION:
- (vi) CURRENT APPLICATION DATA:  
(A) APPLICATION NUMBER: US 08/511,485  
(B) FILING DATE: 04-AUG-1995  
(C) CLASSIFICATION:
- (viii) ATTORNEY/AGENT INFORMATION:  
(A) NAME: Clark, Paul T.  
(B) REGISTRATION NUMBER: 30,162  
(C) REFERENCE/DOCKET NUMBER: 07891/002001
- (ix) TELECOMMUNICATION INFORMATION:  
(A) TELEPHONE: 617/542-5070  
(B) TELEFAX: 617/542-8906  
(C) TELEX: 200154

(2) INFORMATION FOR SEQ ID NO:1:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 46 amino acids  
(B) TYPE: amino acid  
(C) STRANDEDNESS: not relevant  
(D) TOPOLOGY: both
- (ii) MOLECULE TYPE: protein
- (ix) FEATURE:  
(D) OTHER INFORMATION: Xaa at positons 2, 3, 4, 5,

6, 7, 9, 10, 11, 17, 18, 19, 20, 21, 23, 25, 30, 31, 32, 34, 35, 38, 39, 40, 41, 42, and 45 may be any amino acid. Xaa at position 8 is Glu or Asp. Xaa at positions 14 & 22 is Val or Ile.

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

Glu	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Cys	Lys	Xaa	Cys	Met
1				5					10					15	
Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Phe	Xaa	Pro	Cys	Gly	His	Xaa	Xaa	Xaa
			20					25					30		
Cys	Xaa	Xaa	Cys	Ala	Xaa	Xaa	Xaa	Xaa	Xaa	Cys	Pro	Xaa	Cys		
		35					40					45			

(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 68 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: not relevant
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(ix) FEATURE:

(D) OTHER INFORMATION: Xaa at positions 1, 2, 3, 6, 9, 10, 14, 15, 18, 19, 20, 21, 24, 30, 32, 33, 35, 37, 40, 42, 43, 44, 45, 46, 47, 49, 50, 51, 53, 54, 55, 56, 57, 59, 60, 61, 62, 64 and 66 may be any amino acid. Xaa at positions 13, 16 and 17 may be any amino acid or may be absent.

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:2:

Xaa	Xaa	Xaa	Arg	Leu	Xaa	Thr	Phe	Xaa	Xaa	Trp	Pro	Xaa	Xaa	Xaa	Xaa
1				5					10					15	
Xaa	Xaa	Xaa	Xaa	Xaa	Leu	Ala	Xaa	Ala	Gly	Phe	Tyr	Tyr	Xaa	Gly	Xaa
			20					25					30		
Xaa	Asp	Xaa	Val	Xaa	Cys	Phe	Xaa	Cys	Xaa	Xaa	Xaa	Xaa	Xaa	Xaa	Trp
		35					40					45			
Xaa	Xaa	Xaa	Asp	Xaa	Xaa	Xaa	Xaa	Xaa	His	Xaa	Xaa	Xaa	Xaa	Pro	Xaa
		50				55				60					
Cys	Xaa	Phe	Val												
65															

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2540 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: both
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

GAAAAGGTGG	ACAAGTCCTA	TTTTCAAGAG	AAGATGACTT	TTAACAGTTT	TGAAGGATCT	60
AAAACCTGTG	TACCTGCAGA	CATCAATAAG	GAAGAAGAAT	TTGTAGAAGA	GTTTAATAGA	120
TTAAAACTT	TTGCTAATTT	TCCAAGTGGT	AGTCCTGTTT	CAGCATCAAC	ACTGGCACGA	180
GCAGGGTTTC	TTTATACTGG	TGAAGGAGAT	ACCGTGCGGT	GCTTTAGTTG	TCATGCAGCT	240
GTAGATAGAT	GGCAATATGG	AGACTCAGCA	GTTGGAAGAC	ACAGGAAAGT	ATCCCCAAAT	300
TGCAGATTTA	TCAACGGCTT	TTATCTTGAA	AATAGTGCCA	CGCAGTCTAC	AAATTCTGGT	360
ATCCAGAATG	GTCAGTACAA	AGTTGAAAAC	TATCTGGGAA	GCAGAGATCA	TTTTGCCTTA	420
GACAGGCCAT	CTGAGACACA	TGCAGACTAT	CTTTTGAGAA	CTGGGCAGGT	TGTAGATATA	480
TCAGACACCA	TATACCCGAG	GAACCCTGCC	ATGTATTGTG	AAGAAGCTAG	ATTAAAGTCC	540
TTTCAGAACT	GGCCAGACTA	TGCTCACCTA	ACCCCAAGAG	AGTTAGCAAG	TGCTGGACTC	600
TACTACACAG	GTATTGGTGA	CCAAGTGCAG	TGCTTTTGTT	GTGGTGGAAA	ACTGAAAAAT	660
TGGGAACCTT	GTGATCGTGC	CTGGTCAGAA	CACAGGCGAC	ACTTTCCTAA	TTGCTTCTTT	720
GTTTTGGGCC	GGAATCTTAA	TATTCGAAGT	GAATCTGATG	CTGTGAGTTC	TGATAGGAAT	780
TTCCCAAATT	CAACAAATCT	TCCAAGAAAT	CCATCCATGG	CAGATTATGA	AGCACGGATC	840
TTTACTTTTG	GGACATGGAT	ATACTCAGTT	AACAAGGAGC	AGCTTGCAAG	AGCTGGATTT	900
TATGCTTTAG	GTGAAGGTGA	TAAAGTAAAG	TGCTTTCACT	GTGGAGGAGG	GCTAACTGAT	960
TGGAAGCCCA	GTGAAGACCC	TTGGGAACAA	CATGCTAAAT	GGTATCCAGG	GTGCAAATAT	1020
CTGTTAGAAC	AGAAGGGACA	AGAATATATA	AACAATATTC	ATTTAACTCA	TTCACTTGAG	1080
GAGTGTCTGG	TAAGAACTAC	TGAGAAAACA	CCATCACTAA	CTAGAAGAAT	TGATGATACC	1140
ATCTTCCAAA	ATCCTATGGT	ACAAGAAGCT	ATACGAATGG	GGTTCAGTTT	CAAGGACATT	1200
AAGAAAATAA	TGGAGGAAAA	AATTCAGATA	TCTGGGAGCA	ACTATAAATC	ACTTGAGGTT	1260
CTGGTTGCAG	ATCTAGTGAA	TGCTCAGAAA	GACAGTATGC	AAGATGAGTC	AAGTCAGACT	1320
TCATTACAGA	AAGAGATTAG	TACTGAAGAG	CAGCTAAGGC	GCCTGCAAGA	GGAGAAGCTT	1380
TGCAAAATCT	GTATGGATAG	AAATATTGCT	ATCGTTTTTG	TTCCTTGTGG	ACATCTAGTC	1440
ACTTGTAAC	AATGTGCTGA	AGCAGTTGAC	AAGTGTCCCA	TGTGCTACAC	AGTCATTACT	1500
TTCAAGCAAA	AAATTTTTAT	GTCTTAATCT	AACTCTATAG	TAGGCATGTT	ATGTTGTTCT	1560
TATTACCCTG	ATTGAATGTG	TGATGTGAAC	TGACTTTAAG	TAATCAGGAT	TGAATTCCAT	1620
TAGCATTTGC	TACCAAGTAG	GAAAAAAAAT	GTACATGGCA	GTGTTTTAGT	TGGCAATATA	1680
ATCTTTGAAT	TTCTTGATTT	TTCAGGGTAT	TAGCTGTATT	ATCCATTTTT	TTTACTGTTA	1740

TTTAATTGAA ACCATAGACT AAGAATAAGA AGCATCATAC TATAACTGAA CACAATGTGT 1800  
 ATTCATAGTA TACTGATTTA ATTTCTAAGT GTAAGTGAAT TAATCATCTG GATTTTTTAT 1860  
 TCTTTTCAGA TAGGCTTAAC AAATGGAGCT TTCTGTATAT AAATGTGGAG ATTAGAGTTA 1920  
 ATCTCCCCAA TCACATAATT TGTTTTGTGT GAAAAAGGAA TAAATTGTTC CATGCTGGTG 1980  
 GAAAGATAGA GATTGTTTTT AGAGGTGGT TGTGTGTTT TAGGATTCTG TCCATTTTCT 2040  
 TGTAAGGGA TAAACACGGA CGTGTGCGAA ATATGTTTGT AAAGTGATTG GCCATTGTTG 2100  
 AAAGCGTATT TAATGATAGA ATACTATCGA GCCAACATGT ACTGACATGG AAAGATGTCA 2160  
 GAGATATGTT AAGTGTAATA TGCAAGTGGC GGGACACTAT GTATAGTCTG AGCCAGATCA 2220  
 AAGTATGTAT GTTGTTAATA TGCATAGAAC GAGAGATTG GAAAGATATA CACCAAACG 2280  
 TTAAATGTGG TTTCTCTTCG GGGAGGGGGG GATTGGGGGA GGGGCCCCAG AGGGGTTTTA 2340  
 GAGGGGCCCTT TTCACTTTCG ACTTTTTTCA TTTTGTCTG TTCGGATTTT TTATAAGTAT 2400  
 GTAGACCCCG AAGGGTTTTA TGGGAACTAA CATCAGTAAC CTAACCCCG TGAATATCCT 2460  
 GTGCTCTTCC TAGGGAGCTG TGTGTTTCC CACCCACCAC CCTTCCCTCT GAACAAATGC 2520  
 CTGAGTGCTG GGGCACTTTN 2540

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 497 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: unknown
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

Met	Thr	Phe	Asn	Ser	Phe	Glu	Gly	Ser	Lys	Thr	Cys	Val	Pro	Ala	Asp
1				5					10					15	
Ile	Asn	Lys	Glu	Glu	Glu	Phe	Val	Glu	Glu	Phe	Asn	Arg	Leu	Lys	Thr
			20					25					30		
Phe	Ala	Asn	Phe	Pro	Ser	Gly	Ser	Pro	Val	Ser	Ala	Ser	Thr	Leu	Ala
		35					40					45			
Arg	Ala	Gly	Phe	Leu	Tyr	Thr	Gly	Glu	Gly	Asp	Thr	Val	Arg	Cys	Phe
	50					55					60				
Ser	Cys	His	Ala	Ala	Val	Asp	Arg	Trp	Gln	Tyr	Gly	Asp	Ser	Ala	Val
65					70					75				80	
Gly	Arg	His	Arg	Lys	Val	Ser	Pro	Asn	Cys	Arg	Phe	Ile	Asn	Gly	Phe
				85					90					95	
Tyr	Leu	Glu	Asn	Ser	Ala	Thr	Gln	Ser	Thr	Asn	Ser	Gly	Ile	Gln	Asn

			100					105					110			
Gly	Gln	Tyr	Lys	Val	Glu	Asn	Tyr	Leu	Gly	Ser	Arg	Asp	His	Phe	Ala	
		115					120					125				
Leu	Asp	Arg	Pro	Ser	Glu	Thr	His	Ala	Asp	Tyr	Leu	Leu	Arg	Thr	Gly	
	130					135					140					
Gln	Val	Val	Asp	Ile	Ser	Asp	Thr	Ile	Tyr	Pro	Arg	Asn	Pro	Ala	Met	
145					150					155					160	
Tyr	Cys	Glu	Glu	Ala	Arg	Leu	Lys	Ser	Phe	Gln	Asn	Trp	Pro	Asp	Tyr	
				165					170					175		
Ala	His	Leu	Thr	Pro	Arg	Glu	Leu	Ala	Ser	Ala	Gly	Leu	Tyr	Tyr	Thr	
			180					185					190			
Gly	Ile	Gly	Asp	Gln	Val	Gln	Cys	Phe	Cys	Cys	Gly	Gly	Lys	Leu	Lys	
		195					200					205				
Asn	Trp	Glu	Pro	Cys	Asp	Arg	Ala	Trp	Ser	Glu	His	Arg	Arg	His	Phe	
	210					215					220					
Pro	Asn	Cys	Phe	Phe	Val	Leu	Gly	Arg	Asn	Leu	Asn	Ile	Arg	Ser	Glu	
225					230					235					240	
Ser	Asp	Ala	Val	Ser	Ser	Asp	Arg	Asn	Phe	Pro	Asn	Ser	Thr	Asn	Leu	
				245					250					255		
Pro	Arg	Asn	Pro	Ser	Met	Ala	Asp	Tyr	Glu	Ala	Arg	Ile	Phe	Thr	Phe	
			260					265					270			
Gly	Thr	Trp	Ile	Tyr	Ser	Val	Asn	Lys	Glu	Gln	Leu	Ala	Arg	Ala	Gly	
		275					280					285				
Phe	Tyr	Ala	Leu	Gly	Glu	Gly	Asp	Lys	Val	Lys	Cys	Phe	His	Cys	Gly	
	290					295					300					
Gly	Gly	Leu	Thr	Asp	Trp	Lys	Pro	Ser	Glu	Asp	Pro	Trp	Glu	Gln	His	
305					310					315					320	
Ala	Lys	Trp	Tyr	Pro	Gly	Cys	Lys	Tyr	Leu	Leu	Glu	Gln	Lys	Gly	Gln	
				325					330					335		
Glu	Tyr	Ile	Asn	Asn	Ile	His	Leu	Thr	His	Ser	Leu	Glu	Glu	Cys	Leu	
			340					345					350			
Val	Arg	Thr	Thr	Glu	Lys	Thr	Pro	Ser	Leu	Thr	Arg	Arg	Ile	Asp	Asp	
		355					360					365				
Thr	Ile	Phe	Gln	Asn	Pro	Met	Val	Gln	Glu	Ala	Ile	Arg	Met	Gly	Phe	
	370					375					380					
Ser	Phe	Lys	Asp	Ile	Lys	Lys	Ile	Met	Glu	Glu	Lys	Ile	Gln	Ile	Ser	
385					390					395					400	
Gly	Ser	Asn	Tyr	Lys	Ser	Leu	Glu	Val	Leu	Val	Ala	Asp	Leu	Val	Asn	
				405					410					415		
Ala	Gln	Lys	Asp	Ser	Met	Gln	Asp	Glu	Ser	Ser	Gln	Thr	Ser	Leu	Gln	
			420					425					430			

Lys Glu Ile Ser Thr Glu Glu Gln Leu Arg Arg Leu Gln Glu Glu Lys  
 435 440 445  
 Leu Cys Lys Ile Cys Met Asp Arg Asn Ile Ala Ile Val Phe Val Pro  
 450 455 460  
 Cys Gly His Leu Val Thr Cys Lys Gln Cys Ala Glu Ala Val Asp Lys  
 465 470 475 480  
 Cys Pro Met Cys Tyr Thr Val Ile Thr Phe Lys Gln Lys Ile Phe Met  
 485 490 495

Ser

(2) INFORMATION FOR SEQ ID NO:5:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2676 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: both
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:

TCCTTGAGAT GTATCAGTAT AGGATTTAGG ATCTCCATGT TGGAACCTCTA AATGCATAGA	60
AATGGAAATA ATGGAAATTT TTCATTTTGG CTTTTCAGCC TAGTATTAAA ACTGATAAAA	120
GCAAAGCCAT GCACAAAACT ACCTCCCTAG AGAAAGGCTA GTCCCTTTTC TTCCCCATTC	180
ATTTTCATTAT GAACATAGTA GAAAACAGCA TATTCTTATC AAATTTGATG AAAAGCGCCA	240
ACACGTTTGA ACTGAAATAC GACTTGTCAT GTGAACTGTA CCGAATGTCT ACGTATTCCA	300
CTTTTCCTGC TGGGGTTCCT GTCTCAGAAA GGAGTCTTGC TCGTGCTGGT TTCTATTACA	360
CTGGTGTGAA TGACAAGGTC AAATGCTTCT GTTGTGGCCT GATGCTGGAT AACTGGAAAA	420
GAGGAGACAG TCCTACTGAA AAGCATAAAA AGTTGTATCC TAGCTGCAGA TTCGTTTCAGA	480
GTCTAAATTC CGTTAACAAC TTGGAAGCTA CCTCTCAGCC TACTTTTCCT TCTTCAGTAA	540
CACATTCCAC AACTCATT A CTTCCGGGTA CAGAAAACAG TGGATATTTT CGTGGCTCTT	600
ATTCAAATTC TCCATCAAAT CCTGTAAACT CCAGAGCAAA TCAAGAATTT TCTGCCTTGA	660
TGAGAAGTTC CTACCCCTGT CCAATGAATA ACGAAAATGC CAGATTACTT ACTTTTCAGA	720
CATGGCCATT GACTTTTCTG TCGCCAACAG ATCTGGCACG AGCAGGCTTT TACTACATAG	780
GACCTGGAGA CAGAGTGGCT TGCTTTGCCT GTGGTGGAAA ATTGAGCAAT TGGGAACCGA	840
AGGATAATGC TATGTCAGAA CACCTGAGAC ATTTTCCCAA ATGCCCATTT ATAGAAAATC	900
AGCTTCAAGA CACTTCAAGA TACACAGTTT CTAATCTGAG CATGCAGACA CATGCAGCCC	960

GCTTTAAAC	ATTCTTAAAC	TGGCCCTCTA	GTGTTCTAGT	TAATCCTGAG	CAGCTTGCAA	1020
GTGCGGGTTT	TTATTATGTG	GGTAACAGTG	ATGATGTCAA	ATGCTTTTGC	TGTGATGGTG	1080
GACTCAGGTG	TTGGGAATCT	GGAGATGATC	CATGGGTTCA	ACATGCCAAG	TGGTTTCCAA	1140
GGTGTGAGTA	CTTGATAAGA	ATTAAAGGAC	AGGAGTTCAT	CCGTCAAGTT	CAAGCCAGTT	1200
ACCCTCATCT	ACTTGAACAG	CTGCTATCCA	CATCAGACAG	CCCAGGAGAT	GAAAATGCAG	1260
AGTCATCAAT	TATCCATTTG	GAACCTGGAG	AAGACCATTG	AGAAGATGCA	ATCATGATGA	1320
ATACTCCTGT	GATTAATGCT	GCCGTGGAAA	TGGGCTTTAG	TAGAAGCCTG	GTAAACAGA	1380
CAGTTCAGAG	AAAAATCCTA	GCAACTGGAG	AGAATTATAG	ACTAGTCAAT	GATCTTGTGT	1440
TAGACTTACT	CAATGCAGAA	GATGAAATAA	GGGAAGAGGA	GAGAGAAAGA	GCAACTGAGG	1500
AAAAAGAATC	AAATGATTTA	TTATTAATCC	GGAAGAATAG	AATGGCACTT	TTTCAACATT	1560
TGACTTGTGT	AATCCAATC	CTGGATAGTC	TACTAACTGC	CGGAATTATT	AATGAACAAG	1620
AACATGATGT	TATTAAACAG	AAGACACAGA	CGTCTTTACA	AGCAAGAGAA	CTGATTGATA	1680
CGATTTTAGT	AAAAGGAAAT	ATTGCAGCCA	CTGTATTCAG	AAACTCTCTG	CAAGAAGCTG	1740
AAGCTGTGTT	ATATGAGCAT	TTATTTGTGC	AACAGGACAT	AAAATATATT	CCCACAGAAG	1800
ATGTTTCAGA	TCTACCAGTG	GAAGAACAAT	TGCGGAGACT	ACCAGAAGAA	AGAACATGTA	1860
AAGTGTGTAT	GGACAAAGAA	GTGTCCATAG	TGTTTATTCC	TTGTGGTCAT	CTAGTAGTAT	1920
GCAAAGATTG	TGCTCCTTCT	TTAAGAAAGT	GTCCTATTTG	TAGGAGTACA	ATCAAGGGTA	1980
CAGTTCGTAC	ATTTCTTTCA	TGAAGAAGAA	CCAAAACATC	GTCTAAACTT	TAGAATTAAT	2040
TTATTAAATG	TATTATAACT	TTAACTTTTA	TCCTAATTTG	GTTTCCTTAA	AATTTTATT	2100
TATTTACAAC	TCAAAAACA	TTGTTTTGTG	TAACATATTT	ATATATGTAT	CTAAACCATA	2160
TGAACATATA	TTTTTTAGAA	ACTAAGAGAA	TGATAGGCTT	TTGTTCTTAT	GAACGAAAAA	2220
GAGGTAGCAC	TACAAACACA	ATATTCAATC	CAAATTCAG	CATTATTGAA	ATTGTAAGTG	2280
AAGTAAACT	TAAGATATTT	GAGTTAACCT	TTAAGAATTT	TAAATATTTT	GGCATTGTAC	2340
TAATACCGGG	AACATGAAGC	CAGGTGTGGT	GGTATGTACC	TGTAGTCCCA	GGCTGAGGCA	2400
AGAGAATTAC	TTGAGCCCAG	GAGTTTGAAT	CCATCCTGGG	CAGCATACTG	AGACCCTGCC	2460
TTTAAAAACN	AACAGNACCA	AANCCAAACA	CCAGGGACAC	ATTTCTCTGT	CTTTTTTGAT	2520
CAGTGTCTTA	TACATCGAAG	GTGTGCATAT	ATGTTGAATC	ACATTTTAGG	GACATGGTGT	2580
TTTTATAAAG	AATTCTGTGA	GNAAAAATTT	AATAAGCAA	CCAAATTACT	CTTAAAAAAA	2640
AAAAAATAAA	AAAAAACTCG	AGGGGCCCGT	ACCAAT			2676

(2) INFORMATION FOR SEQ ID NO:6:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 604 amino acids

(B) TYPE: amino acid  
 (C) STRANDEDNESS: not relevant  
 (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:

Met	Asn	Ile	Val	Glu	Asn	Ser	Ile	Phe	Leu	Ser	Asn	Leu	Met	Lys	Ser	1	5	10	15
Ala	Asn	Thr	Phe	Glu	Leu	Lys	Tyr	Asp	Leu	Ser	Cys	Glu	Leu	Tyr	Arg	20	25	30	
Met	Ser	Thr	Tyr	Ser	Thr	Phe	Pro	Ala	Gly	Val	Pro	Val	Ser	Glu	Arg	35	40	45	
Ser	Leu	Ala	Arg	Ala	Gly	Phe	Tyr	Tyr	Thr	Gly	Val	Asn	Asp	Lys	Val	50	55	60	
Lys	Cys	Phe	Cys	Cys	Gly	Leu	Met	Leu	Asp	Asn	Trp	Lys	Arg	Gly	Asp	65	70	75	80
Ser	Pro	Thr	Glu	Lys	His	Lys	Lys	Leu	Tyr	Pro	Ser	Cys	Arg	Phe	Val	85	90	95	
Gln	Ser	Leu	Asn	Ser	Val	Asn	Asn	Leu	Glu	Ala	Thr	Ser	Gln	Pro	Thr	100	105	110	
Phe	Pro	Ser	Ser	Val	Thr	His	Ser	Thr	His	Ser	Leu	Leu	Pro	Gly	Thr	115	120	125	
Glu	Asn	Ser	Gly	Tyr	Phe	Arg	Gly	Ser	Tyr	Ser	Asn	Ser	Pro	Ser	Asn	130	135	140	
Pro	Val	Asn	Ser	Arg	Ala	Asn	Gln	Glu	Phe	Ser	Ala	Leu	Met	Arg	Ser	145	150	155	160
Ser	Tyr	Pro	Cys	Pro	Met	Asn	Asn	Glu	Asn	Ala	Arg	Leu	Leu	Thr	Phe	165	170	175	
Gln	Thr	Trp	Pro	Leu	Thr	Phe	Leu	Ser	Pro	Thr	Asp	Leu	Ala	Arg	Ala	180	185	190	
Gly	Phe	Tyr	Tyr	Ile	Gly	Pro	Gly	Asp	Arg	Val	Ala	Cys	Phe	Ala	Cys	195	200	205	
Gly	Gly	Lys	Leu	Ser	Asn	Trp	Glu	Pro	Lys	Asp	Asn	Ala	Met	Ser	Glu	210	215	220	
His	Leu	Arg	His	Phe	Pro	Lys	Cys	Pro	Phe	Ile	Glu	Asn	Gln	Leu	Gln	225	230	235	240
Asp	Thr	Ser	Arg	Tyr	Thr	Val	Ser	Asn	Leu	Ser	Met	Gln	Thr	His	Ala	245	250	255	
Ala	Arg	Phe	Lys	Thr	Phe	Phe	Asn	Trp	Pro	Ser	Ser	Val	Leu	Val	Asn	260	265	270	



Pro	Glu	Gln	Leu	Ala	Ser	Ala	Gly	Phe	Tyr	Tyr	Val	Gly	Asn	Ser	Asp	275	280	285
Asp	Val	Lys	Cys	Phe	Cys	Cys	Asp	Gly	Gly	Leu	Arg	Cys	Trp	Glu	Ser	290	295	300
Gly	Asp	Asp	Pro	Trp	Val	Gln	His	Ala	Lys	Trp	Phe	Pro	Arg	Cys	Glu	305	310	315
Tyr	Leu	Ile	Arg	Ile	Lys	Gly	Gln	Glu	Phe	Ile	Arg	Gln	Val	Gln	Ala	325	330	335
Ser	Tyr	Pro	His	Leu	Leu	Glu	Gln	Leu	Leu	Ser	Thr	Ser	Asp	Ser	Pro	340	345	350
Gly	Asp	Glu	Asn	Ala	Glu	Ser	Ser	Ile	Ile	His	Leu	Glu	Pro	Gly	Glu	355	360	365
Asp	His	Ser	Glu	Asp	Ala	Ile	Met	Met	Asn	Thr	Pro	Val	Ile	Asn	Ala	370	375	380
Ala	Val	Glu	Met	Gly	Phe	Ser	Arg	Ser	Leu	Val	Lys	Gln	Thr	Val	Gln	385	390	395
Arg	Lys	Ile	Leu	Ala	Thr	Gly	Glu	Asn	Tyr	Arg	Leu	Val	Asn	Asp	Leu	405	410	415
Val	Leu	Asp	Leu	Leu	Asn	Ala	Glu	Asp	Glu	Ile	Arg	Glu	Glu	Glu	Arg	420	425	430
Glu	Arg	Ala	Thr	Glu	Glu	Lys	Glu	Ser	Asn	Asp	Leu	Leu	Leu	Ile	Arg	435	440	445
Lys	Asn	Arg	Met	Ala	Leu	Phe	Gln	His	Leu	Thr	Cys	Val	Ile	Pro	Ile	450	455	460
Leu	Asp	Ser	Leu	Leu	Thr	Ala	Gly	Ile	Ile	Asn	Glu	Gln	Glu	His	Asp	465	470	475
Val	Ile	Lys	Gln	Lys	Thr	Gln	Thr	Ser	Leu	Gln	Ala	Arg	Glu	Leu	Ile	485	490	495
Asp	Thr	Ile	Leu	Val	Lys	Gly	Asn	Ile	Ala	Ala	Thr	Val	Phe	Arg	Asn	500	505	510
Ser	Leu	Gln	Glu	Ala	Glu	Ala	Val	Leu	Tyr	Glu	His	Leu	Phe	Val	Gln	515	520	525
Gln	Asp	Ile	Lys	Tyr	Ile	Pro	Thr	Glu	Asp	Val	Ser	Asp	Leu	Pro	Val	530	535	540
Glu	Glu	Gln	Leu	Arg	Arg	Leu	Pro	Glu	Glu	Arg	Thr	Cys	Lys	Val	Cys	545	550	555
Met	Asp	Lys	Glu	Val	Ser	Ile	Val	Phe	Ile	Pro	Cys	Gly	His	Leu	Val	565	570	575
Val	Cys	Lys	Asp	Cys	Ala	Pro	Ser	Leu	Arg	Lys	Cys	Pro	Ile	Cys	Arg	580	585	590
Ser	Thr	Ile	Lys	Gly	Thr	Val	Arg	Thr	Phe	Leu	Ser					595	600	

(2) INFORMATION FOR SEQ ID NO:7:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2580 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: both
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

TTAGGTTACC	TGAAAGAGTT	ACTACAACCC	CAAAGAGTTG	TGTTCTAAGT	AGTATCTTGG	60
TAATTCAGAG	AGATACTCAT	CCTACCTGAA	TATAAACTGA	GATAAATCCA	GTAAAGAAAG	120
TGTAGTAAAT	TCTACATAAG	AGTCTATCAT	TGATTTCTTT	TTGTGGTGGA	AATCTTAGTT	180
CATGTGAAGA	AATTTTCATGT	GAATGTTTTA	GCTATCAAAC	AGTACTGTCA	CCTACTCATG	240
CACAAAACCTG	CCTCCCAAAG	ACTTTTCCCA	GGTCCCTCGT	ATCAAAACAT	TAAGAGTATA	300
ATGGAAGATA	GCACGATCTT	GTCAGATTGG	ACAAACAGCA	ACAAACAAAA	AATGAAGTAT	360
GACTTTTCCT	GTGAACTCTA	CAGAATGTCT	ACATATTCAA	CTTTCCCCGC	CGGGGTGCCT	420
GTCTCAGAAA	GGAGTCTTGC	TCGTGCTGGT	TTTTATTATA	CTGGTGTGAA	TGACAAGGTC	480
AAATGCTTCT	GTTGTGGCCT	GATGCTGGAT	AACTGGAAAC	TAGGAGACAG	TCCTATTCAA	540
AAGCATAAAC	AGCTATATCC	TAGCTGTAGC	TTTATTCAGA	ATCTGGTTTC	AGCTAGTCTG	600
GGATCCACCT	CTAAGAATAC	GTCTCCAATG	AGAAACAGTT	TTGCACATTC	ATTATCTCCC	660
ACCTTGGAAC	ATAGTAGCTT	G TTCAGTGGT	TCTTACTCCA	GCCTTCCTCC	AAACCCTCTT	720
AATTCTAGAG	CAGTTGAAGA	CATCTCTTCA	TCGAGGACTA	ACCCCTACAG	TTATGCAATG	780
AGTACTGAAG	AAGCCAGATT	TCTTACCTAC	CATATGTGGC	CATTAAC TTT	TTTGTCACCA	840
TCAGAATTGG	CAAGAGCTGG	TTTTTATTAT	ATAGGACCTG	GAGATAGGGT	AGCCTGCTTT	900
GCCTGTGGTG	GGAAGCTCAG	TAACTGGGAA	CCAAAGGATG	ATGCTATGTC	AGAACACCGG	960
AGGCATTTTC	CCAAC TGTCC	ATTTT TGGAA	AATTCTCTAG	AAACTCTGAG	GTTTAGCATT	1020
TCAAATCTGA	GCATGCAGAC	ACATGCAGCT	CGAATGAGAA	CATTTATGTA	CTGGCCATCT	1080
AGTGTTCCAG	TTCAGCCTGA	GCAGCTTGCA	AGTGCTGGTT	TTTATTATGT	GGGTCGCAAT	1140
GATGATGTCA	AATGCTTTGG	TTGTGATGGT	GGCTTGAGGT	GTTGGGAATC	TGGAGATGAT	1200
CCATGGGTAG	AACATGCCAA	GTGGTTTCCA	AGGTGTGAGT	TCTTGATACG	AATGAAAGGC	1260
CAAGAGTTTG	TTGATGAGAT	TCAAGGTAGA	TATCCTCATC	TTCTTGAACA	GCTGTTGTCA	1320
ACTTCAGATA	CCACTGGAGA	AGAAAATGCT	GACCCACCAA	TTATTCATTT	TGGACCTGGA	1380
GAAAGTTCTT	CAGAAGATGC	TGTCATGATG	AATACACCTG	TGGTTAAATC	TGCCTTGGA	1440

ATGGGCTTTA	ATAGAGACCT	GGTGAAACAA	ACAGTTCTAA	GTAAAATCCT	GACAACTGGA	1500
GAGAACTATA	AAACAGTTAA	TGATATTGTG	TCAGCACTTC	TTAATGCTGA	AGATGAAAAA	1560
AGAGAAGAGG	AGAAGGAAAA	ACAAGCTGAA	GAAATGGCAT	CAGATGATTT	GTCATTAATT	1620
CGGAAGAACA	GAATGGCTCT	CTTTCAACAA	TTGACATGTG	TGCTTCCTAT	CCTGGATAAT	1680
CTTTTAAAGG	CCAATGTAAT	TAATAAACAG	GAACATGATA	TTATTAAACA	AAAAACACAG	1740
ATACCTTTAC	AAGCGAGAGA	ACTGATTGAT	ACCATTGTTGG	TTAAAGGAAA	TGCTGCGGCC	1800
AACATCTTCA	AAACTGTCT	AAAAGAAATT	GACTCTACAT	TGTATAAGAA	CTTATTTGTG	1860
GATAAGAATA	TGAAGTATAT	TCCAACAGAA	GATGTTTCAG	GTCTGTCACT	GGAAGAACAA	1920
TTGAGGAGGT	TGCAAGAAGA	ACGAACTTGT	AAAGTGTGTA	TGGACAAAGA	AGTTTCTGTT	1980
GTATTTATTC	CTTGTGGTCA	TCTGGTAGTA	TGCCAGGAAT	GTGCCCCTTC	TCTAAGAAAA	2040
TGCCCTATTT	GCAGGGGTAT	AATCAAGGGT	ACTGTTTCGTA	CATTTCTCTC	TTAAAGAAAA	2100
ATAGTCTATA	TTTAAACCTG	CATAAAAAGG	TCTTTAAAAT	ATTGTTGAAC	ACTTGAAGCC	2160
ATCTAAAGTA	AAAAGGGAAT	TATGAGTTTT	TCAATTAGTA	ACATTCATGT	TCTAGTCTGC	2220
TTTGGTACTA	ATAATCTTGT	TTCTGAAAAG	ATGGTATCAT	ATATTTAATC	TTAATCTGTT	2280
TATTTACAAG	GGAAGATTTA	TGTTTGGTGA	ACTATATTAG	TATGTATGTG	TACCTAAGGG	2340
AGTAGCGTCN	CTGCTTGTTA	TGCATCATTT	CAGGAGTTAC	TGGATTTGTT	GTTCTTTCAG	2400
AAAGCTTTGA	ANACTAAATT	ATAGTGTAGA	AAAGAACTGG	AAACCAGGAA	CTCTGGAGTT	2460
CATCAGAGTT	ATGGTGCCGA	ATTGTCTTTG	GTGCTTTTCA	CTTGTGTTTT	AAAATAAGGA	2520
TTTTTCTCTT	ATTTCTCCCC	CTAGTTTGTG	AGAAACATCT	CAATAAAGTG	CTTTAAAAAG	2580

(2) INFORMATION FOR SEQ ID NO:8:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 618 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: not relevant
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

Met	His	Lys	Thr	Ala	Ser	Gln	Arg	Leu	Phe	Pro	Gly	Pro	Ser	Tyr	Gln
1				5					10					15	
Asn	Ile	Lys	Ser	Ile	Met	Glu	Asp	Ser	Thr	Ile	Leu	Ser	Asp	Trp	Thr
			20					25					30		
Asn	Ser	Asn	Lys	Gln	Lys	Met	Lys	Tyr	Asp	Phe	Ser	Cys	Glu	Leu	Tyr
			35				40					45			

Arg Met Ser Thr Tyr Ser Thr Phe Pro Ala Gly Val Pro Val Ser Glu  
50 55 60

Arg Ser Leu Ala Arg Ala Gly Phe Tyr Tyr Thr Gly Val Asn Asp Lys  
65 70 75 80

Val Lys Cys Phe Cys Cys Gly Leu Met Leu Asp Asn Trp Lys Leu Gly  
85 90 95

Asp Ser Pro Ile Gln Lys His Lys Gln Leu Tyr Pro Ser Cys Ser Phe  
100 105 110

Ile Gln Asn Leu Val Ser Ala Ser Leu Gly Ser Thr Ser Lys Asn Thr  
115 120 125

Ser Pro Met Arg Asn Ser Phe Ala His Ser Leu Ser Pro Thr Leu Glu  
130 135 140

His Ser Ser Leu Phe Ser Gly Ser Tyr Ser Ser Leu Pro Pro Asn Pro  
145 150 155 160

Leu Asn Ser Arg Ala Val Glu Asp Ile Ser Ser Ser Arg Thr Asn Pro  
165 170 175

Tyr Ser Tyr Ala Met Ser Thr Glu Glu Ala Arg Phe Leu Thr Tyr His  
180 185 190

Met Trp Pro Leu Thr Phe Leu Ser Pro Ser Glu Leu Ala Arg Ala Gly  
195 200 205

Phe Tyr Tyr Ile Gly Pro Gly Asp Arg Val Ala Cys Phe Ala Cys Gly  
210 215 220

Gly Lys Leu Ser Asn Trp Glu Pro Lys Asp Asp Ala Met Ser Glu His  
225 230 235 240

Arg Arg His Phe Pro Asn Cys Pro Phe Leu Glu Asn Ser Leu Glu Thr  
245 250 255

Leu Arg Phe Ser Ile Ser Asn Leu Ser Met Gln Thr His Ala Ala Arg  
260 265 270

Met Arg Thr Phe Met Tyr Trp Pro Ser Ser Val Pro Val Gln Pro Glu  
275 280 285

Gln Leu Ala Ser Ala Gly Phe Tyr Tyr Val Gly Arg Asn Asp Asp Val  
290 295 300

Lys Cys Phe Gly Cys Asp Gly Gly Leu Arg Cys Trp Glu Ser Gly Asp  
305 310 315 320

Asp Pro Trp Val Glu His Ala Lys Trp Phe Pro Arg Cys Glu Phe Leu  
325 330 335

Ile Arg Met Lys Gly Gln Glu Phe Val Asp Glu Ile Gln Gly Arg Tyr  
340 345 350

Pro His Leu Leu Glu Gln Leu Leu Ser Thr Ser Asp Thr Thr Gly Glu  
355 360 365

Glu Asn Ala Asp Pro Pro Ile Ile His Phe Gly Pro Gly Glu Ser Ser  
370 375 380

Ser Glu Asp Ala Val Met Met Asn Thr Pro Val Val Lys Ser Ala Leu  
 385 390 395 400  
 Glu Met Gly Phe Asn Arg Asp Leu Val Lys Gln Thr Val Leu Ser Lys  
 405 410 415  
 Ile Leu Thr Thr Gly Glu Asn Tyr Lys Thr Val Asn Asp Ile Val Ser  
 420 425 430  
 Ala Leu Leu Asn Ala Glu Asp Glu Lys Arg Glu Glu Glu Lys Glu Lys  
 435 440 445  
 Gln Ala Glu Glu Met Ala Ser Asp Asp Leu Ser Leu Ile Arg Lys Asn  
 450 455 460  
 Arg Met Ala Leu Phe Gln Gln Leu Thr Cys Val Leu Pro Ile Leu Asp  
 465 470 475 480  
 Asn Leu Leu Lys Ala Asn Val Ile Asn Lys Gln Glu His Asp Ile Ile  
 485 490 495  
 Lys Gln Lys Thr Gln Ile Pro Leu Gln Ala Arg Glu Leu Ile Asp Thr  
 500 505 510  
 Ile Trp Val Lys Gly Asn Ala Ala Ala Asn Ile Phe Lys Asn Cys Leu  
 515 520 525  
 Lys Glu Ile Asp Ser Thr Leu Tyr Lys Asn Leu Phe Val Asp Lys Asn  
 530 535 540  
 Met Lys Tyr Ile Pro Thr Glu Asp Val Ser Gly Leu Ser Leu Glu Glu  
 545 550 555 560  
 Gln Leu Arg Arg Leu Gln Glu Glu Arg Thr Cys Lys Val Cys Met Asp  
 565 570 575  
 Lys Glu Val Ser Val Val Phe Ile Pro Cys Gly His Leu Val Val Cys  
 580 585 590  
 Gln Glu Cys Ala Pro Ser Leu Arg Lys Cys Pro Ile Cys Arg Gly Ile  
 595 600 605  
 Ile Lys Gly Thr Val Arg Thr Phe Leu Ser  
 610 615

(2) INFORMATION FOR SEQ ID NO:9:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2100 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: both
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

GACACTCTGC TGGGCGGCGG GCCGCCCTCC TCCGGGACCT CCCCTCGGGA ACCGTCGCCC

60

GCGGCGCTTA	GTTAGGACTG	GAGTGCTTGG	CGCGAAAAGG	TGGACAAGTC	CTATTTTCCA	120
GAGAAGATGA	CTTTTAACAG	TTTTGAAGGA	ACTAGAACTT	TTGTACTTGC	AGACACCAAT	180
AAGGATGAAG	AATTTGTAGA	AGAGTTTAAT	AGATTAAAAA	CATTTGCTAA	CTTCCCAAGT	240
AGTAGTCCTG	TTTCAGCATC	AACATTGGCG	CGAGCTGGGT	TTCTTTATAC	CGGTGAAGGA	300
GACACCGTGC	AATGTTTCAG	TTGTCATGCG	GCAATAGATA	GATGGCAGTA	TGGAGACTCA	360
GCTGTTGGAA	GACACAGGAG	AATATCCCCA	AATTGCAGAT	TTATCAATGG	TTTTTATTTT	420
GAAAATGGTG	CTGCACAGTC	TACAAATCCT	GGTATCCAAA	ATGGCCAGTA	CAAATCTGAA	480
AACTGTGTGG	GAAATAGAAA	TCCTTTTGCC	CCTGACAGGC	CACCTGAGAC	TCATGCTGAT	540
TATCTCTTGA	GAActGGACA	GGTTGTAGAT	ATTCAGACA	CCATATACCC	GAGGAACCCT	600
GCCATGTGTA	GTGAAGAAGC	CAGATTGAAG	TCATTTCAGA	ACTGGCCGGA	CTATGCTCAT	660
TTAACCCCCA	GAGAGTTAGC	TAGTGCTGGC	CTCTACTACA	CAGGGGCTGA	TGATCAAGTG	720
CAATGCTTTT	GTTGTGGGGG	AAAActGAAA	AATTGGGAAC	CCTGTGATCG	TGCCTGGTCA	780
GAACACAGGA	GACACTTTCC	CAATTGCTTT	TTTGTTTTGG	GCCGGAACGT	TAATGTTCGA	840
AGTGAATCTG	GTGTGAGTTC	TGATAGGAAT	TTCCCAAATT	CAACAAACTC	TCCAAGAAAT	900
CCAGCCATGG	CAGAATATGA	AGCACGGATC	GTTACTTTTG	GAACATGGAT	ATACTCAGTT	960
AACAAGGAGC	AGCTTGCAAG	AGCTGGATTT	TATGCTTTAG	GTGAAGGCGA	TAAAGTGAAG	1020
TGCTTCCACT	GTGGAGGAGG	GCTCACGGAT	TGGAAGCCAA	GTGAAGACCC	CTGGGACCAG	1080
CATGCTAAGT	GCTACCCAGG	GTGCAAATAC	CTATTGGATG	AGAAGGGGCA	AGAATATATA	1140
AATAATATTC	ATTTAACCCA	TCCACTTGAG	GAATCTTTGG	GAAGAACTGC	TGAAAAAACA	1200
CCACCGCTAA	CTAAAAAAAT	CGATGATACC	ATCTTCCAGA	ATCCTATGGT	GCAAGAAGCT	1260
ATACGAATGG	GATTTAGCTT	CAAGGACCTT	AAGAAAACAA	TGGAAGAAAA	AATCCAAACA	1320
TCCGGGAGCA	GCTATCTATC	ACTTGAGGTC	CTGATTGCAG	ATCTTGTGAG	TGCTCAGAAA	1380
GATAATACGG	AGGATGAGTC	AAGTCAAAct	TCATTGCAGA	AAGACATTAG	TACTGAAGAG	1440
CAGCTAAGGC	GCCTACAAGA	GGAGAAGCTT	TCCAAAATCT	GTATGGATAG	AAATATTGCT	1500
ATCGTTTTTT	TTCCTTGTGG	ACATCTGGCC	ACTTGTAAC	AGTGTGCAGA	AGCAGTTGAC	1560
AAATGTCCCA	TGTGCTACAC	CGTCATTACG	TTCAACCAA	AAATTTTTAT	GTCTTAGTGG	1620
GGCACCACAT	GTTATGTTCT	TCTTGCTCTA	ATTGAATGTG	TAATGGGAGC	GAActTTAAG	1680
TAATCCTGCA	TTTGCAATCC	ATTAGCATCC	TGCTGTTTCC	AAATGGAGAC	CAATGCTAAC	1740
AGCACTGTTT	CCGTCTAAAC	ATTCAATTTT	TGGATCTTTC	GAGTTATCAG	CTGTATCATT	1800
TAGCCAGTGT	TTTACTCGAT	TGAAACCTTA	GACAGAGAAG	CATTTTATAG	CTTTTCACAT	1860
GTATATTGGT	AGTACActGA	CTTGATTTCT	ATATGTAAGT	GAATTCATCA	CCTGCATGTT	1920

TCATGCCTTT TGCATAAGCT TAACAAATGG AGTGTCTGT ATAAGCATGG AGATGTGATG 1980  
GAATCTGCCC AATGACTTTA ATTGGCTTAT TGTAACACG GAAAGAACTG CCCCACGCTG 2040  
CTGGGAGGAT AAAGATTGTT TTAGATGCTC ACTTCTGTGT TTAGGATTC TGCCCATTTA 2100

(2) INFORMATION FOR SEQ ID NO:10:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 496 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: not relevant
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

Met	Thr	Phe	Asn	Ser	Phe	Glu	Gly	Thr	Arg	Thr	Phe	Val	Leu	Ala	Asp	1	5	10	15
Thr	Asn	Lys	Asp	Glu	Glu	Phe	Val	Glu	Glu	Phe	Asn	Arg	Leu	Lys	Thr	20	25	30	
Phe	Ala	Asn	Phe	Pro	Ser	Ser	Ser	Pro	Val	Ser	Ala	Ser	Thr	Leu	Ala	35	40	45	
Arg	Ala	Gly	Phe	Leu	Tyr	Thr	Gly	Glu	Gly	Asp	Thr	Val	Gln	Cys	Phe	50	55	60	
Ser	Cys	His	Ala	Ala	Ile	Asp	Arg	Trp	Gln	Tyr	Gly	Asp	Ser	Ala	Val	65	70	75	80
Gly	Arg	His	Arg	Arg	Ile	Ser	Pro	Asn	Cys	Arg	Phe	Ile	Asn	Gly	Phe	85	90	95	
Tyr	Phe	Glu	Asn	Gly	Ala	Ala	Gln	Ser	Thr	Asn	Pro	Gly	Ile	Gln	Asn	100	105	110	
Gly	Gln	Tyr	Lys	Ser	Glu	Asn	Cys	Val	Gly	Asn	Arg	Asn	Pro	Phe	Ala	115	120	125	
Pro	Asp	Arg	Pro	Pro	Glu	Thr	His	Ala	Asp	Tyr	Leu	Leu	Arg	Thr	Gly	130	135	140	
Gln	Val	Val	Asp	Ile	Ser	Asp	Thr	Ile	Tyr	Pro	Arg	Asn	Pro	Ala	Met	145	150	155	160
Cys	Ser	Glu	Glu	Ala	Arg	Leu	Lys	Ser	Phe	Gln	Asn	Trp	Pro	Asp	Tyr	165	170	175	
Ala	His	Leu	Thr	Pro	Arg	Glu	Leu	Ala	Ser	Ala	Gly	Leu	Tyr	Tyr	Thr	180	185	190	
Gly	Ala	Asp	Asp	Gln	Val	Gln	Cys	Phe	Cys	Cys	Gly	Gly	Lys	Leu	Lys	195	200	205	
Asn	Trp	Glu	Pro	Cys	Asp	Arg	Ala	Trp	Ser	Glu	His	Arg	Arg	His	Phe				

210		215		220
Pro Asn Cys Phe Phe Val Leu Gly Arg Asn Val Asn Val Arg Ser Glu				
225		230		240
Ser Gly Val Ser Ser Asp Arg Asn Phe Pro Asn Ser Thr Asn Ser Pro				
		245		255
Arg Asn Pro Ala Met Ala Glu Tyr Glu Ala Arg Ile Val Thr Phe Gly				
		260		270
Thr Trp Ile Tyr Ser Val Asn Lys Glu Gln Leu Ala Arg Ala Gly Phe				
		275		285
Tyr Ala Leu Gly Glu Gly Asp Lys Val Lys Cys Phe His Cys Gly Gly				
		290		300
Gly Leu Thr Asp Trp Lys Pro Ser Glu Asp Pro Trp Asp Gln His Ala				
305		310		320
Lys Cys Tyr Pro Gly Cys Lys Tyr Leu Leu Asp Glu Lys Gly Gln Glu				
		325		335
Tyr Ile Asn Asn Ile His Leu Thr His Pro Leu Glu Glu Ser Leu Gly				
		340		350
Arg Thr Ala Glu Lys Thr Pro Pro Leu Thr Lys Lys Ile Asp Asp Thr				
		355		365
Ile Phe Gln Asn Pro Met Val Gln Glu Ala Ile Arg Met Gly Phe Ser				
		370		380
Phe Lys Asp Leu Lys Lys Thr Met Glu Glu Lys Ile Gln Thr Ser Gly				
385		390		400
Ser Ser Tyr Leu Ser Leu Glu Val Leu Ile Ala Asp Leu Val Ser Ala				
		405		415
Gln Lys Asp Asn Thr Glu Asp Glu Ser Ser Gln Thr Ser Leu Gln Lys				
		420		430
Asp Ile Ser Thr Glu Glu Gln Leu Arg Arg Leu Gln Glu Glu Lys Leu				
		435		445
Ser Lys Ile Cys Met Asp Arg Asn Ile Ala Ile Val Phe Phe Pro Cys				
		450		460
Gly His Leu Ala Thr Cys Lys Gln Cys Ala Glu Ala Val Asp Lys Cys				
465		470		480
Pro Met Cys Tyr Thr Val Ile Thr Phe Asn Gln Lys Ile Phe Met Ser				
		485		495

(2) INFORMATION FOR SEQ ID NO:11:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 67 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: not relevant
- (D) TOPOLOGY: both



(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

Lys Ala Ala Arg Leu Gly Thr Tyr Thr Asn Trp Pro Val Gln Phe Leu  
1 5 10 15  
Glu Pro Ser Arg Met Ala Ala Ser Gly Phe Tyr Tyr Leu Gly Arg Gly  
20 25 30  
Asp Glu Val Arg Cys Ala Phe Cys Lys Val Glu Ile Thr Asn Trp Val  
35 40 45  
Arg Gly Asp Asp Pro Glu Thr Asp His Lys Arg Trp Ala Pro Gln Cys  
50 55 60  
Pro Phe Val  
65

(2) INFORMATION FOR SEQ ID NO:12:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 275 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: not relevant
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

Met Ser Asp Leu Arg Leu Glu Glu Val Arg Leu Asn Thr Phe Glu Lys  
1 5 10 15  
Trp Pro Val Ser Phe Leu Ser Pro Glu Thr Met Ala Lys Asn Gly Phe  
20 25 30  
Tyr Tyr Leu Gly Arg Ser Asp Glu Val Arg Cys Ala Phe Cys Lys Val  
35 40 45  
Glu Ile Met Arg Trp Lys Glu Gly Glu Asp Pro Ala Ala Asp His Lys  
50 55 60  
Lys Trp Ala Pro Gln Cys Pro Phe Val Lys Gly Ile Asp Val Cys Gly  
65 70 75 80  
Ser Ile Val Thr Thr Asn Asn Ile Gln Asn Thr Thr Thr His Asp Thr  
85 90 95  
Ile Ile Gly Pro Ala His Pro Lys Tyr Ala His Glu Ala Ala Arg Val  
100 105 110  
Lys Ser Phe His Asn Trp Pro Arg Cys Met Lys Gln Arg Pro Glu Gln  
115 120 125  
Met Ala Asp Ala Gly Phe Phe Tyr Thr Gly Tyr Gly Asp Asn Thr Lys

130		135		140
Cys Phe Tyr Cys Asp Gly Gly Leu Lys Asp Trp Glu Pro Glu Asp Val				
145		150	155	160
Pro Trp Glu Gln His Val Arg Trp Phe Asp Arg Cys Ala Tyr Val Gln				
	165	170		175
Leu Val Lys Gly Arg Asp Tyr Val Gln Lys Val Ile Thr Glu Ala Cys				
	180	185		190
Val Leu Pro Gly Glu Asn Thr Thr Val Ser Thr Ala Ala Pro Val Ser				
	195	200		205
Glu Pro Ile Pro Glu Thr Lys Ile Glu Lys Glu Pro Gln Val Glu Asp				
	210	215		220
Ser Lys Leu Cys Lys Ile Cys Tyr Val Glu Glu Cys Ile Val Cys Phe				
225		230	235	240
Val Pro Cys Gly His Val Val Ala Cys Ala Lys Cys Ala Leu Ser Val				
	245	250		255
Asp Lys Cys Pro Met Cys Arg Lys Ile Val Thr Ser Val Leu Lys Val				
	260	265		270
Tyr Phe Ser				
	275			

(2) INFORMATION FOR SEQ ID NO:13:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 498 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: not relevant
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:

Met Thr Glu Leu Gly Met Glu Leu Glu Ser Val Arg Leu Ala Thr Phe	
1	5 10 15
Gly Glu Trp Pro Leu Asn Ala Pro Val Ser Ala Glu Asp Leu Val Ala	
	20 25 30
Asn Gly Phe Phe Ala Thr Gly Lys Trp Leu Glu Ala Glu Cys His Phe	
	35 40 45
Cys His Val Arg Ile Asp Arg Trp Glu Tyr Gly Asp Gln Val Ala Glu	
	50 55 60
Arg His Arg Arg Ser Ser Pro Ile Cys Ser Met Val Leu Ala Pro Asn	
	65 70 75 80
His Cys Gly Asn Val Pro Arg Ser Gln Glu Ser Asp Asn Glu Gly Asn	
	85 90 95

001050 04450

Ser	Val	Val	Asp	Ser	Pro	Glu	Ser	Cys	Ser	Cys	Pro	Asp	Leu	Leu	Leu
			100					105					110		
Glu	Ala	Asn	Arg	Leu	Val	Thr	Phe	Lys	Asp	Trp	Pro	Asn	Pro	Asn	Ile
		115					120					125			
Thr	Pro	Gln	Ala	Leu	Ala	Lys	Ala	Gly	Phe	Tyr	Tyr	Leu	Asn	Arg	Leu
	130					135					140				
Asp	His	Val	Lys	Cys	Val	Trp	Cys	Asn	Gly	Val	Ile	Ala	Lys	Trp	Glu
145					150					155					160
Lys	Asn	Asp	Asn	Ala	Phe	Glu	Glu	His	Lys	Arg	Phe	Phe	Pro	Gln	Cys
				165					170					175	
Pro	Arg	Val	Gln	Met	Gly	Pro	Leu	Ile	Glu	Phe	Ala	Thr	Gly	Lys	Asn
			180					185					190		
Leu	Asp	Glu	Leu	Gly	Ile	Gln	Pro	Thr	Thr	Leu	Pro	Leu	Arg	Pro	Lys
		195					200					205			
Tyr	Ala	Cys	Val	Asp	Ala	Arg	Leu	Arg	Thr	Phe	Thr	Asp	Trp	Pro	Ile
	210					215					220				
Ser	Asn	Ile	Gln	Pro	Ala	Ser	Ala	Leu	Ala	Gln	Ala	Gly	Leu	Tyr	Tyr
225					230					235					240
Gln	Lys	Ile	Gly	Asp	Gln	Val	Arg	Cys	Phe	His	Cys	Asn	Ile	Gly	Leu
				245					250					255	
Arg	Ser	Trp	Gln	Lys	Glu	Asp	Glu	Pro	Trp	Phe	Glu	His	Ala	Lys	Trp
			260					265					270		
Ser	Pro	Lys	Cys	Gln	Phe	Val	Leu	Leu	Ala	Lys	Gly	Pro	Ala	Tyr	Val
		275					280					285			
Ser	Glu	Val	Leu	Ala	Thr	Thr	Ala	Ala	Asn	Ala	Ser	Ser	Gln	Pro	Ala
	290					295					300				
Thr	Ala	Pro	Ala	Pro	Thr	Leu	Gln	Ala	Asp	Val	Leu	Met	Asp	Glu	Ala
305					310					315				320	
Pro	Ala	Lys	Glu	Ala	Leu	Thr	Leu	Gly	Ile	Asp	Gly	Gly	Val	Val	Arg
				325					330					335	
Asn	Ala	Ile	Gln	Arg	Lys	Leu	Leu	Ser	Ser	Gly	Cys	Ala	Phe	Ser	Thr
			340					345					350		
Leu	Asp	Glu	Leu	Leu	His	Asp	Ile	Phe	Asp	Asp	Ala	Gly	Ala	Gly	Ala
		355					360					365			
Ala	Leu	Glu	Val	Arg	Glu	Pro	Pro	Glu	Pro	Ser	Ala	Pro	Phe	Ile	Glu
	370					375					380				
Pro	Cys	Gln	Ala	Thr	Thr	Ser	Lys	Ala	Ala	Ser	Val	Pro	Ile	Pro	Val
385					390					395				400	
Ala	Asp	Ser	Ile	Pro	Ala	Lys	Pro	Gln	Ala	Ala	Glu	Ala	Val	Ser	Asn
				405					410					415	
Ile	Ser	Lys	Ile	Thr	Asp	Glu	Ile	Gln	Lys	Met	Ser	Val	Ser	Thr	Pro
			420					425					430		

Asn Gly Asn Leu Ser Leu Glu Glu Glu Asn Arg Gln Leu Lys Asp Ala  
435 440 445

Arg Leu Cys Lys Val Cys Leu Asp Glu Glu Val Gly Val Val Phe Leu  
450 455 460

Pro Cys Gly His Leu Ala Thr Cys Asn Gln Cys Ala Pro Ser Val Ala  
465 470 475 480

Asn Cys Pro Met Cys Arg Ala Asp Ile Lys Gly Phe Val Arg Thr Phe  
485 490 495

Leu Ser

(2) INFORMATION FOR SEQ ID NO:14:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 67 amino acids  
(B) TYPE: amino acid  
(C) STRANDEDNESS: not relevant  
(D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14:

Glu Glu Val Arg Leu Asn Thr Phe Glu Lys Trp Pro Val Ser Phe Leu  
1 5 10 15

Ser Pro Glu Thr Met Ala Lys Asn Gly Phe Tyr Tyr Leu Gly Arg Ser  
20 25 30

Asp Glu Val Arg Cys Ala Phe Cys Lys Val Glu Ile Met Arg Trp Lys  
35 40 45

Glu Gly Glu Asp Pro Ala Ala Asp His Lys Lys Trp Ala Pro Gln Cys  
50 55 60

Pro Phe Val  
65

(2) INFORMATION FOR SEQ ID NO:15:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 67 amino acids  
(B) TYPE: amino acid  
(C) STRANDEDNESS: not relevant  
(D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:

Glu Ala Asn Arg Leu Val Thr Phe Lys Asp Trp Pro Asn Pro Asn Ile  
1 5 10 15

Thr Pro Gln Ala Leu Ala Lys Ala Gly Phe Tyr Tyr Leu Asn Arg Leu  
 20 25 30  
 Asp His Val Lys Cys Val Trp Cys Asn Gly Val Ile Ala Lys Trp Glu  
 35 40 45  
 Lys Asn Asp Asn Ala Phe Glu Glu His Lys Arg Phe Phe Pro Gln Cys  
 50 55 60  
 Pro Arg Val  
 65

(2) INFORMATION FOR SEQ ID NO:16:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 68 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: not relevant
  - (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:

Glu Phe Asn Arg Leu Lys Thr Phe Ala Asn Phe Pro Ser Ser Ser Pro  
 1 5 10 15  
 Val Ser Ala Ser Thr Leu Ala Arg Ala Gly Phe Leu Tyr Thr Gly Glu  
 20 25 30  
 Gly Asp Thr Val Gln Cys Phe Ser Cys His Ala Ala Ile Asp Arg Trp  
 35 40 45  
 Gln Tyr Gly Asp Ser Ala Val Gly Arg His Arg Arg Ile Ser Pro Asn  
 50 55 60  
 Cys Arg Phe Ile  
 65

(2) INFORMATION FOR SEQ ID NO:17:

- (i) SEQUENCE CHARACTERISTICS:
- (A) LENGTH: 68 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: not relevant
  - (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:

Glu Phe Asn Arg Leu Lys Thr Phe Ala Asn Phe Pro Ser Gly Ser Pro  
 1 5 10 15  
 Val Ser Ala Ser Thr Leu Ala Arg Ala Gly Phe Leu Tyr Thr Gly Glu  
 20 25 30





Cys Phe Phe Val  
65

(2) INFORMATION FOR SEQ ID NO:22:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 67 amino acids  
(B) TYPE: amino acid  
(C) STRANDEDNESS: not relevant  
(D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:22:

Glu Asn Ala Arg Leu Leu Thr Phe Gln Thr Trp Pro Leu Thr Phe Leu  
1 5 10 15  
Ser Pro Thr Asp Leu Ala Arg Ala Gly Phe Tyr Tyr Ile Gly Pro Gly  
20 25 30  
Asp Arg Val Ala Cys Phe Ala Cys Gly Gly Lys Leu Ser Asn Trp Glu  
35 40 45  
Pro Lys Asp Asn Ala Met Ser Glu His Leu Arg His Phe Pro Lys Cys  
50 55 60  
Pro Phe Ile  
65

(2) INFORMATION FOR SEQ ID NO:23:

- (i) SEQUENCE CHARACTERISTICS:  
(A) LENGTH: 67 amino acids  
(B) TYPE: amino acid  
(C) STRANDEDNESS: not relevant  
(D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:23:

Glu Glu Ala Arg Phe Leu Thr Tyr His Met Trp Pro Leu Thr Phe Leu  
1 5 10 15  
Ser Pro Ser Glu Leu Ala Arg Ala Gly Phe Tyr Tyr Ile Gly Pro Gly  
20 25 30  
Asp Arg Val Ala Cys Phe Ala Cys Gly Gly Lys Leu Ser Asn Trp Glu  
35 40 45  
Pro Lys Asp Asp Ala Met Ser Glu His Arg Arg His Phe Pro Asn Cys  
50 55 60  
Pro Phe Leu  
65



(2) INFORMATION FOR SEQ ID NO:24:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 66 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: not relevant
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:24:

Tyr Glu Ala Arg Ile Val Thr Phe Gly Thr Trp Ile Tyr Ser Val Asn  
1 5 10 15  
Lys Glu Gln Leu Ala Arg Ala Gly Phe Tyr Ala Leu Gly Glu Gly Asp  
20 25 30  
Lys Val Lys Cys Phe His Cys Gly Gly Gly Leu Thr Asp Trp Lys Pro  
35 40 45  
Ser Glu Asp Pro Trp Asp Gln His Ala Lys Cys Tyr Pro Gly Cys Lys  
50 55 60  
Tyr Leu  
65

(2) INFORMATION FOR SEQ ID NO:25:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 66 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: not relevant
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:25:

Tyr Glu Ala Arg Ile Phe Thr Phe Gly Thr Trp Ile Tyr Ser Val Asn  
1 5 10 15  
Lys Glu Gln Leu Ala Arg Ala Gly Phe Tyr Ala Leu Gly Glu Gly Asp  
20 25 30  
Lys Val Lys Cys Phe His Cys Gly Gly Gly Leu Thr Asp Trp Lys Pro  
35 40 45  
Ser Glu Asp Pro Trp Glu Gln His Ala Lys Trp Tyr Pro Gly Cys Lys  
50 55 60  
Tyr Leu  
65

(2) INFORMATION FOR SEQ ID NO:26:

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 68 amino acids  
 (B) TYPE: amino acid  
 (C) STRANDEDNESS: not relevant  
 (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:26:

His	Ala	Ala	Arg	Phe	Lys	Thr	Phe	Phe	Asn	Trp	Pro	Ser	Ser	Val	Leu
1				5					10					15	
Val	Asn	Pro	Glu	Gln	Leu	Ala	Ser	Ala	Gly	Phe	Tyr	Tyr	Val	Gly	Asn
			20					25					30		
Ser	Asp	Asp	Val	Lys	Cys	Phe	Cys	Cys	Asp	Gly	Gly	Leu	Arg	Cys	Trp
		35				40						45			
Glu	Ser	Gly	Asp	Asp	Pro	Trp	Val	Gln	His	Ala	Lys	Trp	Phe	Pro	Arg
	50					55					60				
Cys	Glu	Tyr	Leu												
65															

(2) INFORMATION FOR SEQ ID NO:27:

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 68 amino acids  
 (B) TYPE: amino acid  
 (C) STRANDEDNESS: not relevant  
 (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:27:

His	Ala	Ala	Arg	Met	Arg	Thr	Phe	Met	Tyr	Trp	Pro	Ser	Ser	Val	Pro
1				5					10					15	
Val	Gln	Pro	Glu	Gln	Leu	Ala	Ser	Ala	Gly	Phe	Tyr	Tyr	Val	Gly	Arg
			20					25					30		
Asn	Asp	Asp	Val	Lys	Cys	Phe	Gly	Cys	Asp	Gly	Gly	Leu	Arg	Cys	Trp
		35				40						45			
Glu	Ser	Gly	Asp	Asp	Pro	Trp	Val	Glu	His	Ala	Lys	Trp	Phe	Pro	Arg
	50					55					60				
Cys	Glu	Phe	Leu												
65															

(2) INFORMATION FOR SEQ ID NO:28:

- (i) SEQUENCE CHARACTERISTICS:  
 (A) LENGTH: 68 amino acids

- (B) TYPE: amino acid
- (C) STRANDEDNESS: not relevant
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:28:

Glu	Ala	Ala	Arg	Leu	Arg	Thr	Phe	Ala	Glu	Trp	Pro	Arg	Gly	Leu	Lys
1				5					10					15	
Gln	Arg	Pro	Glu	Glu	Leu	Ala	Glu	Ala	Gly	Phe	Phe	Tyr	Thr	Gly	Gln
			20					25					30		
Gly	Asp	Lys	Thr	Arg	Cys	Phe	Cys	Cys	Asp	Gly	Gly	Leu	Lys	Asp	Trp
		35					40					45			
Glu	Pro	Asp	Asp	Ala	Pro	Trp	Gln	Gln	His	Ala	Arg	Trp	Tyr	Asp	Arg
	50					55					60				
Cys	Glu	Tyr	Val												
65															

(2) INFORMATION FOR SEQ ID NO:29:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 68 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: not relevant
  - (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:29:

Glu	Ala	Ala	Arg	Val	Lys	Ser	Phe	His	Asn	Trp	Pro	Arg	Cys	Met	Lys
1				5					10					15	
Gln	Arg	Pro	Glu	Gln	Met	Ala	Asp	Ala	Gly	Phe	Phe	Tyr	Thr	Gly	Tyr
			20					25					30		
Gly	Asp	Asn	Thr	Lys	Cys	Phe	Tyr	Cys	Asp	Gly	Gly	Leu	Lys	Asp	Trp
		35					40					45			
Glu	Pro	Glu	Asp	Val	Pro	Trp	Glu	Gln	His	Val	Arg	Trp	Phe	Asp	Arg
	50					55					60				
Cys	Ala	Tyr	Val												
65															

(2) INFORMATION FOR SEQ ID NO:30:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 68 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: not relevant

(D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:30:

Val Asp Ala Arg Leu Arg Thr Phe Thr Asp Trp Pro Ile Ser Asn Ile  
1 5 10 15  
Gln Pro Ala Ser Ala Leu Ala Gln Ala Gly Leu Tyr Tyr Gln Lys Ile  
20 25 30  
Gly Asp Gln Val Arg Cys Phe His Cys Asn Ile Gly Leu Arg Ser Trp  
35 40 45  
Gln Lys Glu Asp Glu Pro Trp Phe Glu His Ala Lys Trp Ser Pro Lys  
50 55 60  
Cys Gln Phe Val  
65

(2) INFORMATION FOR SEQ ID NO:31:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 66 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: not relevant
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:31:

Glu Ser Val Arg Leu Ala Thr Phe Gly Glu Trp Pro Leu Asn Ala Pro  
1 5 10 15  
Val Ser Ala Glu Asp Leu Val Ala Asn Gly Phe Phe Gly Thr Trp Met  
20 25 30  
Glu Ala Glu Cys Asp Phe Cys His Val Arg Ile Asp Arg Trp Glu Tyr  
35 40 45  
Gly Asp Leu Val Ala Glu Arg His Arg Arg Ser Ser Pro Ile Cys Ser  
50 55 60  
Met Val  
65

(2) INFORMATION FOR SEQ ID NO:32:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 46 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: not relevant
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:32:

Glu	Gln	Leu	Arg	Arg	Leu	Gln	Glu	Glu	Arg	Thr	Cys	Lys	Val	Cys	Met
1				5					10					15	
Asp	Lys	Glu	Val	Ser	Val	Val	Phe	Ile	Pro	Cys	Gly	His	Leu	Val	Val
			20					25					30		
Cys	Gln	Glu	Cys	Ala	Pro	Ser	Leu	Arg	Lys	Cys	Pro	Ile	Cys		
		35					40					45			

(2) INFORMATION FOR SEQ ID NO:33:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 46 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: not relevant
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:33:

Glu	Gln	Leu	Arg	Arg	Leu	Pro	Glu	Glu	Arg	Thr	Cys	Lys	Val	Cys	Met
1				5					10					15	
Asp	Lys	Glu	Val	Ser	Ile	Val	Phe	Ile	Pro	Cys	Gly	His	Leu	Val	Val
			20					25					30		
Cys	Lys	Asp	Cys	Ala	Pro	Ser	Leu	Arg	Lys	Cys	Pro	Ile	Cys		
		35					40					45			

(2) INFORMATION FOR SEQ ID NO:34:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 46 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: not relevant
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:34:

Glu	Gln	Leu	Arg	Arg	Leu	Gln	Glu	Glu	Lys	Leu	Ser	Lys	Ile	Cys	Met
1				5					10					15	
Asp	Arg	Asn	Ile	Ala	Ile	Val	Phe	Phe	Pro	Cys	Gly	His	Leu	Ala	Thr
			20					25					30		
Cys	Lys	Gln	Cys	Ala	Glu	Ala	Val	Asp	Lys	Cys	Pro	Met	Cys		

## (2) INFORMATION FOR SEQ ID NO:35:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 46 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: not relevant
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:35:

Glu	Gln	Leu	Arg	Arg	Leu	Gln	Glu	Glu	Lys	Leu	Cys	Lys	Ile	Cys	Met
1				5					10					15	
Asp	Arg	Asn	Ile	Ala	Ile	Val	Phe	Val	Pro	Cys	Gly	His	Leu	Val	Thr
			20					25					30		
Cys	Lys	Gln	Cys	Ala	Glu	Ala	Val	Asp	Lys	Cys	Pro	Met	Cys		
		35					40					45			

## (2) INFORMATION FOR SEQ ID NO:36:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 46 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: not relevant
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

## (xi) SEQUENCE DESCRIPTION: SEQ ID NO:36:

Glu	Glu	Asn	Arg	Gln	Leu	Lys	Asp	Ala	Arg	Leu	Cys	Lys	Val	Cys	Leu
1				5					10					15	
Asp	Glu	Glu	Val	Gly	Val	Val	Phe	Leu	Pro	Cys	Gly	His	Leu	Ala	Thr
			20					25					30		
Cys	Asn	Gln	Cys	Ala	Pro	Ser	Val	Ala	Asn	Cys	Pro	Met	Cys		
		35					40					45			

## (2) INFORMATION FOR SEQ ID NO:37:

## (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 46 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: not relevant
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:37:

Glu Lys Glu Pro Gln Val Glu Asp Ser Lys Leu Cys Lys Ile Cys Tyr  
1 5 10 15  
Val Glu Glu Cys Ile Val Cys Phe Val Pro Cys Gly His Val Val Ala  
20 25 30  
Cys Ala Lys Cys Ala Leu Ser Val Asp Lys Cys Pro Met Cys  
35 40 45

(2) INFORMATION FOR SEQ ID NO:38:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 46 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: not relevant
- (D) TOPOLOGY: both

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:38:

Ala Val Glu Ala Glu Val Ala Asp Asp Arg Leu Cys Lys Ile Cys Leu  
1 5 10 15  
Gly Ala Glu Lys Thr Val Cys Phe Val Pro Cys Gly His Val Val Ala  
20 25 30  
Cys Gly Lys Cys Ala Ala Gly Val Thr Thr Cys Pro Val Cys  
35 40 45

(2) INFORMATION FOR SEQ ID NO:39:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2474 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:39:

GAATTCCGGG AGACCTACAC CCCC GGAGAT CAGAGGTCAT TGCTGGCGTT CAGAGCCTAG 60  
GAAGTGGGCT GCGGTATCAG CCTAGCAGTA AAACCGACCA GAAGCCATGC ACAAAACTAC 120  
ATCCCCAGAG AAAGACTTGT CCCTTCCCCT CCCTGTCATC TCACCATGAA CATGGTTCAA 180  
GACAGCGCCT TTCTAGCCAA GCTGATGAAG AGTGCTGACA CCTTTGAGTT GAAGTATGAC 240  
TTTTCTGTG AGCTGTACCG ATTGTCCACG TATTCAGCTT TTCCCAGGGG AGTTCCTGTG 300  
TCAGAAAGGA GTCTGGCTCG TGCTGGCTTT TACTACACTG GTGCCAATGA CAAGGTCAAG 360





TACTACCTGC ATCTAAAGTA TTCATATATT CATATATTCA GATGTCATGA GAGAGGGTTT 2280  
 TGTTCCTTGT CCTGAAAAGC TGGTTTATCA TCTGATCAGC ATATACTGCG CAACGGGCAG 2340  
 GGCTAGAATC CATGAACCAA GCTGCAAAGA TCTCACGCTA AATAAGGCGG AAAGATTG 2400  
 AGAAACGAAA GGAAATTCTT TCCTGTCCAA TGTATACTCT TCAGACTAAT GACCTCTTCC 2460  
 TATCAAGCCT TCTA 2474

(2) INFORMATION FOR SEQ ID NO:40:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 602 amino acids
- (B) TYPE: amino acid
- (C) STRANDEDNESS: not relevant
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:40:

Met	Asn	Met	Val	Gln	Asp	Ser	Ala	Phe	Leu	Ala	Lys	Leu	Met	Lys	Ser	1	5	10	15
Ala	Asp	Thr	Phe	Glu	Leu	Lys	Tyr	Asp	Phe	Ser	Cys	Glu	Leu	Tyr	Arg	20	25	30	
Leu	Ser	Thr	Tyr	Ser	Ala	Phe	Pro	Arg	Gly	Val	Pro	Val	Ser	Glu	Arg	35	40	45	
Ser	Leu	Ala	Arg	Ala	Gly	Phe	Tyr	Tyr	Thr	Gly	Ala	Asn	Asp	Lys	Val	50	55	60	
Lys	Cys	Phe	Cys	Cys	Gly	Leu	Met	Leu	Asp	Asn	Trp	Lys	Gln	Gly	Asp	65	70	75	80
Ser	Pro	Met	Glu	Lys	His	Arg	Lys	Leu	Tyr	Pro	Ser	Cys	Asn	Phe	Val	85	90	95	
Gln	Thr	Leu	Asn	Pro	Ala	Asn	Ser	Leu	Glu	Ala	Ser	Pro	Arg	Pro	Ser	100	105	110	
Leu	Pro	Ser	Thr	Ala	Met	Ser	Thr	Met	Pro	Leu	Ser	Phe	Ala	Ser	Ser	115	120	125	
Glu	Asn	Thr	Gly	Tyr	Phe	Ser	Gly	Ser	Tyr	Ser	Ser	Phe	Pro	Ser	Asp	130	135	140	
Pro	Val	Asn	Phe	Arg	Ala	Asn	Gln	Asp	Cys	Pro	Ala	Leu	Ser	Thr	Ser	145	150	155	160
Pro	Tyr	His	Phe	Ala	Met	Asn	Thr	Glu	Lys	Ala	Arg	Leu	Leu	Thr	Tyr	165	170	175	
Glu	Thr	Trp	Pro	Leu	Ser	Phe	Leu	Ser	Pro	Ala	Lys	Leu	Ala	Lys	Ala	180	185	190	
Gly	Phe	Tyr	Tyr	Ile	Gly	Pro	Gly	Asp	Arg	Val	Ala	Cys	Phe	Ala	Cys				

	195						200				205				
Asp	Gly 210	Lys	Leu	Ser	Asn	Trp 215	Glu	Arg	Lys	Asp	Asp 220	Ala	Met	Ser	Glu
His 225	Gln	Arg	His	Phe	Pro 230	Ser	Cys	Pro	Phe	Leu 235	Lys	Asp	Leu	Gly	Gln 240
Ser	Ala	Ser	Arg	Tyr 245	Thr	Val	Ser	Asn	Leu 250	Ser	Met	Gln	Thr	His 255	Ala
Ala	Arg	Ile	Arg 260	Thr	Phe	Ser	Asn	Trp 265	Pro	Ser	Ser	Ala	Leu 270	Val	His
Ser	Gln	Glu 275	Leu	Ala	Ser	Ala	Gly 280	Phe	Tyr	Tyr	Thr	Gly 285	His	Ser	Asp
Asp	Val 290	Lys	Cys	Leu	Cys	Cys 295	Asp	Gly	Gly	Leu	Arg 300	Cys	Trp	Glu	Ser
Gly 305	Asp	Asp	Pro	Trp	Val 310	Glu	His	Ala	Lys	Trp 315	Phe	Pro	Arg	Cys	Glu 320
Tyr	Leu	Leu	Arg	Ile 325	Lys	Gly	Gln	Glu	Phe 330	Val	Ser	Gln	Val	Gln 335	Ala
Gly	Tyr	Pro	His 340	Leu	Leu	Glu	Gln	Leu 345	Leu	Ser	Thr	Ser	Asp 350	Ser	Pro
Glu	Asp	Glu 355	Asn	Ala	Asp	Ala	Ala 360	Ile	Val	His	Phe	Gly 365	Pro	Gly	Glu
Ser	Ser 370	Glu	Asp	Val	Val	Met 375	Met	Ser	Thr	Pro	Val 380	Val	Lys	Ala	Ala
Leu 385	Glu	Met	Gly	Phe	Ser 390	Arg	Ser	Leu	Val	Arg 395	Gln	Thr	Val	Gln	Trp 400
Gln	Ile	Leu	Ala	Thr 405	Gly	Glu	Asn	Tyr	Arg 410	Thr	Val	Ser	Asp	Leu 415	Val
Ile	Gly	Leu	Leu 420	Asp	Ala	Glu	Asp	Glu 425	Met	Arg	Glu	Glu	Gln 430	Met	Glu
Gln	Ala	Ala 435	Glu	Glu	Glu	Glu	Ser 440	Asp	Asp	Leu	Ala	Leu 445	Ile	Arg	Lys
Asn	Lys 450	Met	Val	Leu	Phe	Gln 455	His	Leu	Thr	Cys	Val 460	Thr	Pro	Met	Leu
Tyr 465	Cys	Leu	Leu	Ser	Ala 470	Arg	Ala	Ile	Thr	Glu 475	Gln	Glu	Cys	Asn	Ala 480
Val	Lys	Gln	Lys	Pro 485	His	Thr	Leu	Gln	Ala 490	Ser	Thr	Leu	Ile	Asp 495	Thr
Val	Leu	Ala	Lys 500	Gly	Asn	Thr	Ala	Ala 505	Thr	Ser	Phe	Arg	Asn 510	Ser	Leu
Arg	Glu	Ile 515	Asp	Pro	Ala	Leu	Tyr 520	Arg	Asp	Ile	Phe	Val 525	Gln	Gln	Asp

Ile Arg Ser Leu Pro Thr Asp Asp Ile Ala Ala Leu Pro Met Glu Glu  
530 535 540

Gln Leu Arg Pro Leu Pro Glu Asp Arg Met Cys Lys Val Cys Met Asp  
545 550 555 560

Arg Glu Val Ser Ile Val Phe Ile Pro Cys Gly His Leu Val Val Cys  
565 570 575

Lys Asp Cys Ala Pro Ser Leu Arg Lys Cys Pro Ile Cys Arg Gly Thr  
580 585 590

Ile Lys Gly Thr Val Arg Thr Phe Leu Ser  
595 600

(2) INFORMATION FOR SEQ ID NO:41:

(i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 2416 base pairs
- (B) TYPE: nucleic acid
- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: DNA (genomic)

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:41:

CTGTGGTGGA GATCTATTGT CCAAGTGGTG AGAAACTTCA TCTGGAAGTT TAAGCGGTCA	60
GAAATACTAT TACTACTCAT GGACAAAACT GTCTCCCAGA GACTCGCCCA AGGTACCTTA	120
CACCCAAAAA CTTAAACGTA TAATGGAGAA GAGCACAATC TTGTCAAATT GGACAAAGGA	180
GAGCGAAGAA AAAATGAAGT TTGACTTTTC GTGTGAACTC TACCGAATGT CTACATATTC	240
AGCTTTTCCC AGGGGAGTTC CTGTCTCAGA GAGGAGTCTG GCTCGTGCTG GCTTTTATTA	300
TACAGGTGTG AATGACAAAG TCAAGTGCTT CTGCTGTGGC CTGATGTTGG ATAAGTGGAA	360
ACAAGGGGAC AGTCCTGTTG AAAAGCACAG ACAGTTCTAT CCCAGCTGCA GCTTTGTACA	420
GACTCTGCTT TCAGCCAGTC TGCAGTCTCC ATCTAAGAAT ATGTCTCCTG TGAAAAGTAG	480
ATTTGCACAT TCGTCACCTC TGGAACGAGG TGGCATTAC TCCAACCTGT GCTCTAGCCC	540
TCTTAATTCT AGAGCAGTGG AAGACTTCTC ATCAAGGATG GATCCCTGCA GCTATGCCAT	600
GAGTACAGAA GAGGCCAGAT TTCTTACTTA CAGTATGTGG CCTTTAAGTT TTCTGTCACC	660
AGCAGAGCTG GCCAGAGCTG GCTTCTATTA CATAGGGCCT GGAGACAGGG TGGCCTGTTT	720
TGCCTGTGGT GGGAAACTGA GCAACTGGGA ACCAAAGGAT TATGCTATGT CAGAGCACCG	780
CAGACATTTT CCCCCTGTC CATTTCTGGA AAATACTTCA GAAACACAGA GGTTTAGTAT	840
ATCAAATCTA AGTATGCAGA CACACTCTGC TCGATTGAGG ACATTTCTGT ACTGGCCACC	900
TAGTGTTTCT GTTCAGCCCG AGCAGCTTGC AAGTGCTGGA TTCTATTACG TGGATCGCAA	960

TGATGATGTC	AAGTGCCTTT	GTTGTGATGG	TGGCTTGAGA	TGTTGGGAAC	CTGGAGATGA	1020
CCCCTGGATA	GAACACGCCA	AATGGTTTCC	AAGGTGTGAG	TTCTTGATAC	GGATGAAGGG	1080
TCAGGAGTTT	GTTGATGAGA	TTCAAGCTAG	ATATCCTCAT	CTTCTTGAGC	AGCTGTTGTC	1140
CACTTCAGAC	ACCCCAGGAG	AAGAAAATGC	TGACCCTACA	GAGACAGTGG	TGCATTTTGG	1200
CCCTGGAGAA	AGTTCGAAAG	ATGTCGTCAT	GATGAGCACG	CCTGTGGTTA	AAGCAGCCTT	1260
GGAAATGGGC	TTCAGTAGGA	GCCTGGTGAG	ACAGACGGTT	CAGCGGCAGA	TCCTGGCCAC	1320
TGGTGAGAAC	TACAGGACCG	TCAATGATAT	TGTCTCAGTA	CTTTTGAATG	CTGAAGATGA	1380
GAGAAGAGAA	GAGGAGAAGG	AAAGACAGAC	TGAAGAGATG	GCATCAGGTG	ACTTATCACT	1440
GATTCGGAAG	AATAGAATGG	CCCTCTTTCA	ACAGTTGACA	CATGTCCTTC	CTATCCTGGA	1500
TAATCTTCTT	GAGGCCAGTG	TAATTACAAA	ACAGGAACAT	GATATTATTA	GACAGAAAAC	1560
ACAGATACCC	TTACAAGCAA	GAGAGCTTAT	TGACACCGTT	TTAGTCAAGG	GAAATGCTGC	1620
AGCCAACATC	TTCAAAAAC	CTCTGAAGGG	AATTGACTCC	ACGTTATATG	AAAAC	1680
TGTGGAAAAG	AATATGAAGT	ATATTCCAAC	AGAAGACGTT	TCAGGCTTGT	CATTGGAAGA	1740
GCAGTTGCGG	AGATTACAAG	AAGAACGAAC	TTGCAAAGTG	TGTATGGACA	GAGAGGTTTC	1800
TATTGTGTTC	ATTCCGTGTG	GTCATCTAGT	AGTCTGCCAG	GAATGTGCCC	CTTCTCTAAG	1860
GAAGTGCCCC	ATCTGCAGGG	GGACAATCAA	GGGGACTGTG	CGCACATTT	TCTCATGAGT	1920
GAAGAATGGT	CTGAAAGTAT	TGTTGGACAT	CAGAAGCTGT	CAGAACAAAG	AATGA	1980
TGATTTCAGC	TCTTCAGCAG	GACATTCTAC	TCTCTTTCAA	GATTAGTAAT	CTTGCTTTAT	2040
GAAGGGTAGC	ATTGTATATT	TAAGCTTAGT	CTGTTGCAAG	GGAAGGTCTA	TGCTGTTGAG	2100
CTACAGGACT	GTGTCTGTTC	CAGAGCAGGA	GTTGGGATGC	TTGCTGTATG	TCCTTCAGGA	2160
CTTCTTG	TTTGGGAATT	TGGGGAAAGC	TTTGGAATCC	AGTGATGTGG	AGCTCAGAAA	2220
TCCTGGAACC	AGTGA	GTACTCAGTA	GATAGGGTAC	CCTGTACTTC	TTGGTGCTTT	2280
TCCAGTCTGG	GAAATAAGGA	GGAATCTGCT	GCTGGTAAAA	ATTTGCTGGA	TGTGAGAAAT	2340
AGATGAAAGT	GTTTCGGGTG	GGGGCGTGCA	TCAGTGTAGT	GTGTGCAGGG	ATGTATGCAG	2400
GCCAAACACT	GTGTAG					2416

(2) INFORMATION FOR SEQ ID NO:42:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 591 amino acids  
(B) TYPE: amino acid  
(C) STRANDEDNESS: single  
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:42:

Met	Glu	Lys	Ser	Thr	Ile	Leu	Ser	Asn	Trp	Thr	Lys	Glu	Ser	Glu	Glu	1	5	10	15
Lys	Met	Lys	Phe	Asp	Phe	Ser	Cys	Glu	Leu	Tyr	Arg	Met	Ser	Thr	Tyr	20	25	30	
Ser	Ala	Phe	Pro	Arg	Gly	Val	Pro	Val	Ser	Glu	Arg	Ser	Leu	Ala	Arg	35	40	45	
Ala	Gly	Phe	Tyr	Tyr	Thr	Gly	Val	Asn	Asp	Lys	Val	Lys	Cys	Phe	Cys	50	55	60	
Cys	Gly	Leu	Met	Leu	Asp	Asn	Trp	Lys	Gln	Gly	Asp	Ser	Pro	Val	Glu	65	70	75	80
Lys	His	Arg	Gln	Phe	Tyr	Pro	Ser	Cys	Ser	Phe	Val	Gln	Thr	Leu	Leu	85	90	95	
Ser	Ala	Ser	Leu	Gln	Ser	Pro	Ser	Lys	Asn	Met	Ser	Pro	Val	Lys	Ser	100	105	110	
Arg	Phe	Ala	His	Ser	Ser	Pro	Leu	Glu	Arg	Gly	Gly	Ile	His	Ser	Asn	115	120	125	
Leu	Cys	Ser	Ser	Pro	Leu	Asn	Ser	Arg	Ala	Val	Glu	Asp	Phe	Ser	Ser	130	135	140	
Arg	Met	Asp	Pro	Cys	Ser	Tyr	Ala	Met	Ser	Thr	Glu	Glu	Ala	Arg	Phe	145	150	155	160
Leu	Thr	Tyr	Ser	Met	Trp	Pro	Leu	Ser	Phe	Leu	Ser	Pro	Ala	Glu	Leu	165	170	175	
Ala	Arg	Ala	Gly	Phe	Tyr	Tyr	Ile	Gly	Pro	Gly	Asp	Arg	Val	Ala	Cys	180	185	190	
Phe	Ala	Cys	Gly	Gly	Lys	Leu	Ser	Asn	Trp	Glu	Pro	Lys	Asp	Tyr	Ala	195	200	205	
Met	Ser	Glu	His	Arg	Arg	His	Phe	Pro	His	Cys	Pro	Phe	Leu	Glu	Asn	210	215	220	
Thr	Ser	Glu	Thr	Gln	Arg	Phe	Ser	Ile	Ser	Asn	Leu	Ser	Met	Gln	Thr	225	230	235	240
His	Ser	Ala	Arg	Leu	Arg	Thr	Phe	Leu	Tyr	Trp	Pro	Pro	Ser	Val	Pro	245	250	255	
Val	Gln	Pro	Glu	Gln	Leu	Ala	Ser	Ala	Gly	Phe	Tyr	Tyr	Val	Asp	Arg	260	265	270	
Asn	Asp	Asp	Val	Lys	Cys	Leu	Cys	Cys	Asp	Gly	Gly	Leu	Arg	Cys	Trp	275	280	285	
Glu	Pro	Gly	Asp	Asp	Pro	Trp	Ile	Glu	His	Ala	Lys	Trp	Phe	Pro	Arg	290	295	300	
Cys	Glu	Phe	Leu	Ile	Arg	Met	Lys	Gly	Gln	Glu	Phe	Val	Asp	Glu	Ile	305	310	315	320

007050" 044360

Gln Ala Arg Tyr Pro His Leu Leu Glu Gln Leu Leu Ser Thr Ser Asp  
325 330 335

Thr Pro Gly Glu Glu Asn Ala Asp Pro Thr Glu Thr Val Val His Phe  
340 345 350

Gly Pro Gly Glu Ser Ser Lys Asp Val Val Met Met Ser Thr Pro Val  
355 360 365

Val Lys Ala Ala Leu Glu Met Gly Phe Ser Arg Ser Leu Val Arg Gln  
370 375 380

Thr Val Gln Arg Gln Ile Leu Ala Thr Gly Glu Asn Tyr Arg Thr Val  
385 390 395 400

Asn Asp Ile Val Ser Val Leu Leu Asn Ala Glu Asp Glu Arg Arg Glu  
405 410 415

Glu Glu Lys Glu Arg Gln Thr Glu Glu Met Ala Ser Gly Asp Leu Ser  
420 425 430

Leu Ile Arg Lys Asn Arg Met Ala Leu Phe Gln Gln Leu Thr His Val  
435 440 445

Leu Pro Ile Leu Asp Asn Leu Leu Glu Ala Ser Val Ile Thr Lys Gln  
450 455 460

Glu His Asp Ile Ile Arg Gln Lys Thr Gln Ile Pro Leu Gln Ala Arg  
465 470 475 480

Glu Leu Ile Asp Thr Val Leu Val Lys Gly Asn Ala Ala Ala Asn Ile  
485 490 495

Phe Lys Asn Ser Leu Lys Gly Ile Asp Ser Thr Leu Tyr Glu Asn Leu  
500 505 510

Phe Val Glu Lys Asn Met Lys Tyr Ile Pro Thr Glu Asp Val Ser Gly  
515 520 525

Leu Ser Leu Glu Glu Gln Leu Arg Arg Leu Gln Glu Glu Arg Thr Cys  
530 535 540

Lys Val Cys Met Asp Arg Glu Val Ser Ile Val Phe Ile Pro Cys Gly  
545 550 555 560

His Leu Val Val Cys Gln Glu Cys Ala Pro Ser Leu Arg Lys Cys Pro  
565 570 575

Ile Cys Arg Gly Thr Ile Lys Gly Thr Val Arg Thr Phe Leu Ser  
580 585 590